John

Crawford,

M.D.

Bate George

PHARMACOPOEIA BATEANA,

In LIBROS Duos digeſta:

Johannis Crawford

PRIMO

COMPOSITIONES GALENICÆ,

ALTERO

PROCESSUS CHYMICI,

Ordine Alphabetico exarantur:

Viribus, Doſibuſque illuſtrantur:

Atque CATALOGIS & INDICIBUS accommodantur.

Curâ & Operâ

THOMÆ FULLER, M. D. *Cantab.*

LONDINI:

Impenſis GUL. & JOH. INNYS ad Inſignia Principis in Areâ Occidentali D. Pauli. MDCCXIX.

Crawford
Hist.
05671 Coll.

PHARMACOPOEIA

GALENICA:

Quâ

MEDICAMENTA,

Præter illa à

Domino Shipton

Edita,

Non pauca inſuper

Ex Bateo Ipſo,

Aliiſque Principibus

Anglorum Medicis

Petita recenſentur.

LONDINI:

[illegible]CCXIX.

School of Pharmacy

AD
LECTOREM.

AUthorem noſtrum cùm à præſtantiſſimis ubicunque Æſculapii filiis perpetìm celebratur, circumgeſtatur, & conſulitur, nullâ prorsùs oratione panegyricâ, multò minùs Apologeticá opus habere credidi.

Hunc probus & induſtrius Dominus Shipton *primus è tenebris eruit, & bis cum laude edidit.*

Eundem ipſe poſtea Appendice verè Bateanâ *locupletatum protuli.*

Nunc autem ambobus colligatis integratum; & non paucis aliundè petitis adauctum denuò exhibui.

Nomina tamen eorum per quos profeci ſupprimenda cenſui; non ùt Bonorum ſcrinia clanculò compilarem; ſed malevolorum nequitiam providè cohiberem.

Ii enim (ignavum pecus) non ſolent eſſe multi in evolvendis libris; atque adeò dùm

conſciunt

conſciunt ſibi neſcire ſe Quantos fortè viros indignè conſpurcarent, procacitèr ſe gerere erubeſcant; & petulanter conviciari vereantur.

Deindè quoniàm plures apud me queſti ſunt, promiſcuam hancce confuſionem rerum alienâ penitùs proſapiâ natarum Lectoribus adhuc offendiculo fuiſſe; Galenica & Chymica ſeparatìm tradidi; & in libellos (ut oportuit) duos digeſſi.

Ultimò utriſque ſuos Catalogos præfixi; & Indices ſubjunxi. Hancque operam minimè ad privatum Quæſtum (qui ex re tantillâ nullus eſſe poteſt) ſed ad publicum bonum promovendum, ex animo ſuſcepi.

Illa quibus in Catalogo præfiguntur ** *Bateus* præſcripſit.

Quibus * *Shipton* collegit.

Cætera præſens Editor addidit.

Catalogus Medicamentorum.

** ACetarium Scorbuticum.

* Acetum Peſtilentiale.

**Alkekengi conditum.

**Allium conditum.

**Aluminatum.

Aluta ad Furſures.

* Amuleta Peſtilentialia.

**Apozema Bechicum.

** Cephalicum.

* Expector. potenter.

Helleboratum.

** Ictericum.

** Phthiſicum.

** de Pomis.

** ad Rachitidem.

Scorbuticum.

** Splanchnicum.

Aqua Ægyptiaca.

** Aluminoſa.

** Benedicta.

Comp.

Pector.

** Camphorata.

* Herpetica.

** Melluminata.

* Mercurialis.

* Salivalis.

** Sapphirina.

Styptica.

** Venuſtatis.

* Vermifuga.

* Vulneraria.

Bacilli Dentifricii.

**Balneum è Bryoniâ.

** è Tartaro.

** Venuſtatis.

** Balſa-

** Balſamum Apoplect.
* Fœminarum.
** Lucatelli.
** Magiſtrale.
Nuciſtæ.
* Momordicæ.
Sanativum.
* Sclopetarium.
* Spinale.
* Spleneticum.
** Succini.
* Verum.
* Bezoar Animale.
** Bochetum.
** Bolus Alexiterius.
Bolus Epidemius.
** Hæmorrhoidalis.
Helleboratus.
** Nephriticus.
Stypticus.
** è Terebinthinâ.
* Butyrum Amygdalinum.
* Ceræ.
Rubrum.
** Caryophylli odorati.
** Cataplaſma Anginoſum.
** Apoplectic.
** Arthriticum.
** Cardiacum.
* Cephalicum.
de Cicutâ.
** Cydoniatum.
Cynanchicum.
** de Cynocopro.
** Diſcutiens.
** Diureticum.
** Emolliens.
** Febrifugum.
** Hæmorrhoidale.
* ad Paranychiam.
** Peſtilentiale
** Podagricum.
Repellens.
** de Sabinâ.
** Soleare.
** Spleneticum.
** ad Tonſillas.
** Candela Amygdalina.
** Analeptica.
** Nenupharina.

Cera

Cera rubra.
**Ceratum album.
* Cereviſia Butleri.
** Catapſoras.
** Cephalica.
** de Cochleariâ.
de Cynorrhodio.
Depurans.
** Diuretica.
** Embryonum.
** Hydropica.
** Jovialis.
* Oxydorcica.
de Paſtâ.
Purgans.
** Roborans.
** Scorbutica.
** Scrophularia.
** cum Succis.
** Traumatica.
** de Valerianâ
** Vernalis.
Chocolata Balſamica.
Cephalica.
Scorbutica.
Claretum Sennatum.
**Cliſſus Portulacæ.
**Collyrium Metallicum.
** Conſerva Aurantiorum.
** HepaticaCorallina.
* Nicotianæ.
* Corpus ſine Animâ.
Cortices Aromatici.
Carminativi.
deCinnamomo.
* Corvus Epilepticus.
**DecoctumAlbum.
** Amarum.
Purgans.
** Ambroſianum.
* Analepticum.
* Antimoniale.
** Aſtacorum.
** Chinæ Comp.
** Cretaceum.
** Comp.
** Cydoniatum.
** Digitalis.
* DiureticumAugenii.
* Dyſentericum.

Guaiaci Aromat.
** Purgans.
** Ictericum.
Juniperi comp.
** Laxativum.
** Limacum.
Lumbricorum.
Maſtichinum.
** ad Morſum Canis rab.
** Pacificum.
** Paſſul. comp.
** Pectorale incraſſ.
* Phthiſicum.
** Pleuriticum.
Pæoniæ comp.
** Polychreſton.
* Præſervatorium
** Raparum comp.
** Rhabarbari.
* Rubiæ Tinctor.
* Rubicundum.
** Santalinum.
** Sarſæ Attemperans.
** Cephalicum.
** Exiccans.
** Traumaticum.
** Scorbuticum.
** Scorzoneræ.
** ad Sitim.
* ad Strumas.
* Traumaticum.
** ad Tuſſim.
**Dentifricium Acidum.
** Dominarum.
** Infantum.
** Scorbuticum.
Dentilavium firmans.
** Scorbuticum.
Elæoſaccharum Aniſatum.
** Cardiacum.
** Carminativum.
** Nuciſtæ.
** Saſſafras.
**Electuarium Æthiopic.
** Album.
** de Althæâ.
** Aſthmaticum.
ad Calculum.
* Cardiacum.
** Caryophyll.
** Caſtitatis.
Catharticum.
Cæſareum.

** Cæſareum.
* Chalybeatum.
Aromatic.
** Diarrhodi.
** Dia Sennæ.
* DucisSubaudiæ.
Ennulatum.
Epidemium.
** Epilepticum.
** de Eryngio.
** de Guaiaco.
** Incraſſans.
** Juniperinum.
** Lætificans.
** Laxans.
** Lithontripticum.
* Macis.
** Nenupharinum.
* Oxydorcicum.
** Paralyticum.
Pectorale.
Perlatum.
** Piperinum.
Rheumaticum.
Sanans.
de Saſſafras.
** de Satyrio.
Scorbut. Cephalic.
Succinatum.
** de Symphyto.
** è Terebinthinâ.
** Tolutanum.
** Traumaticum.
* Vermifugum.
**Emplaſtr. contra Abort.
** Adhæſivum.
** Album.
de Alcalibus.
** de Balauſtiis.
** Burgundicum.
* Camphoratum.
è Caranna comp.
* Catarrhale.
Cinnaberinum.
** Cypreum.
** Diachylon odor.
** Diagalbanum.
** Diapalm. odor.
* Dia ſulph. Rulandi.
Dorſale.
** Febrifugum.
* Hæmorrhoidale.
de Hierâ.
de Labdano.
Laterale.

** Laterale.
Lethargicum.
** Mamillare.
de Minio Goddardi.
Mirabile.
** Nuchale.
** Opiatum.
** Paralyticum.
Plumbeum.
* Podagricum.
Reſolvens.
Reſtringens.
* Saturninum.
** Scorbuticum.
Sedativum.
** Smecticum.
** Soleare.
** Spaſmicum.
** Spleneticum.
** ad Strumas
** Synanchicum.
* Tibiale.
** Tolutanum.
** Vermifugum.
**Emulſio Analeptica.
** de Avellanis.
* Cathartica.
** Cichoracea.
** Cretacea.
** Dactylorum.
** Expulſiva.
** Hæmoptoica.
** Icterica.
** Nenupharina.
** Phthiſica.
** Pæoniata.
** de Sarsâ.
** de Scorzonerâ.
** Somnifera.
** Enema Alexiterium.
* Balſamicum.
Butyraceum.
** Colicum.
** Conſolidans.
** Dyſentericum.
Epilepticum.
** Ad Eroſiones.
** Hæmorrhoidale.
Hydropicum.
* Hyſtericum.
* Oleoſum.
Opiatum.
** Sanativum.
Stypticum.
ad Teneſmum.
* Terebinthinatum.

* Vino-

* Vinoſum.
* Urinoſum.
**Epicarpia Cretacea.
** Helleborata.
**Epithema contra Abort.
Cephalicum.
Hypnotic. Penoti.
** Stomachicum.
Stypticum.
**Expreſ. Citrata.
Cydoniorum.
** Hæmoptoica.
Raph. comp.
** Scorbutica.
* Extract Maltæ comp.
** Pectorale.
** Peticum.
* Febrifugum Crollianum.
Fel Coſmeticum.
ad Capſulum Coſmetic.
**Fotus Arthriticus.
Aſtringens.
** ad Calculum.
** ad Cancrum.
** Cephalicus.
** Crinificus.
** Emmenagogus.
** Hæmorrhoidalis.
** Scorbuticus.
** Spleneticus.
**Frontale Cephalalgic.
*Gargar. Album.
de Althæâ.
** Anginoſum.
** Apoplecticum.
de Balauſtiis.
** Benedictum.
** Emolliens.
** de Ficubus.
ad Gingivas.
** Scorbuticum.
** Synanchicum.
de Ulmo
Gelatina Analeptica.
** Cornu Cervi.
** Ichthyocollæ.
** Roborans.
** Hauſtus de Arnogloſto.
Diureticus.

** Febrifugus.
Præparans.
Purgans Antemet.
**Helleb.albus præp.
Nig. fol præp.
**Hordei Cremor.
**Hydromel Bechicum.
Diureticum.
** Traumaticum.
Infuſum Anethin.
Aperiens.
Balſamicum.
** Benedictum.
Boraginatum.
** Cachecticum.
** Cardiacum.
** Carminativ.
** Cephalicum.
** Glycyrrhizæ.
** Ictericum.
* Ireatum.
Pomoſum.
* Sanctum.
Vermifugum.
**Injectio Alba.
** Aluminoſa.
* Auricularis.
** Benedicta.
** ad Cancrum.
** Detergens.
Julapium Aperiens minus.
Aperiens majus.
Armoniacum.
* Aſthmaticum.
** Catharticum.
** Citreum.
** Cretaceum.
** Cydoniatum.
Diateſſaron.
** Diureticum.
è Floribus.
** Fragorum.
** Gravidarum.
** de Hormino.
** Hyſter.Camph.
** Farinac.
** Fœtidum.
** Mithridat.
** Moſchat.
** Idæum.
Moſchatum.
** Perlatum.
Pleurit. Sylv.
* Purpureum.
** ad Rachitidem.
è Rore-

è Roremarino.
* Scorbuticum.
** ad Sitim.
** Stypticum.
** Tartariſatum.
** Vitæ.
**Junip. Baccæ candefactæ.
**Juſculum Chinæ.
** Galli.
Gelatinoſum.
* Lac Aluminis.
** Ammoniaci.
** Bezoini.
* Mercurii.
Papaveris.
* Scammonii.
Virginale.
Lamellæ Stomach. Ceratæ.
**LapisContrayervæ
* de Goâ.
** Medicamentoſ.
* Salutis.
Laudan. Dyſentericum.
* Limacum Liquamen.
Liniment Arthriticum.

Hæmorrhoid.
Herpoticum.
** Melluminatum.
** Paralyticum.
Saturninum.
** Simplex.
Liquor Styptic. la Vigne.
**Litus Dorſalis.
ad Gingivas.
ad Tonſillas.
Vitriolicus.
**Lohoch Album.
** de Albuminib.
Amylatum.
** Anginoſum.
** Benedictum.
** Domeſticum.
** Expectorans.
de Hæmatite.
** Hæmoptoicum
** Incraſſans.
Iſchæmum.
** Mucilaginoſum
Saponaceum.
** Synanchicum.
de Thure.
Lotio de Lithargyrio.

Sulphurata.
**Maſticatoria.
Mel Medicatum.
Moſchatum.
Myriſticum.
* Saponis.
Mellago ad Gingivas.
Magiſtralis.
**Miſtura Catarrhalis.
* Colica.
** Laxans Hæmopt.
Pectoralis.
Phthiſica.
Pleuritica.
Sulphurata.
** 1 Tubularis.
** 2 Tubularis.
** Succinata.
Miva Althææ.
Mucilaginoſa.
Morſell. Stomachici.
**Mucilago Nephritica.
* Nodulus Facialis.
** Hyſtericus.
*Oleum Balſamicum.
* Bufonum.
** Chartæ.
** Coſmeticum.
** Cremoris.
** Junip. comp.
** Linteorum.
** Milvinum.
** Paralyticum.
** Pomoſum.
* Ranarum.
* Sacchari.
Ambarat.
** Comp.
Juniper.
Sulphuratum.
** Scorbuticum.
* Τειχοφύες.
** Tritici.
* Viperarum.
* Orvietanum.
**Oxymel Hæmopt.
Panis Catharticus.
** Diaſarſæ.
** de Viperâ.
**Paſſulæ Laxativæ.
Sennatæ.
** Paſta Hypoglottida.
* Reg. ad Emulſiones.

Pedi-

Pedilavium Cephal.
** Emmenagog.
** Hypnotic.
** Podagricum.
** Scorbuticum.
Periapton Epileptic.
** Peſſaria.
Emmenagoga.
Styptica.
Petum Phthiſicum.
Pilæ ad Dent. conſum.
Hæmoptoicæ.
Odontalgicæ.
* Odoratæ.
Varignanæ.
Pileolus.
** Pilulæ Æthiop.
** de Ammon. May.
** Angelicæ.
** de Anime Gum.
* Antimoniales.
** Aphrodiſiacæ.
ad Ardorem.
de Ariſtolochiâ.
** Arthriticæ.
de Asâ.
Aſtmaticæ.
** Baſamicæ.
Benzoinatæ.
Calamelanos.
** Camphoratæ.
** Caſtitatis
** Catarrhales.
Chalyb. amaræ.
** Crocatæ.
** cum Hierâ.
Magiſtr.
** Colicæ.
** Crapulariæ.
** Cretaceæ.
de Cretâ Mayern.
* Palmer.
de Croco Martis.
** Diureticæ.
Dyſentericæ.
** Emmenagogæ.
Enulatæ.
Pro Gravid. R.
Guaiacinæ.
** Gummoſæ.
Helleboratæ.
** Hydropicæ.
Hypochondr.
** Hyſtericæ.

 Ictericæ.

Ictericæ.
* Lithontripticæ.
** Marocoſtinæ.
** Maſticatoriæ.
** Matthæi.
** Melanagogæ.
** de Mercur. crudo.
è Milleped.
Nitioſæ.
** Pacificæ.
* Pavii.
Pectorales.
** de Pice.
** Podagricæ.
de Prunellâ.
** Reſinoſæ.
** Reſtringentes.
** Roborantes.
Ruffi è Gum.
de Sabinâ.
** de Sagapeno.
** Sinapinæ.
** Spleneticæ.
* Styracinæ.
* Tart. Bontii.
* Vaticanæ.
* Vermifugæ.
** Vomitoriæ.
**Piſa Lutea.

** Rubra.
** 1 Viridia.
** 2 Viridia.
Pomatum Labiale.
Pulchrum.
* Pomum Ambræ.
Poſſetum Aſtringens.
Catharticum.
**Potio Alba.
** Febrifuga.
* Hydropica.
** Pleuritica.
* PtiſanaCathartica.
Sicca.
**Pulvis contra Abort.
** Æthiopicus.
** Albus.
* Arthritic. T.
** Aſthmaticus.
** Baſilicus.
* ad Calculum.
** Cantianus.
** Capillaris.
** Card. Corall.
** Ebor.
** Perlat.
** Rubens.
** Cardialgicus.

ad

** ad Caſum.
Chalybeatus.
** Cibarius.
** Cinnab. comp.
Cinnam. comp.
* Colicus.
Corallii comp.
** Cornachini.
** Coronatus.
* de Cretâ comp.
** Crinalis.
** Croci comp.
** Cucuphalis.
* Epidem. aur.
** Epilepticus.
** Euphrag.comp.
Fæminarum.
** Febrif. certus.
è Ferri Squamâ.
Fænic. comp.
** Griſeus.
** Hæmoptoicus.
* Hermodactyl.
** Hyſtericus.
** Ictericus.
de Lacca comp.
** Lateralis.
** Liliacens.
Lumbric.comp.

ad Manus.
* Martialis comp.
* Odoratus.
** Ophthalmicus.
** Oxytocius.
** Panonicus Rub.
Papav. comp.
** Pectoralis.
** Pepticus.
** Cephal.
** Peti comp.
Pleres Archon.
** Pleuriticus.
** Purpureus.
* Pyreticus.
** ad Rachitid.
Serpent. comp.
* Sine Pari.
** Solearis.
** 1 Sternutatorius.
** 2 Sternutatorius.
** Stomachicus.
** ad Strumas.
Stypticus.
ad Suffitum.
Tartari com.
ad Tormina.
Tra-

** Trachiorum C.
** Vermifugus.
ad Ulcera.
** Uvularis.
**Ranarum Hepata.
* Roſa Solis.
**Saccharum Ambaratum.
** Sacculus Aromaticus.
** Cephalicus.
** Colic.
** Nuchalis.
Roſatus.
** Stomachicus.
** Saranetta Coſmetica.
** Secundinæ præp.
** Serum Aluminatum.
Canarinum.
** Hepaticum.
** Nephriticum.
** Pſoricum.
** Scorbuticum.
** de Sedo.
** Sinapinum.
** Succi Scorbutici.
* Suffimentum Hyſtericum.

Pectorale.
** Peſtilentiale.
ad Ulcera.
SulphurisLiquamen.
** Suppoſitoria Alumi.
** Hæmorrhoid.
* Syrup. de Lujulæ.
** Balſamicus.
** Benedictus.
** Cardiac. aur.
** 1 Chalybeatus.
** 2 Chalybeatus.
** Corallat.
** de Croco.
* ad Fiſſuras.
é Floribus.
* Hæmoptoicus.
** Jovialis.
** Limacum.
** Lumbricorum.
** de Myrrhâ.
* Peponicus.
** de Peto.
** de Rapis.
** Sambuc comp.
** de Scammoneo.
* Sidereus.
** Scorbuticus.
* de Sulphure.

Tere-

Terebinth.
comp.
* Tolut Magiſtr.
* Vermifugus.
** Tabulæ Abſinthiacæ.
** de Cardamomo.
** Carminativæ.
Caryophyllac.
Cephalicæ.
** Diambræ.
Eboratæ.
** Embryonum.
Epilepticæ.
Fæniculine.
Paralyticæ.
Perſicæ.
Sambucinæ.
Tormentillæ.
** Tartari Cicera.
Tela Cerata ad Furfures.
ad Herpetem.
** Teſtes Equi præparati.
Tinctura Florum.
** Roſarum.
** Torquis Infantum.
** Tragæa Granor. Actes.
** Trochiſci de Althæâ.
** Amygdaloides.
** de Angelicâ.
** Antimoniales.
** de Aurantiis.
** Burgeſcani.
** Cardiaci.
** Cardialgici.
Caſhew.
* Cathartici.
** Diamargariton.
** Diatragacant.
** Divini.
ad Dyſpnæam.
* Emetici.
Exfoliantes.
* Farfarei.
** Griſei.
** Hæmoptoici.
** de Helenio.
** Infantum.
** Lenthales.
Odontalgici.
Orectici.
** Pectorales.
** de Pipere.
** Prunellæ.

** Prunellæ.
** Roſacei.
** Saponacei.
** de Styrace.
** Synanchici.
** Tartarei.
** Tart. comp.
** Vermifugi.
** Turundæ Acouſticæ.
Vapor Pectoralis.
Vernix.
** Vinum Arthriticum.
** Purg.
** de Batiturâ.
** Cathart. Ridg.
** Chalyb. Bat.
Williſ.
Cochlear.comp
Diureticum.
** Ecphracticum.
** Helleboratum.
** Hieræ.
* Hippocraticum
* Hydropicum.
Hyſtericum.
Ictericum.
Lixivioſum.
Lumbricorum.
Paſſulat. comp.
Salutis.
** Scelotyrbicum.
Sennatum.
** Sidereum.
** Viperinum.
Unguent. Æthiopic.
** Albuminum.
** Aurantiorum.
** Balſamicum.
** deBetonicâ aqu.
** ad Cancrum.
** Cephalalgicum.
Citrinum.
* Crinificum.
* Depilatorium.
** Digitalis.
** ad Eryſipelas.
** Faciale.
** Familiare.
** ad Fiſſuras.
* Fuſcum.
de Hæmatite.
** Hæmorrhoidale.
** Herpeticum.
** ad Lumbricos.
de Melle.
** Mercu-

** Mercuriale.
** Muliebre.
de Myrrhâ.
Nutritum Mayern.
* Opthalmicum.
** de Ovo.
** Paralyticum.
** Paregoricum.
** Pectorale.
de Pice.
** Piperinum.
Pſoricum.
** Pyreticum.
Saturninum.
** de Sedo.
** Soleare.
de Sperm. Ceti.
* Sympatheticum.
** Virilitatis.
ad Ulcera.

Catalogus Librorum proſtantium apud Gul. & Joh. Innys.

PHarmacopœia Extemporeana ſive Præſcriptorum Chilias, in quâ Remediorum elegantium, & efficacium Paradigmata ad omnes ferè medendi Intentiones accommodata, candide proponuntur una cum viribus, operandi ratione, Doſibus & Indicibus annexis. Editio quinta longe auctior & emendatior, per Tho. Fuller, M. D. Cant. 12mo. *Lond.* 1714.

——*Engliſh'd by the Author*, 8vo.

——Bateana.

——*Engliſh with* Salmon's Comment, 8vo. 1713

Pharmacopœia Colleg. Reg. Londini Remedia omnia ſuccinctè deſcripta. Editio quarta, per J. Shipton, 12mo. 1711.

Tentamina Medico-Phyſica, ad quaſdam Quæſtiones, quæ Oeconomiam Animalem ſpectant, accommodata quibus acceſſit Medicina Statica Britannica. Authore Jacobo Keill, M. D. 8vo 1718.

Dale (Sam.) Pharmacologia, ſeu Manuductio ad Materiam Medicam, in qua Medicamenta officinalia ſimplicia, hoc eſt, Mineralia, Vegetabilia, Animalia eorumque partes in Medicinæ Officinis uſitata, in Methodum Naturalem digeſta ſuccinctè & accuratè deſcribuntur, Opus Medicis, Philoſophis, Pharmacopœis, Chirurgis, *&c.* utiliſſimum. Iterata Editio emendata & aucta, 12mo. 1710.

———Supplementum: Medicamenta Officinalia ſimplicia priore Libro omiſſa, complectens. Edit. altera, 12mo. 1718.

De Curandis Febribus continuis Liber, in quatuor diviſus Sectiones: quarum ſingulæ ſingulorum morbi temporum, quæ totidem quoque ſunt numero, Remedia continent. Authore Jodoco Lommio, Burano, 8vo. 1718.

Boyle's Medicinal Experiments; or a Collection of choice and ſafe Remedies. The 6th Edition 12mo. 1718.

School of Pharmacy University of NC

Pharmacopœia Galenica.

Acetarium Scorbuticum.

℞ HERB. Cochlear. Marin. ℥iij, Sacch. alb. ℥vj, Sal. Cochl. ℥j, Contuſ. adde Succ. Aurant. ℥vj.

In iſto intingatur omnis Cibus Scorbuticorum.

Acetum Peſtilentiale.

℞ Rad. Angel. Zedoar. ana ℥j. Bac. Junip. ℥ij, Herb. Rutæ Miij, Aceti ℔iij, macera ac cola.

Pro Suffitu, & Oris collutione, graſſante Peſte.

Alkekengi conditum.

℞ Baccar. Halicacab. rec. ℥vj, contuſ. affund. Aq. lact. ℔iß, exprime ſuccum, & clarifica cum Album Ovor. Adde Bacc. recent. Halicacab. integras, & leniter coq. (cum Nuc. Moſc. ʒiij, Troch. Gordon. ʒij, Rad. Eryng. candefact. ℥ij,) ad teneritudinem. Baccis coctis, & exemptis liquor cum ana Sacchari coq. ad Syrupi

conſiſtentiam : in quo Baccæ condiantur.

Diureticum, & Lithontripticum.

Allium conditum.

℞ Rad. Allii mund. ℔j, coq. parùm in Aq. font. quæ abjiciatur, tùm coq. in Aq. Hyſſopi ad mollitiem perfectam. Liquor. cum Sacch. ℔j, coq. in Syrupum, circa finem addendo Allium, cum Ambr. griſ. gr. xxiv, Moſch. gr. iv, in nodulo ligatis, & Spir. Hormini ℥ij, m.

Uſus in Tuſſi, Aſthmate, Colicâ flatulentâ, Calculo & Arthritide.

Aluminatum.

℞ Succi Limon. ℔j, Alum. ℥ß, coq. ac deſpuma.

Ad ruborem, & puſtulas faciei, bibendo interim Cereviſ. Catapſoras.

Aluta ad Furfures.

℞ Ceræ albæ, Sevi Cerv. ana ℥j, Sperm. Ceti ℥ß m.

Modus parandi eſt, Pellis commoda ſuper lento igne, miniſtrorum manibus extenſa teneatur; deinde penicillo (ex Bombace, vel Spongiâ molli confecto) Cerâ dictâ liquatâ imbuto illinatur, & (inſperſâ Aquâ Roſarum) cum vitro ſuper aſſere lævigetur.

Amuleta Peſtilentialia.

℞ Auripigm. ℥iß, Rad. Angel. ʒvj,

Mucilag.

Mucilag. Tragac. q. ſ. ut f. Paſta: exindè f. Amulet. N° xij, globoſa Serico obvolvenda.

Ad Cordis regionem geſtentur.

Apozema Bechicum.

℞ Rad. Helen. ſicc. ℥j, Glycyrrh. ʒij, Herb. Tuſſilag. Scabioſ. ana Mij, Sem. Aniſi (ad finem addit.) ℥ß, coq. in Aq. hord. ℔iij, ad ℥xxvj, col. add. Tinct. Croci (Aq. Theriac. præp.) Syr. Viol. ana ℥ij, Syr. de Hyſſop. Jujub. ana ℥j, m.

Ad Catarrhum & Tuſſim propin. ℥iv, ter in die.

Apozema Cephalicum.

℞ Rad. Pæon. mar. rec. ℥ij. rad. Valerian. ℥iß. Cal. arom. ℥ß, coq. in Aq. ℔iij, ad ℥xxvj, col. (per. præcipit. defæcatæ.) adde Aq. Hungar. ℥iß, Spir. Lavend. C. ℥ß, Syr. Pæon. comp. ℥iv m.

Doſis ſit ℥iv mane; & ℔ß veſperi.

Apozema expectorans potentèr.

℞ Decoct. Pect. ℔j, Syr. Scabioſ comp. Oxym. Scill. ana ℥ij, Aq. Jugland. comp. ℥iß, infuſ. Croc. Metall. ℥j m.

Dentur Cochl. iij ad vij omni manè, ut provocentur tres circiter Vomitiones.

Apozema Helleboratum.

℞ Rad. Oxylap. ℥iß, Sal. Tart. ʒij, coq. in Aq. font. ℔ij ad ℥xx, col. adde

Sennæ ʒix, fibrar. Helleb. nig. ʒiij, coq. ad ℥xij, ſub finem adde Caryoph. contuſ. ℈ij, & gr. v. Col. diſſolv. Syr. Roſ. ſolut. ℥iij m.

Pro Melancholicis in tres doſis divid.

Apozema Ictericum.

℞ Rad. Curcumæ, Rubiæ tinctor. ana ℥j, Pip. long. ʒß, & gr. ij. f. decoctio in Aq. font. ℔ij ad ℔j, in fine aſſund. Vin. Rhen. (vel albi Gallici) ℔ß, col. (ſubſiſidendo clarefact.) adde Tinct. Croci (Aq. Mirab. extract.) Syr. è ♀ Radic. ana ℥iv m.

Bilis à ſanguine ſecretionem; ejuſque per ductus Hepaticos tranſitum, promovendo, Ictericis medetur. Doſis ſit ℥iv mane, & ℔ß veſperi, per iv dies.

Apozema Phthiſicum.

℞ Rad. Chinæ inciſæ ℥ß, Raſ. C.C. Eboris ana ʒij, Dactyl. N° iv, infund. in Aq. Hord. limpid. ℔iiiß, in loco ſubcalido per noctem; mane add. Herb. Cynogl. Bugulæ, Agrimon. Veronicæ Pauli, Virg. aur. Alth. Capil. Vener. Summit. Rubi ana p. iij, Uvar. Paſſul. enucl. Mß. coq. ad ℔ij, col. adde Conſ. Roſ. rubr. ℥iv, caleſcant per tres horas, & colentur.

Apozema de Pomis.

℞ Paſſul. Corinth. lot. & conciſ. Rad. Gram. ana ℥ij, Glycyrrh. ʒij, coq. in Aq. font. ℔iiiß ad ℔iiß, col. adde Cort. Pomor.

mor. acido dulcium ℥iv, Herb. Borag. Pimpinellæ ana Mj, moderato tepore infunde ad duas horas: col. ſine expreſſione add. Conſerv. Lujulæ ℥iv, infunde iterum per horam, & ſæpius per colum laneum trajice.

Succus Atrabilarios, & Bilioſos corrigit, Obſtructiones reſerit, Urinam ciet: Sitim ſedat. Melancholicis qui calidioris ſunt temperamenti; utì & Febricitantibus intensè exæſtuantibus, ſubvenit, iiſque hauſtus plenus ter vel ſæpiùs in die indulgeatur.

Apozema ad Rachitidem.

℞ Rad. Polypod. quer. Apii, Fænic. ana ℥j, Glycyrrh. ℥ß, Herb. Ling. Cerv. Capil. Vener. Cuſcut. Beton. Chelidon. ſummit. Tamariſci, Uvar. Corinth. cærul. conciſ. ℥iv, coq. in Hydrocrith. ℔vj ad ℔iiiß, ſub finem addendo Sem. Aniſi ℥j, col. adde Syr. è 5 Rad. ℔ß m.

Dentur cochl. a ij ad v ter in die: interìm purgetur patiens ſemel in ſeptimanâ cum Syr. à Cich. cum Rhab.

Apozema Scorbuticum.

℞ Conos Abietis (in quartaria ſectos) N° iv Tritici vireſcentis ℥ij, Liquor. Poſſet. (cum Vino albo facti) ℔iij, coq. ad ℔ij, col. frigid. adde Sp. Cochl. ℥ß, Syr. de Aurant. de Pomis alterant. ana ℥iß m.

Dentur ℥iv, bis vel ter in die.

Apozema Splanchnicum.

℞ Rad. Aſpar. ℥iß, Troch. de Cappar. Rhab. ana ʒvj, Herb. Chamæd. Miij, Ling. Cerv. Mij. Men. Mj, Cort. Saſſafr. ʒvj, Lumbric. à ſordib. Vino albo lotor. ℥iß, coq. in Hydropeg. ℔vj ad iv, col. adde Sem. Cochlear. Naſturt. ana ʒvj, Herb. Cochl. Mvj. Vin. alb. ℔ij, f. Infuſio ſubcalida & clauſa per horam, ac deinde coletur, cui adde Aq. Lumbric. Magiſtr. ℥iv m.

Ad Viſcerum Obſtructiones, & Scorbutum.

Aqua Ægyptiaca.

℞ Aq. calc. ℥iv, Aq. Plantag. Theriacal. ana ℥ij, Ung Ægypt. ℥ß m.

Ad ulcera detergenda.

Aqua Aluminoſa.

℞ Alum. & Vitriol. alb. ana q. v. pulv. & commiſt. coq. in vaſe terreo igne lento, donec indureſcant lapidis inſtar. Injice hujus pulveriſati cochl. i. in Aq. bullientis ℔ij, & cum ſolvitur filtretur aqua.

Ad Ulcera, Vulnera, Fiſtulas, &c. lavanda.

Aqua Benedicta.

℞ Calc. vivi ſonantis ℔j, huic affunde Hydropeg. bullientis ℔viij, poſt-com-

 pletam

School of Ph... University...

pletam ebullitionem, & debitam reſidentiam Aqua clara per pannum coletur.

Multum facit epota in Faciei rubore & Puſtulis. In Strumis, Aſthmate, Phthiſi, Empyemate; Tumoribus aquoſis, Profluvio albo, Arthritide vagâ, Ulceribus omnibus cum affluxu humorum; in Diabete curandâ optimè audit; uſui etiam externo ad Eruptiones, Ulcera, Ambuſta, inſervit &c.

Aqua Benedicta compoſita.

℞ Glycyrrh. recent. ℥j, Cort. Saſſafr. ℥ß, Uvar. Paſſ. ſol. exacinat. ℥vj, Nuc. Moſc. ʒvj, Aq. Bened. ℔vj, infunde in frigido per ii dies & col.

Idem præſtat cum priori; efficaciùs autem in aliquot caſibus.

Aqua Benedicta Pectoralis.

℞ Paſſul. ſol. exacinat. ℥iij, Raſ. Lig. Guaiaci ʒvj, Saſſafr. Rad. Enulæ ana ʒiij. rad. Irid. Florent. Glycyrrh. Sem. Aniſi ana ℥iß, præparentur omnia ad ſacculum cum Aq. Calcis ℔vj, in vaſe vitreo (patentis orificii) ponendum, frigidèque & clausè aſſervandum, effundatur liquor inter utendum, ſacculo uſque relicto.

Expectorat, detergit, exſiccat, in Phthiſi, & Pulmonis vomicâ, convenit.

Aqua Camphorata.

℞ Vitrioli Rom. Boli Arm. ana ℥iv, Camph. ℥j, f. pul. hujus projice ℥j, in Aquæ

Aquæ bullientis ℔iv, amove ab igne, & ſubſidant fæces.

Iſtâ tepidâ fove quævis ulcera: fluxiones tollit, mundificat, ſiccat, roborat. Dentes firmat; Putredinem arcet. Ignem ſacrum, & Manus ſcabioſas curat. In Ophthalmiâ, Epiphorâ, &c. mira præſtat.

Aqua Herpetica.

℞ Alum. rup. ℥j, Vitrioli albi ℥ij, Rad. Enulæ recent. ℥ij, Herb. virid. Nicotian. Mj, Aceti opt. ℔j, coq. ad conſumpt. tertiæ partis: col. adde Vitrioli uſti ℥ß m.

Panni hâc Aquâ madefacti Herpeti applicentur, & ſicceſſere permittantur; idemque opus eo uſque repetatur, donec Eſcharæ nova cuticula adnaſcatur.

Aqua Melluminata.

℞ Fol. Querc. ſummit. Rubi, Roriſmar. Herb. Lanceol. Fragar. Pentaphyl. Bugul. Millefol. Periclym. Salv. Flor. Roſ. rub. ana Mij, Scob. Guaiaci ℥iv, Rhod. ℥ij, Rad. Biſtort. ℥j, Sulph. viv. ℥iß, Vitrioli ℥j, Alum. ℥iv, Mell. ℔ß, coq. in Aq. fluent. ℔viij, ad dimid. conſumpt. col. fæce depoſita, ſervari poteſt per annum integrum.

Cum Ol. Sulph. ad Ulcera Oris, & Gingivarum; cum Florib. nitri, ad Puſtulas optimum Remedium.

Aqua

Aqua Mercurialis.

℞ Rad. Lil. alb. ℥ij, coq. in Aq. ſont. ℔iß ad ℔j, col. add. Amygd. amar. excort. ℥ij, f. emulſ. in qua ſolve in Mortario vitreo Mercur. ſublim. pulv. ℥ij, f. Aq. albiſſima.

Ad Faciei ruborem, puſtulas, &c. curandas, tange loca ſæpè cum guttâ minutiſſimâ, ſtatìm exiccando cum linteolo.

Aqua Salivalis.

℞ Pulv. Mercur. ſublim. Theriac. Androm. Zedoar. Cinnam. ana ℥ij, Croci ℥ß, Aq. font. ℔iß, infunde per aliquot dies, & cola.

Aqua Sapphirina.

℞ Sal. Armon. crudi ℥iij, ſolv. in Aq: Calc. ℔j, ſtent in Vaſe æreo, donec colorem Sapphirinum acquirant.

Oculorum fluxionibus, puſtulis, ulceribus, maculis medetur. Guttæ iij vel iv, pro vice in oculos inſtillentur.

Aqua Styptica.

℞ Colcoth. Vitrioli, Alum. uſti, Sacch. cand. alb. ana ℥j, Urinæ ſanæ matutinæ, Aq. Roſ. rub. ana ℥j, Aq. Plantag. ℥iv, digere, ac filtra ad uſum.

Aqua Venuſtatis.

℞ Aq. Ment. ℔j, Salis puriſſ. ℥iß, coq. ad deſpum.

Pro Facie, ad pruritum tollendum.

Aqua

Aqua Vermifuga.

℞ Mercur. crud. rectè purg. ℥j, Aq. Gram. Portul. ana ℥iv, macer. per hor. ij ſæpe, ac fortiter agitando: poſtea decanta, & cola (relicto in vaſe Mercurio.)

Dentur cochl. iij ter in die.

Aqua Vulneraria.

℞ Vitriol. alb. (opt. depur.) ℥ß, Nitri ʒij, pulv. conjiciantur in Aq. font. Cong. vi, benè agitentur, deinde per ſe maneant per hor. 48. & poſtea ſyphone (ſine ſubſidentis materiæ agitatione) Aqua limpida abſtrahatur. *K. Digby.*

Citiſſimè curat Vulnera, & Ulcera.

Bacilli Dentifricii.

℞ Pumicis, Laterum, Teſt. Oſtrear. Oſſ. Sepiæ, Ter. Tripolit. C. C. uſt. ana ℥ß, f. omn. pulv. ſubtil. excipiendus Mucagine Ichthyocollæ (Aq. Hungar. ſolut.) pro Maſsà; ex quâ fingantur Bacilli depreſſi, ad fricandos dentes apti. Siccentur optimè, & ſerventur in pyxide involuti Bombace Moſchato. Addi poſſint grana aliquot Moſchi.

Balneum è Bryoniâ.

℞ Rad. Bryon. alb. Ireos noſtr. Farin. Lupin. & Fabr. ana ℔iß, Herb. Borag. Summit. Geniſt. inciſ. ana Mxx, m. pro decocto.

Contra Pſoram.

Baln.

Baln. è Tartaro.

℞ Tart. alb. pulv. ℔j, Rad. Bryon. alb. ℔jß, Fol. Sambuc. Herb. Borag. ana Mxviij, præp. & miſc. pro decocto.

Baln. Venuſtatis.

℞ Hord. mund. ℔ij, Orizæ ℔j, Lupin. craſsè pulv. ℔iij, Furfur. macr. ℔viij, Herb. Viol. Borag. ana Mx. coq. in Aq. q. ſ.

Ad Cutim detergendam, poliendam, & emolliendam.

Balſamum Apoplecticum.

℞ Ol. ſtill. Cinnam. Caryoph. Lavend. Limon. Majoran. Menth. Rutæ, Roriſmar. Salv. Abſint. Rhod. ana g^{t}. xij, Succini g^{t}. vj, Bitum. Judiac. pul. ʒij, Ol. Nuc. Moſc. expreſ. ℥j, Balſ. Peruv. q. ſ. m. ſ. a.

Naribus inditum, vel quoquo modo externè applicatum Caput conſortat; frigidos humores diſcutit; ſpiritus invigorat: adeoque in Apoplexia, Syncope, Paralyſi convenit. Internè etiam exhiberi poteſt à gr. iij ad vj, cum Electuario aliquo Cephalico.

Balſamum Fæminarum.

℞ Flor. minimorum Geran. Moſch. ℥iv, Ol. Amydal. dulc. recentiſ. ℔iß, inſolentur dies 40. f. expreſ. adde Flor. Nenuph. Lil. alb. ana ℥iv, inſol. dies 20, & f. ex. preſ.

preſ. cui add. Ol. Jaſmini ℥iv, Zibet. ʒj, m. ſ. a. ut f. Balſ.

Pro Perinæo, Inguinibus, & Lumbis ἐν τῇ δυςοχίᾳ inungendis.

Balſamum Lucatelli.

℞ Ceræ citr. (non veteraſcentis) ℔j, liqueſcat miti igne in pari quantitate Vini Hiſpanici dulcis, dein adde Ol. Oliv. (vel potiùs Jugland.) ℔iij, Tereb. Venet. ℥viij, bulliant leni foco ad Vini evaporationem, ſub finem add. Balſ. Peruv. ℥j, demum ab igne ſemotis, & non bullientibus inſperge Santali rubri ſubtiliſſimè pulv. ℥ij, continuè agitando donec refrixerint, f. Balſ.

Extrinſecus valet ad Ambuſta, Inflammationes, Ulcera, Vulnera, &c. Intrinſecùs detur ad ʒj vel ʒij, in Vino, in Contuſiones internas; Ulcera Renum; Calculos Renum aut Veſicæ, cum difficultate urinæ.

Balſamum Magiſtrale.

℞ Tereb. Ven. ℥viij, Styr. liq. ℥iv, Ol. Oliv. ℔iß, Ol. Hyper. ℥iß, Ol. Laur. Spicæ, Petræ, ana ℥j, Santal. rub. Carannæ ana ℥j, Benzo. Sang. Drac. ana ℥ß, Ceræ ℥ivß, bulliant per horam, dein addendo Ol. ſtill. Bac. Junip. ℥j; Ol. Cinnam. ʒß, Caryoph. ʒj, m. ſ. a.

Externè

Externè coctionem juvat, dolores Colicos, Calculoſos, Nervoſos mitigat. Contuſionibus, Vulneribus, Ambuſtis convenit. Tubercula pedum callоſa (reſecata priùs ad vivum ferè) tollit. Cephalalgiam, nariumque Hæmorrhagiam reprimit. Internè cum vino ſumptum valet ad Contuſiones, Vulnera interna, Colicam, Calculum, Vermes, &c.

Balſamum Momordicæ.

Fit ex fructu ejus & oleo, per inſolationem ſatis longam.

Valet optimè in Vulneribus, Ulceribus, maximè Hæmorrhoïdibus, Matricis Ulceribus, Rupturis, &c.

Balſamum Nuciſtæ.

℞ Nuſc. Moſc. contuſ. ℔j, Vin. Hiſpan. ℔ß, Butyri opt. inſulſ. ℔ij, inſolentur (vaſe optimè clauſo) ad dies ϛ, tum coq. leniter ad Vini conſumpt. & f. col.

Externè valet contra omnes dolores frigidos. Internè (in Vino) ad ℨß exhibitum, Expellit Fœtum mortuum, ſecundinas, &c. Confert contra dolorem Capitis, Splenis, &c.

Balſamum Sanativum.

℞ Ol. Hyper. ℥ij, Ol. Nuc. Jugland. Ol. Terebint. ana ℥iß, Gum. Elemi ʒx, liquefactis inſperge Æruginis depur. ʒijß,

agitatio continua ad coloris viridis intenſionem.

Ad Ulcera.

Balſamum Sclopetarium.

℞ Ol. Lini, Terebint. ana ℔j, virid. Æris pulv. & cribrat. ℥ß, coq. parùm ſ. a.

Pro Vulneribus ſclopetariis, & Ulceribus veteribus nulli ſecundum.

Balſamum Spinale.

℞ Axung. Human. ℥iv, Anſeris, Taxi ana ℥iij, Ol. Laur. ℥ij, Fol. Sambuc. Ebuli, Herb. Salv. Majoran. Calamint. Orig. Flor. Lavend. ana Mj, coq. ad Succor. conſumpt. f. Expreſſ. cui adde Balſ. Succini ℥j, Ol. Mac. expreſſ. ℥ß, Petrol. Ol. Spicæ ana ʒij, m. ſ. a.

In Rachitide pro ſpinâ dorſi inungendâ. Adhibeatur mane, & ſub ingreſſum in lectum, ſuperpoſitâ lanâ ſuccidâ linteo duplici aſſutâ.

Balſamum Spleneticum.

℞ Fol. Hederæ arbor. Herb. Rutæ Thymi Flor. Chamom. ana Mj contuſ. add. Fel. Bov. Ol. è pedib. Bov. ana ℔j, Spir. Vini ℥j, coq. per horam f. col.

In Splenis, omnibuſque frigidis doloribus, mira præſtat.

Balſamum Succini.

℞ Succin. alb. ſubtil. pulv. ℥ij, Ol.

Tereb.

Tereb. ℥vi, tamdiù inſolentur donec perfectè ſolvatur Succinum.

Cerebrum, & Senſus roborat. Nervorum affectibus Convulſivis, Epilepticis, Hyſtericis, &c. auxiliatur.

Balſamum verum.

Fit ex Limacibus cum Teſtis & ana Sacch. candi albi diu multumque contuſis, adeò ut fiant Balſamum.

Ad foveas Variolarum.

Bezoar Animale.

℞ C. C. ad ſummam albedinem calcinat. & pulv. ℥iv, lævigа in pollinem ſupra marmor affundendo guttatìm Spir. Vitrioli q. ſ. uſque paſta fiat: exindè fiant Globuli qui ſtatim exſiccentur.

Alexipharmacum, Sudorificum, & Vermifugum eſt. Fluxus alvi (Bilioſas) ſedat. Sitim extinguit.

Bochetum.

℞ Rad. Sarſap. ℥vj, Lig. Guai. ℥iß, Uvar. Paſſ. exacin. ℥xij. infunde Hydrocrith. ℔xij duodecim; horas coq. ad conſumpt. dimidii addendo ſub finem Glycyrrh. ʒvj, f. col. pro potu ordin.

Bolus Alexiterius.

℞ Xyloaloes ℥ß, Herb. Angel. Meliſ. Scord. Pimpinel. Scabioſæ ana Mij, Dracont. Mj, Flor. Caryoph. Calend. ana Miij, Bac. Kerm. ℥iß, Coccinel. ʒij, Vin. alb.

 ℔ij,

℔ij, vel q. ſ. macerentur tepidè hor. 24. Liquor expreſſus miſceatur cum Boli Arm. pulv. ℥viij, ut f. inſtar Pulmenti, Sole exſiccandi. Repetatur opus 5 vicibus cum Infuſione dicta: ultimò f. Troch. ſ. a.

In Morbis Malignis, Doſ. à ℈j ad ʒj.

Bolus Epidemicus.

℞ Pul. é Chel. comp. gr. viij, Lap. de Goâ gr. vj, Croci gr. iij, Sal. Succini, Sal C. C. Camph. ana gr. i, Succi Kerm. q. ſ. m. f. Bol.

Contra Febres malignas.

Bolus Hemorrhoïdalis.

℞ Pulp. Caſſiæ recens extr. ʒiij, Flor. Sulph. ʒß, Pulv. Glycyrrh. ℈ß, f. Bol.

Sumatur manè, & ſuperbib. hauſt, ex decoc. Pect. (cum Rad. Alth. incoctis) ℥iij, Mannæ ℥j, Syr. Viol. Oxym. Scyll. ana ℥ß.

Valet etiam contra Aſthma humorale, & affectus Thoracicos.

Bolus Helleboratus.

℞ Conſ. flor. Borag. ℈ij, Extract. Helleb. nig. Calomel. ana ℈j, m. f. Bol.

Bolus Nephriticus.

℞ Tereb. Ven. coct. & pulv. ʒi, Oc. Cancr. ℈j, Tart. Vitriol. ℈ß, Sal. Succini gr. iv, Syr. Alth. q. ſ. m. f. Bol.

Sumatur manè, ſuperbibaturque Serum Nephriticum.

Bolus

Bolus Stypticus.

℞ Croci Mart. aſtring. ℈j, Sacch. Saturni gr. v. Alum, rup. gr. iv. Vitrioli albi gr. i. Ol. Cinnam. g^t. i. Diaſcord. ʒß, Diacod. q. ſ. m. f. Bol.

Bolus è Terebinthinâ.

℞ Caſſiæ rec. extr. ʒiij, Terebint. Ven. ʒj, pul. Rhab. ʒß, f. Bol.

In affectibus Venereis ſumatur horâ ſomni; manè ſequenti bibantur infuſ. Bened. ℥vj.

Butyrum Amygdalinum.

℞ Amygd. dulc. excort. ℔j, optimè contuſis adde Aq. font. q. ſ. ut craſſamentum fiant inſtar Cremoris; liquor fortitèr exprimatur, igni admoveatur; & cum bullire incipit, Succi Limon. ℥j, (coagulandi gratiâ) illi addatur. Tunc ſuſpendatur in ſacculo laneo, ut ſeparetur Serum. Coagulum vero in ſacculo relictum condiatur cum Saccharo, & Aq. Roſar. ad gratum guſtum.

Anodynum eſt elegans, lenit, & maturat, ad tormina ventris Infantulorum valdè commendatur.

Butyrum Ceræ.

Fit ex Cerâ ſolutâ in Spiritu Vini, filtratâque, ut remaneat in chartâ inſtar Butyri.

A Schrodero dicitur Magiſterium Ceræ.

Edulcoratum, atque ad ℥j, propinatum valet eximiè ad Dyſenteriam.

Butyrum rubrum.

℞ Butyri recent. inſulſi (præcipuè Maio menſe) à ſero optimè liberati ℔j, liquefacto ad ignem (ſed non bullienti) commiſceatur Rad. Anchuſæ pulv. ℥j, agitentur per minuta aliquot ad colorem pulchrè rubellum extrahendum; deinde Butyrum in ollam coletur, uſuique reponatur.

Externè ad Eroſiones. Internè ad Tuſſim, Calculum, & Contuſiones uſurpatur.

Caryophylli Odorati.

℞ Styrax. calam. Labd. ana ℥ij, Benzo. ℥j, Caryoph. ℥ß, Ἀνθερικίων ℥iij, f. Pul. ſubtil. adde Aq. Gummoſæ q. ſ. ut f. Maſſa, ex quâ form. Caryophylli ſ. a.

Ad Cubiculum Ægrotantium fumigendum.

Cataplaſma Anginoſum.

℞ Pul. Cynocop. Mellis ana ℥iß, Farinæ Tritici ℥iij, Aceti q. ſ. cum jam in linteum duplicatum extenditur, & calefit, ſuper totum aſperg. Croci pulv. ʒß.

Sub mento applicetur.

Cataplaſma Apoplecticum.

℞ Rad. Bryon. alb. rec. ℥iij, Sem. Sinap. Sapon. nig. ana ℥j, Cantharid. pulv. ʒvj,

ʒvj, contuſis add. Aceti q. ſ. f. Catap. pro capite raſo.

Veſiculas excitabit.

Catapl. Arthriticum.

℞ Mucilag. Sem. Cydon. (Aq. Lact. extract.) ℥viij, Uvar. Malagenſ. (exacinat. & in pulpam. contuſ.) ℔j, m. agitando ſuper prunas, f. pulticula adhibenda locis affectis, & renovanda ſextâ quâque horâ.

Catapl. Cardiacum.

℞ Cort. Citri cond. ℥ß, Conſerv. flor. Borag. ℥ij, Succi chermes ʒiij, Mellis Anthoſ. ℥j, optimè contuſis add. Spec. Diamoſc. dulc. ℈ij, Croci ℈j, m. & adhibe Cordis regioni.

Ad Syncopen, Tremores, & Palpitationem.

Catapl. Cephalicum.

℞ Pulv. Caryoph. Nuc. Moſc. ana ʒij, Pip. Indici ℥ß, Diaſinap. ʒvj, Fermenti acris ℥iij, Spir. Lavend. comp. ℥iß, vel q. ſ. ut f. Catapl. pro Capite raſo.

Catapl. de Cicutâ.

℞ Herb. Cicutæ & Hyoſcy. ana Miij, in Aquam bullientem conjiciantur; & quamprimùm teneraſcunt eximantur & contundantur, addendo Flor. Chamom. pulv. ʒij, & Vitel. Ov. N° i. m.

Ad dolores Arthriticos conſopiendos.

Catapl. Cydoniatum.

℞ Cydon. cond. (in pulpam contuſ.) ℥iij, Diaſcord. Mell. Roſ. ana ℥ij, Pul. Terr. ſigill. Boli ana q. ſ. ad conſiſtentiam commodam. m.

Ad Vomitionem, Diarrhæam, Abortum prohibendum: item ad Herniam, renovetur bis in dies.

Catapl. Cynanchicum.

℞ Pulv. alb. Canis ℥j, Conſerv. Roſ. rnb. ℥ij, Syr. de Mecon. q. ſ. m.

Catapl. de Cynocopro.

℞ Cynocop. pulv. aceti ana ℥ij, Pulp. Caſſiæ ℥j, Mel. Roſ. q. ſ. m.

Catapl. Diſcutiens.

℞ Rad. Enulæ recent. Ireos noſt. ana ℥iv, Alth. viij, Herb. Scord. Naſturt. aq. ana Mvj, Ebuli, Abſint. Cicutæ, Malvæ ana Miv, Flor. Sambuci, Geniſtæ ana Miij, coq. in Aq. q. ſ. ad mollitiem; contuſis adde Gum. Ammon. (Aceto ſoluti) ℥iv, Farin. Fabar. & Lini ana ℥vj, Ol. Irini ℥iv, Ol. Geniſtæ ℥iij, m. f. Catapl.

Pro Splene.

Catapl. Diureticum.

℞ Herb. Parietar. Miij, coq. in Lact. q. ſ. ad contabeſcentiam: dein contundendo miſce cum Cepis (ſub cineribus priùs coctis) N° iij. Rad. Raph. ſylv. ℥iij, Vi-

4 tell.

tell. Ov. N° ij Ol. Scorpion. ℥j, Ung. Dialth. ℥ij, m. f. Catapl.

In paroxyſmo Calculoſo applicetur Perinæo, vel locis dolentibus.

Catapl. Emolliens.

℞ Rad. Alth. rec. ℔ß, R. Lil. alb. ℥iv, Fol. Sambuc. Herb. Alth. Malv. Abſint. flor. Melil. Samb. ana Mij. coq. in Aq. q. ſ. ad mollitiem: tunc. contuſ. add. Farinæ Sem. Lini ℔ß, Fabar. ℥ij, Sevi vervec. ℔ß, Ol. Lumbric. ℥iii, m. f. Catapl. & Liquor expreſſus ſervetur pro Fotu.

Catapl. Febrifugum.

℞ Rad. Bryon. alb. recent. ℥iv, Herb. Rutæ Miij, Sem. Sinap. ℥ij, Sem. Coriand. ℥iij, Spir. Sulph. ʒj, Aceti Scyll. ℥ij, m. f. Catapl.

Catapl. Hæmorrhoïdale.

℞ Rad. Alth. Cynogl. (ad putrilag. in Aquâ coct.) ana ℥ij, Mucilag. Sem. Cydon. Ung. Hæmorrhoïd. ana ℥j, Vitel. Ov. i. Plumbi uſti pulv. ʒvj, m. f. Catapl. applicand. poſt Fotum.

Catapl. ad Paronychiam.

℞ Vitel. Ovi unius recent. Balſ. Peruv. gt. viij, reſinæ commun. tenuiſſimè pulv. q. ſ. ut reducatur in formam Cataplaſm.

Applicetur loco effecto. Egregium eſt.

Catapl. Peſtilentiale.

℞ Sterc. Columb. pulv. ℥iv, Croci ℥ß,

Mithrid.

Mithrid. Theriac. Lond. Sem. Sinap. ana ℥j, Terebint. Ven. q. ſ. f. Catapl.

And Bubones rumpendos. Poſt rupturam adhib. Empl. ex Empl. de Mucilagin. Diach. c. Gum. Stictic. ana ℥iß & Galb. ℥ß.

Catapl. Podagricum.

℞ Melanoſmegm. ℥iv, Vitel. Ov. N° ii, Croci ʒj, Ol. Spicæ ℥j, m. f. Cataplaſm.

Catapl. Repellens.

℞ Alum. pulv. ℥ß, Lact. ℔j, coq. ad Aluminis ſolutionem; deinde in mortarium effuſis adde Panis domeſtici radulâ raſi q. ſ. ut contundendo f. Catapl.

Catapl. de Sabinâ.

℞ Summit. Sabinæ, Rutæ, Erigeri ana Mij, Rad. Bryon. alb. recent. Melanoſmegm. ana ℥ij, Muſtardæ, Salis nig. ana ℥j, m. f. Catapl. pro Carpis & Plantis.

Contra Febres intermittentes; & affectus Soporoſos.

Catapl. Soleare.

℞ Rad. Bryon. alb. recent. ℥iv, Summit. Rutæ ℥ij, Salis nigr. pulv. Fermenti acerrimi, Melanoſmegm. ana ℥iß, Muſtardæ ℥iv, contuſ. add. Aceti q. ſ. m. f. Catapl.

Pro plantis pedum in Febribus.

Catapl.

Catapl. Spleneticum.

℞ Fol. Nicot. ſicc. Miij, irrig. cum Aceti Roſ. ℥iij, add. Herb. Cicutæ rec. Miv, Malvæ, Viol. ana Miß, contunde, & coq. in Aq. q. ſ. ad teneritudinem: deinde cum Croci ʒj, Farinæ Sem. Lini ℥iij, & Ol. Roſ. ℥iij, vel q. ſ. f. Cataplaſm.

Catapl. ad Tonſillas.

℞ Pul. Cynocopr. ℥j, Croci ʒß, Sang. Drac. ʒiß, Mel. Roſ. ℥ij, vel q. ſ. m. f. Catapl.

Caudela Amygdalina.

℞ Cerviſ. generoſ. illupulat. ℔ij, Aq. font. ℔j, Cinnam. ℥j, coq. ad conſumpt. tertiæ partis col. adde Amygd. d. largiſſ. non decortic. contuſ. N° 60 coq. parùm; cola, per cribrum exprimendo; adde Sacch. albi duri ℥ij, f. Caudela.

Pro Puerperis Diarrhæa laborantibus.

Caudela Analeptica.

℞ Alæ mediocr. ℔j, Dactyl. inciſ. N° vj, R. Eryng. candefact. quant. 4 digitorum: Flor. Hormini, Lamii ana Mj, farin. Aven. cochl. i. coq. & expreſſ. add. Sacch. alb. q. ſ. m. f. Caudela.

Caudela Nenupharina.

℞ R. Nymph. ℥j, Icthyocol. Raſ. C C. Ebor. Sant. alb. ana ʒij, R. Biſtort. ʒß, Dactyl. N° iv, Orizæ cochl. ij, coq. in Cerviſ.

Cerviſ. illupul. ℔ß, Aq. font. ℔j ad ℔j, col. add. Vitel. cum Albumine Ovi i, & Sacch. q. ſ. m.

In Abortu præcavendo, Dorſi infirmitatibus, Gonorrhæâ, Profluvio albo &c. eximii eſt usûs. Detur pars dimidia bis in die.

Çera rubra.

℞ Ceræ albæ ℥iv, liquefact. add. Pul. Rad. Anchuſæ ℥ß, atque vas relinquatur (Cerâ fusâ) in Aquâ calenti, donec Cera colorem rubicundum contraxerit: tunc f. col.

Ad Eroſiones, & Ambuſta.

Ceratum album.

℞ Ceræ albiſſ. ℥iv, Ol. Amygd. amar. ℥v, Sperm. Ceti ℥j, Ceruſſæ (Aq. Roſ. lot.) ℥iß, Camph. ʒß, m. ſ a.

Lenit, reſolvit, anodynum eſt Coſmeticum eſt, foveas Variolarum replet.

Cereviſia Butleri.

℞ R. Enulæ, Raph. ruſt. ana ℥iv, Herb. Beton. Salv. Agrimon. Cochl. Abſint. Rom. ana Miij, m. f. ſacculus in Cereviſ. non lupul. cong. iv, ſuſpendend. cum lapide in fundo ſacculi.

Cephalica, Stomachica, Pulmonica, Hepatica, Splenetica, Diuretica eſt. Cachexiæ, Hydropi, Scorbuto, Melancholiæ, Hypocond. Scabiei &c. adverſatur. Sit

pro

pro potu communi, aut ſaltem ter in die bibatur.

Cereviſia Catapſoras.

℞ R. Oxylap. ℔iß, Polypod, Rub. Tinctor. ana ℔ß, Glycyrrh. ℥iß, Mecoacan. ℥iij, Senæ ℥vj, Herb. Scabioſæ, Agrimon. ana Miij, Sem. Carui. ℥j, Antimon. craſsè pulv. ℔j, f. Saccul. pro Cong. vj, Cerev.

Sanguinem purgat optimè valet in Pſorâ, aliiſque cutaneis fœditatibus. Detur ℔j, (plus minus) omni mane.

Cereviſia Cephalica.

℞ Rad. Pæon. mar. ℥ij, Enulæ ℥iij, Sterc. Pavon. ſicc. & craſsè pulv. Uvar. Paſſ. enucl. ana ℥xij, f. Saccul. pro ij Cong. Cereviſ.

Ad Vertiginem, & Epilepſiam.

Cerev. de Cochleariâ.

℞ Herb. Cochl. utriuſque, Cardamin. Becabungæ ana Mvj, Hepat. Agrimon. Ling. Cerv. ana Mij, Abſint. Rom. Mj, Rad. Raph. ruſt. ℥iij, R. 5 Aper. Cichor. ana ℥ij, Sem. Carui ℥iß, Cort. extern. Limon. N° vi Uvar. paſſ. exacinat. ℔ij, f. Saccul. pro Cong. vi.

Cerev. de Cynorrhodio.

℞ Fruct. Cynorrhod. (ſicc. & craſsè contuſ.) ℔ß, Bac. Junip. contuſ. ℥iv, Herb. Alth. Parietar. Aparin. ana Miij,

D Abſint.

Abſint. Mij, Uvar. paſſ. enucl. ℔iß, f. Saccul. pro Cong. vj, ad potũm communem.

Diureſin promovet.

Cerev. Depurans.

℞ Rad. Oxylap. ℔ß, incoq. Cereviſ. novel. cong. v ad iv, col. & in doliol. repoſit. ſuſpend. Saccul. cum Cort. Solani lign. ℥iv, Herb. Fumar. ℥viij, Ferri batitur ℥iv.

Cereviſ. Diuretica.

℞ Cinerum alb. Geniſt. cribrat. ℔ij, ponantur in ſacculo cum Raſ. Saſſafr. ℥iij, R. Galang. ℥j, Bac. Junip. Sem. Dauci ana ℥iß, Piper. longi ℥ß, ſuſpend. in Cereviſ. cong. iv. poſt 7 vel 8 dies hauriri incipiatur.

Hydropicis opitulatur.

Cerev. Embryonum.

℞ Raſ. Ligni Coton. ℔j, Sant. alb. Ebor. ana ℥iv, Muſc. Querc. ℥ij, Rad. Torment. ℥iß, Biſtortæ ℥j, Nuc. Moſc. Sem. Coriand. ana ʒvj, Paſſular. ℔iß, m. & ſuſpend. in Sacculo Cereviſ. rec. Cong. vj.

Abortum præcavit; debilem fœtum roborat; uteri ligamenta firmat.

Cerev. Hydropica.

℞ Herb. Praſſij, Ling. Cerv. Hepat. Abſint. vulg. Acetoſæ ana Mj plenum, Incide,

Incide, in farinâ hordeaceâ obvolve, in clibano coque. Tunc paſtæ cum herbis in fruſta fractæ adde Sal. Abſint. ʒij, ſuſpende in ſacculo Cereviſ. recent. Cong. iv.

Multos curavit Hydropicos, pro potu communi uſurpata.

Cereviſ. Jovialis.

℞ Limat. Stanni ℔j, Raſ. Lig. Sant. alb. Ebor. ana ℥iij, Paſſular. ℔j, Herb. Abſint. Rom. Ling. Cerv. Veron. Agrimon. ana Mij, Cort. Aurant. ℥ij, m. f. Saccul. pro Cong. iv, Cereviſ.

Uteri morbis curandis peculiariter inſervit. Hepatica etiam eſt, & Splenetica.

Cereviſia Oxydocica.

℞ Herb. Rutæ, Salv. Verben. Euphrag. ana Mj, Millep. viv. N° 400 Sem. Fænic. dulc. ℥j, Paſſular. exacinat. ℔ß. Indantur Sacculo pro Cong. iv, Cerev. rec.

Ad viſûs hebitudinem ſit pro potu ordinario.

Cerev. de Paſtâ.

℞ Herb. Ling. Cerv. Cochlear. utriuſque, Becab. ana Mvij, inciſa minutiſſimè, & paſtâ obvolutâ coq. in fumo; poſtea adde Raſ. Ebor. Sem. Coriand. ana

 ℥iv,

℥iv, Uvar. paſſ. ℔iß, f. Saccul. pro Cong. vij, Cerev.

Cerev. Purgans.

℞ Rad. Oxylap. ſicc. ℔j, coq. in Cereviſ. nov. (Lupulorum vice) cong. v. ad iv, in Col. ſuſpend. in Sacculo Senæ ℥iv, Rhab. Sem. Coriand. ana ℥ij, Antimon. fracti (vel ferri fruſtal.) ℔j.

Cerev. Roborans.

℞ Raſ. Dent. Hippopotami ℥iv, Virg. Hippopot. Ebor. ana ℥iij, coq. in Aq. font. cong. v, ad cong. ijß, col. infund. in doliolum cum Cereviſ. generoſiſſ. cong. iiß, in eâque ſuſpend. Saccul. continens Rad. Conſolidæ mij, Sigil. Solom. ana ℥v, Herb. Equiſet. Piloſel. Millefol. Plantag. Alchymil. ana Miiß, Paſſul. exacin. ℔iß.

Cerev. Scorbutica.

℞ Sarſap. ℥iv, Lig. Saſſafr. ℥j, Herb. Cochlear. marin. parùm ſiccat. ℔j Naſturt. aq. Becab. an Miij, Salv. Mij, Camph. ʒiij, Nuc. Moſc. ʒvj, contunde & impone Cereviſ. rec. cong. v, cum fruſtul. Chalyb. in fundo ſacculi ℥x.

Pro potu communi.

Cerev. Scrophularia.

℞ Sarſapar. ℥vi, Guaiac. ℥viij, Saſſafras Rad. Scrophul. Cort. Jugland. ana ℥ij, Herb. Roberti Miij, Paſſul. exacinat.

Millep.

Millep. vivent. ana ℔j, m. f. Saccul. pro Cong. iv, Cerev. recent.

Usûs eſt præcipui ad ſtrumas ſcrophuloſas, Ficus, & Mariſcos Ani cancroſos, ac ſimilia ſerpentia Ulcera, malignam Scabiem &c. Bibatur pro potu communi; & Purgatis cum appropriatis ſemel in ſeptimanâ inſtituatur.

Cerev. cum Succis.

℞ Succi Cochl. ℔iv, Succ. Becab. ℔ij, Cereviſ. Lupul. & non Lupul. ana Cong. iiß, adde in Sacculo Herb. Cochl. Mvj, Salv. Mij, Paſſul. ℔ij, Mal. Aurant. inciſ. N° iv.

Pro Potu ordinario, ad Scorbutum.

Cereviſ. Traumatica.

℞ Herb. Piloſel. Equiſet. ana Mviij, Veron. mar. Millefol. Alchymil. ana Mvj, Paſſul. ℔iß, coq. in Hydrocrith. Cong. iij ad ij, col. add. Alæ generoſ. Cong. iv.

Pro Potu ordinario.

Cerev. de Valerianâ.

℞ Rad. Valerian. ℥iij, Pæon. mar. ℥iiß, Ireos Flor. Cal. arom. ana ℥ß, Enulæ ʒiij, Herb. Beton. Miij, Capil. Ven. Tuſſilag. ana Mij, Roriſm. Mj, Flor. Paralyſ. ſicc. Miv, Fl. Salv. p. vj, Sem. Carui ℥j, Paſſul. exacin. ℔j, f. Saccul. ſuſpend. in Cereviſ. novel. cong. v.

Pro Potu ordinario.

Cerev. Vernalis.

℞ Rhabarb. Monach. R. Oxylap. ana ℥x, Polypod. qu. ℥vj, Senæ ℥v, Raſ. Saſſafr. ℥ij, Herb. Salv. rub. Agrimon. Naſturt. aq. Cochl. marin. ana Mij, Sem. Fænic. d. Glycyrrh. ana ℥iß. Uvar. Corinth. contuſ. ℔j, f. Saccul. pro Cereviſ. Cong. v.

Eaſdem uires obtinet, quas Cerev. Catapſoras.

Chocolata Balſamica.

℞ Balſ. Capiv. (non adulterati) ℥ß, Maſſæ è Nucleis Cacao confectæ ℥xij, optimè in mortario calido conterantur; donec uniformitèr coeant, & conſiſtant.

Cum hujus ℥j, & decocti Rad. Eryng. cond. ℥viij, f. Chocolata, pro more, molâ manuali verſatili accuratè ſubigenda; ad libitum edulcoranda; ſingulis auroris abſorbenda.

Convenit in Phthiſi incipiente; Ulceribus Renum, aut Veſicæ, Gonorrhæâ; Fluore albo.

Chocolata Cephalica.

℞ Pulv. de Guttetâ ʒvj, Spec. Diamb. Spir. Lavend. comp. ana ʒij, contundantur ut artis eſt, in mortario calido, cum Nucleor. fructûs Indici Cacao ℥xj, & f. Confectio.

Hujus

Hujus ℥j, (quæ continet. Pul. de Gutt. ʒß, Spec. Diamb. & Sp. Lavend. ana ℈ß) & decoct. Rad. Pæon. ℔ß, miſceatur eo ritu quo Chocolata ſolet, & quoquo mane ſorbendo aſſumatur.

Chocolata Scorbutica.

℞ Pul. Ari com. (recèns parati) ℥j, Cort. Winter. Flaved. Aurant. Limon. Cubeb. ana ʒj, Carnis fructûs Cacao ℥xß, f. ſ. a. Confectio.

Cum hujus ℥j, (quæ capit Pulv. Ari ℈ij, pulv. cæteror. ad gr. v.) & Aq. coct. ℔ß, f. ope verticilli, Chocolata.

Claretum Senatum.

℞ Senæ ℥ij, Cinam. ℥ß, Zinz. ℈ij, Caryoph. ℈j, Vin. clar. ℔ij, f. Infuſ. frigida biduana, vel triduana: col. diſſolv. Mannæ, Syr. Roſ. ſol. ana ℥ij, col. pro viij doſibus inſerviat.

Cliſſus Portulacæ.

℞ Succi Portul. depur. ℔viij, Sacch. alb. ℔j, clarifica, & coq. ad Mellis conſiſtit.

Collyrium Metallicum.

℞ Croci Metall. ſubtil. lævigat. ʒj, Vitrioli albi ℈ß, Aq. Roſ. rub. ℥ß, Aq. Flor. Cichor. ſylv. per deliqu. ℥iiß, macera tepide per horas 6. f. filtratio.

Conſerv. Aurantiorum.

℞ Flav. Aurant. recent, minutìm conciſ.

ciſ. ℔ß, Sacch. ℔j, contund. f. conſerva.

Uſus in Colicâ flatulentâ, & Ventris torminibus.

Conſ. Hepatica Corallina.

℞ Fruct. Cynosb. non perfectè matur. à ſeminibus liberat. q. ſ. cuſtodiantur in loco clauſo 6 dies, deinde adjectâ Vin. rub. q. ſ. coq. ad mollitiem, per ſetaceum trajectæ pulpæ add. Sacch. opt. ana & adde ſingulis ejus libris Aq. Roſ. rub. ℥iß, coq. in Balneo ad Mivæ conſiſtentiam.

Scorbutica eſt, Hepatica, Diuretica, confert. ad urinam cruentam, Calculum &c.

Conſer. Nicotianæ.

℞ Fol. Nicotian. recent. ℔ij, Styr. calam. pul. ℥ij, Cinnam. ℥j, Sacch. ℥vj, Mannæ ℔iß contundantur, & 48 dies inſolentur.

Mira præſtat in Aſthmate, & Catarrho ſuffocativo. Doſ. ℥ß, quartâ quaquâ horâ.

Corpus ſine Animâ.

℞ Rad. Irid. Flor. ʒiß, Moſch. gr. iij, Sacch. ℥vj, m. f. pulv.

Usûs eſt in Tartaro Pulmonum, Tuſſi, Aſthmate, Oris fætore &c.

Cortices Aromatici.

℞ Cinnam. ʒij, Sem. Coriand. ʒiij, S. Aniſi,

niſi, Angel. Cardam. Cubeb. Caryoph. Zinzib. ana ʒß, Flav. Citri, & Aurant. cond. ſicc. ana ℥ß, Ambræ griſ. ℈j, Moſch. gr. ij, Sacch. cryſtal. ℥vj.

Terantur omnia ſubtiliſſimè, per incerniculum tranſmittantur; atque Mucagine G. Tragac. (Aq. Naphæ extracti) excerpta in Paſtam reducantur; addendo pulv. Amyl. ʒij. Ex hâc ſuper bacillis (vel Arundinibus) formentur Cortices (inſtar Cinnamomi) dimidium digitum longi; lento calore in aſſere & chartâ, poſt exemptum è furno panem ſiccandi; mox loco ſicco in pyxide ad uſum reponendi.

Ventriculum confortant.

Cortices Carminitivi.

℞ Sem. Aniſi, Fænic. d. ana ℥j, S. Coriand. Cinnam. ana ʒvj, Cort. exter. Citri ſicc. ℥ß, Sacch. alb. ℥viij, f. omn. pulv. exquiſitè ſubtilis, qui cum Mucilag. G. Tragac. form. in Cortices.

Cortices de Cinnamomo.

℞ Cinnam. ℥j, Ambr. griſ. gr. v. Sac. alb. ℥iv, cum Mucag. Tragac. (Aq. Cinnam. ſoluto) f. Paſta, ex quâ ſuper Cylindro Buxeo vel Eburneo, formentur Cortices (veluti Cinnamomi) convoluti; lento calore ſiccandi.

Corvus Epilepticus.

℞ Corvum majorem deplumatum, & eviſce-

eviſceratum; abjectis pedibus, & roſtro, immitte in ventrem Cor, Jecur, Pu mones, & Veſicam Fellis, cum Galangæ pul. & Sem. Aniſi ana ℥iv, coque in vaſe terreo novo benè occluſo, & lutato cum pane domeſtico in clibano poſt frigefactionem à vaſis lateribus ſeparetur, & 2 vel 3 vice fiat cavendo tamen ne aduratur f. pulv.

In morbo Comitiali inſigne Remedium: detur ejus quotide ʒj.

Decoctum Album.

℞ Pul. C. C. ℥ij, Aq. font. ℔iv, coq. ad dimid. f. Col. citò per linteum rarum cum levi expreſſione. Liquori lacteſcent, adde Syr. de Succo Aurant. ℥iij, vel q. ſ. m.

Ad Sitim in Febribus extinguendam uſûs eſt egregii.

Dec. Amarum.

℞ R. Gent. ℈iv, Summit. Card. ben. Centaur. min. Fl. Chamæm. ana ℈viij, Aq. font. ℔iij, coq. ad ℔ij, & col.

Dec. Amar. Purgans.

℞ Ingred. pro Dec. Amaro, coq. in Aq. ℔iv ad iij, liquori col. adde Sennæ ℥ij, Agar. (in nodulo) ℥ß, coq. ad ℔ij, in fine add. Rhabarb. conciſ. ʒij, Sal. Tart. ℈iv, f. Infuſ. clauſa, & calida horam

ram i, col. cum forti expreſſione ſubſidendo clareſcat.

Doſis ℥iij vel ℥iv.

Dec. Ambroſianum.

℞ Sem. Millii pannici contuſ. ℥viij, Aq. font. ℔vj, coq. ad ℔iv, addendo in fine Vin. alb. ℥xij, poſt refrigerationem f. Col. trajiciendo ſæpè per manicam Hippoc. ad limpitudinem.

Uſurpatur in Hydrope, Arthritide vagâ, Podagrâ, Febre malignâ, &c. Diaphoreticum eſt nobile detur inter ſudandandum ſæpe ℔ß.

Decoct. Analepticum.

℞ Cancros fluviat. contuſ. N° vij, coq. in Aq. & Vin. alb. ana ℥xij, ad med. col. adde Sacch. cand. q. ſ.

In Febribus Hecticis dentur cochl. iij ſæpiùs in die.

Decoct. Antimoniale.

℞ Lig. Lentiſc. Viſc. arbor. ana ʒvj, Saſſafr. ℥j, Herb. Beton. Mj, Antimon. crud. (craſsè pulv. in peciâ ligat.) ℥ij, coq. in Aq. font. ℔iij ad ℔ij, f. col.

Contra Catarrhos, Scabiem, omneſque Sanguinis impuritates, & humores noxios, exhibetur mane ad ℥iv.

Decoct. Aſtacorum.

℞ Aſtac. fluviat. N° 20 Rad. Ariſtoloch. ℥ß, Symphyt. maj. ℥i, Herb. Sanic.

Alchimyl. Bugul. Agrimon. Hed. terreſt. Beton. ana Mj, coq. in Aq. font. ℔vj, (ſub finem addendo Vin. alb. ℔ij,) ad ℔iß, col. adde Syr. Limon. ʒix, Ol. ſulph. per Camph. q. ſ. m.

Ad Vulnera interna Pectoris &c. Doſ. ℥vj, bis in die hor. iv, ante paſtus, & pars affecta plagulis hoc decocto intinctis tegantur bis quotidiè.

Decoct. Chinæ Comp.

℞ Rad. Chinæ tenuitèr inciſ. (vel contuſ. ſi petroſa fuerit) ℥j, infunde in Hydrocrith. ℔vj, adjectis Herbis Hed. terreſt. Miv, Tuſſilag. Capil. Ven. ana Mij, Paſſul. Dactyl. ana ℥iv, coq. ad ℔iij, col. adde Sacch. candi ℥ij, clarif.

Ad Tuſſim, & Diſpoſitionem Phthiſicum, ſumatur hauſtus tepidus ter in die.

Decoct. Cretaceum.

℞ Cretæ albæ leviſſimæ pulv. ℔ß, coq. in Hydropeg. (ſæpè agitando ad fundum) ℔iij ad ℔ij, poſt craſſioris partis ſubſidentiam, Liquor tenuior, inſtar Lactis, effundatur, cui add. Sacch. Pul. ℥ß.

Bibatur affatìm.

Dec. Cretaceum Comp.

℞ Cretæ alb. pulv. ℥iij, coq. in Aq. Germin. Querc. ℔iij ad ℔ij, addendo Panni Anchuſati q. ſ. ad tincturam liquori impertiendam: adde Conſerv. Roſ. rub. ℥ij, infunde

infunde & exprime: demum adde Pulv. Terr. Lemm. ʒij, Syr. è Rubo Idæo ℥ij, m.

Ad Diarrhæam, & Hæmorrhagias internas.

Dec. Cydoniatum.

℞ Mal. Cydon. (corculo & ſeminibus exactis) cum Cortice conciſ. ℥xij, coq. in Aq. font. ℔iij ad ij, deinde add. Cinnam. contuſ. ʒij, ſtent ſemel vaſe clauſo, donec refrixerint col. expreſſ. add. Sacch. cand. alb. ℥ij m.

Contra Vomitionem, bibantur ℥iij, tertiâ quâque horâ; contra Abortum, ℥iv tèr in die.

Decoc. Digitale.

℞ Herb. recent. Digital. ℥iv, Uvar. Corinth. mund. lot. & conciſ. ℥ij, Cereviſ. non lupulat. ℔ij, coq. ad ℔j, f. Expreſſ.

Pro Vomitorio in Epilepſiâ.

Decoct. Diureticum Augenii.

℞ R. Aſari ℥j, Cal. arom. Rub. Tinct. ana ℥ß, Apii Petroſel. ana Mj, Herb. Agrimon. Adiant. Cuſcut. Spicæ, Cicer. rub. ana Mj, coq. in Aq. font. ℔vj ad iv, ſub finem add. Sem. Aniſi, Apii, Petroſel. Fænugr. Dauci, Carui ana ʒij, Melon. Cucum. ana ʒij, col. adde Sacch. ℥ij, m.

In Urinæ difficultate dentur ℥vj, pro doſi.

Decoc. Dyſentericum.

℞ Trium Pannum albor. percoctor. corticem inferiorem; coq. in Aq. font. (vel Dec. alb.) ℔vj ad ℔j col. (ſine expreſſ.) infunde Caryoph. contuſ. ʒij, adde Vin. rub. aſtring. generoſi ℔j Sacch. ℥iß, col.

Dec. Guaiaci aromaticum.

℞ Raſ. Guai. Saſſafr. ana ℥j, Sant. citr. rub. Rad. Galangæ Enulæ ana ℥ß, coq. in Aq. f. ℔vj ad ℔ivß. col. adde R. Cal. arom. Irid. Flor. Bac. Junip. Piper. Jamaicenſ. ana ℥ß, Pip. longi, Zinzib. Caryoph. Cubeb. Sem. Aniſi, Dauci ſylv. Anethi, Cymini ana ʒij, f, infuſio fervens & clauſa, duas horas, col. ſine expreſſ. add. Sacch. q. v. m.

Ad Hydropem ſit pro Potu ordinario.

Dec. Guaiaci purgans.

℞ Raſ. Guai. ℥j, coq. in Aq. font. ℔iv ad ij, col. adde Rad. Turpet. Agar. (inciſ. & nodulo incluſ.) ana ℥ß, Senæ ℥j, Sal. Tart. ℈iv, coq. ad ℥xxviij, col. per fæcum ſubſidentiam depurat. adde miſt. ſeq.

℞ Vitel. Ov. j, Reſ. Julap. gr. xxiv, Balſ. Peruv. ʒj, Ol. Junip. g^{t}. xxxij, Spir. Lavend. comp. ℈iv, Syr. Roſ. ſolut. ℥iv,

f. in

f. in Mortario Miſtura accuratiſſimè ſubacta.

Ad Articulorum dolores, propin. ℥iv, pro doſi.

Dec. Ictericum.

℞ Sterc. Anſer. Raſ. Ebor. ana ℥j, Chelid. cum toto, Ling. Cerv. Summit. Hyper. ana Mij, Aq. font. ℔ij, coq. & cum ferè evaporetur Aqua, affunde Vini albi ℔ij, coq. ad ℥xxvj, col. cum Album. Ovi clarif. adde Tinct. Croci (Aq. Theriac. parati) ℥j, Syr. è ♃ Rad. ℥iij m.

Doſ. ℥iij, mane & ℥vj hor. ♃ pomerid. præmiſſis præmittendis.

Dec. Juniperi comp.

℞ Paſſul. ſol. exacinat. ℥iv, coq. in Aq. font. ℔iv ad ℔iij, col. adde Bac. Junip. contuſ. ℥iij, Bac. Lauri ℥ß, coq. ad ℔ij, in fine addendo Sem. Aniſi. Fænic. dulc. Carui Coriand. ana ʒj, occluſo vaſe ab igne eximantur, cum refrixerint; ſine expreſſione colentur; & Aq. Mirab. ℥ij adduntur.

Carminativum & Diureticum eſt: in Colicâ flatulentâ levamen ſpondet.

Decoct. Laxativum.

℞ Uvar. Corinth. lot. & conciſ. ℥iv, Tamarind. ℥j, coq. in Aq. font. ℔iij, ad ℥xxvj, ſub medium coctionis addendo

Senæ ℥ij, col. diſſolv. Syr. Viol. & Roſ. ſol. ana ℥ij m.

Propin. ℥iv, pro re natâ, ad alvum laxandum.

Decoct. Limacum.

℞ Limac. è teſtis exempt. mundat. N° xij, Neogalact. ℔ij, coq. ad ℔j, col. adde Aq. Roſ. cochl. ij, Sacch. candi pul. ℥ß, f. hauſt.

Omni mane ſumatur per totum Menſem Maium.

Dec. Lumbricorum.

℞ Lumbric. terreſt. magnor. cum cingulis rubris in collo (diſciſſ. & à cœnosâ materiâ lavando purgat.) N° xx. Rad. Urticæ, Fragar. ana ℥iß, Eryng. cond. ℥i, Raſ. C. C. Ebor. ana ʒij, Cruſtum Panis albi inferiorem coq. in Aq. ℔ij ad ℔j, ſub finem adjic. Sem. Fænic. dulc. ʒij, col. per Manicum adde Spec. Diatri-Santal. ʒj, m.

Ad Obſtructiones Hepaticas, & Icterum cap. ℥iv ad ℥vj, bis indies.

Dec. Maſtichinum.

℞ Maſtich. ℥ß, Nuc. Cupreſ. ℥iß, Alum. ʒij, f. Decoct. in Aq. font. ℔ij ad ℔j, col. adde Aq. Roſar. ℥xij, Aq. Cinnam. ℥iij, Aq. Naphæ ℥j m.

Ad Dentes mobiles firmandos.

Dec.

Dec. ad Morſum Canis rabidi.

℞ Summit. Rutæ ℥vj, Rad. Allii Theriac. Lond. Limat. (vel Raſur.) Stanni ana ℥iv, Cereviſ. illupul. veter. ℔iv, coq. ad ℔ij, & macera.

Sumat Æger morſus de colaturâ cochl. vj, bis in die, per dies contin. ix. Et applicet. magma loco vulnerato.

Dec. Pacificum.

℞ Sal. Tart. (cum Nitro parat.) Flor. Papav. Rhœad. recent. Bac. Junip. contuſ. Rad. Helleb. nig. ana ℥viij, Aq. Bened. ſimpl. ℔viij, coq. lentè (vaſe optimè clauſo) per 24 horas, poſt refrigerationem f. per Manicam Hippoc. colatura; & poſtea, ſubſidentia, & decantatio.

Dentur cochl. iij horâ ſomni, & cochl. v. manè quotidiè, cum Leucæno ſaccharato.

Dec. Paſſulat. comp.

℞ Paſſul. ſol. exarillat. ℥iv, Tamarind. ℥j, coq. cum Hydrocrith. ℔iij ad ℔ij, circa finem add. Cort. Pomor. acido dulc. Mij, ſemotis ab igne, injice Rad. Glycyrrh. ℥ß, ſtent ſimul ad frigiditatem; & col.

Ad Potum ordinarium.

Decoct. Pectorale incraſſans.

℞ Rad. Alth. Fic. (minutìm conciſ.) Paſſul. Malacenſ. ana ℥ij, Glycyrrh. ℥ß, f.

 decoct.

decoct. in Juſcul. Aven. tenuis ℔iv ad ℥xxviij, ſub finem add. Sem. Aniſi ʒij, col. (per ſubſident. à parte craſſiori ſeparatæ) calenti adde ſ. a Vini Canar. ℥iv, Vitel. Ovi j, Butyri recent. inſulſi (vel per lotionem à ſal. liberati) ℥ß, Nuc. Moſc. pulv. ℈j, atque è vaſe in vas ſæpiùs tranſfundendo f. Miſtura.

Decoct. Phthiſicum.

℞ Cancros fluviat. contuſ. N° xii, R. Enulæ ℥ij, Ireos Florent. Conſolid. maj. ana ℥j, Glyc. ℥ß, Herb. Alchymil. Heder. terreſt. Millefol. Plantag. Veronic. Pulmonar. macul. Semperviv. maj. ana Mij, Conſ. Roſ. rub. ℥vj, coq. in Aq. font. ℔ix ad ℔vj, col. clarif. cum Album Ovi, add. Ol. Sulph. per Camp. q. ſ. m.

Dec. Pleuriticum.

℞ Sulph. Animal. ℥iv, Herb. Scabioſæ Mij, Sem. Card. Mariæ ℥ß, Nuc. Moſc. ʒij, Aq. Ulmar. & Card. Mar. ana ℔iß, coq. parum: f. Expreſſ. non fortis, cui add. Succi Aurant. ℥iij, poſtquam ſubſiderunt fæces Liquor effundatur, & Syr. è Papav. Rhæad. ℥iv edulcoretur.

Propinetur ad libitum contra ſitim.

Dec. Pœoniæ comp.

℞ Rad. Pæon. mar. recent. ℥ij, coq. in Aq. font. ℔iß ad ℔j, col. calida affundatur ſuper Summit. Roriſm. conciſ. ℥ß,

Flor.

Flor. Stæchad. Arab. ʒij, Nuc. Moſc. Mac. Sem. Carui, Coriand. ana ʒß, cum refrixerint col. ℥xii, adde Aq. Pæon. comp. ℥ij, Spir. Lavend. comp. ℥ß, Pul. Caſtor. ʒj, Syr. Pæon. comp. ℥ij, m.

Dec. Polychreſton.

℞ R. Polypod. qu. ℥iij, Cichor. ℥ij, Rhab. Monach. ℥vj, Senæ ℥ij, Glycyrrh. ℥j, Paſſular. exacin. ℥iv, infunde, & coq. in Aq. font. ℔iv ad iiß, ſub finem add. Sem. Fœnic. dulc. ℥j, col. add. Succ. Cochlear. marin. depur. ℥viij, Sacch. rub. Mannæ ana ℥iij, clarif. cum Album Ovor.

Ad Sanguinem depurandum dentur ℥iv ad ℥viij, ſingulis auroris.

Dec. Præſervatorium.

℞ Vini Malacenſis ℔iij, Summit. (à ſtipitib. liberat.) Rutæ Mj, Zinzib. Macropip. ana ʒij, Nuc. Moſc. ʒj, coq. ad ℔ij, col. adde Ther. Androm. ʒij, Mithrid. ʒj, Aq. Angel. fort. ℥iv, m.

Fiat omnium Infuſio clauſa calida.

Ad Preſerv. à Peſte Doſ. cochl. i, ad curand. cochl. iij.

Decoct. Raparum comp.

℞ Rapar. tenuitèr conciſ. ℥xij, Paſſul. enucl. ℥iv, Herb. Tuſſilag. Mij, Sem. 4. frig. maj. ana ℥ß, Bombac. Coriand. ana

ʒiij,

ʒiij, coq. in Aq. font. ℔vj ad ℔iij, col. add. Succ. Aurant. ℥ij, Sacch. cand. alb. ℥iij, m.

Doſ. ℥iv, tertiâ quâque horâ.

Dec. Rhabarbari.

℞ Rhabar. ʒii, Paſſul. Corinth. contuſ. ℥iv, Rad. Acetoſæ ℥iij, coq. in Aq. font. ℔iij ad ij, ſub finem addend. Sem. Fænic. d. ʒj, col. diſſolv. Sacch. alb. ℥j, clarif. ſ. a.

In Rheumatiſmo dentur ℥iv, ter in die.

Dec. Rubiæ Tinctorum.

℞ Rad. Rubiæ Tinct. ℥ij, Glycyrrh. ℥ß, coq. cum Hydropeg. ℔iv ad ij, ſub finem add. Sem. Aniſi ℥ß, col.

In Faciei Rubore, Puſtulis &c. curandis præſtantiſſimum remedium. Doſ. ℥iv, bis in die per tres ſeptimanas.

Dec. Rubicundum.

℞ Pulv. C. C. ℥j, Coccinel. integr. ʒß, coq. in Aq. font. ℔iiß ad ℔iß, col. adde Aq. Cinnam. hord. ℥iß, Sacch. alb. ℥iß, m.

In Variolis & Morbillis detur hauſtus frequenter.

Decoct. Santalinum.

℞ Liq. Sant. rub. citr. Rad. Sarſapar. ana ℥iv, Chinæ ℥ij, Raſ. C. C. Ebor. ana ℥j, f. Infuſ. calida per noctem in Aq. font. ℔xij,

℔xij, dein f. coctio ad ℔viij, col. edulc. cum Sacch. ʒvj, m.

Decoctum Sarſæ attemperans.

℞ Rad. Sarſap. ℥vj, Chinæ ℥iij, Paſſul. exacin. ℥xij, f. Infuſ. calida per noctem; deinde coctio ad ℔vj, col.

Decoct. Sarſæ Cephalicum.

℞ Sarſæ ℥vj, Lig. Guai. ℥iij, coq. in Aq. ℔xij ad ℔viij, col. adde Rad. Pæon. mar. recent. ℥iij, Angel. Hiſp. Cal. arom. Zedoar. ana ʒvj, Flor. Stæchad. Arab. Sem. Paſtin. ſylv. ana ʒiij, coq. ad ℔vß, col. edulc. cum Syr. Pæon. comp. ℥ix m.

Dec. Sarſæ exiccans.

℞ Rad. Sarſ. ℥viij, Raſ. Guai. ℥ij, infunde horas xij, in Aq. font. ℔xij, adde Uvar. Paſſ. enucl. ℔ß, coq. ad conſumpt. medietatis, addendo ſub finem Glycyrrh. recent. ℥j, f. col.

Doſ. ℔ß, ter quaterve in die.

Dec. Sarſæ Traumaticum.

℞ Rad. Sarſæ ℥iij, Chinæ ℥ß, Uvar. Paſſ. ℥vj, coq. in Aq. font. ℔viij ad ℔iv, ſub finem add. Herb. Bugul. Piloſel. Veron. Alchimil. ana Miß, col. adde Sacch. alb. ℥iv, clarific.

Doſ. ℥vj, ter in die.

Decoct. Scorbuticum.

℞ Rad. Gram. ℥iv, Paſſul. ſol. (exemptis acinis) ℥ij, coq. in Aq. font.

℔iv,

℔iv ad ℔iij, col. add. Pomor. acido-dulc. conciſ. ℥vj, Glycyrrh. ʒvj, Sal. Nitri ʒj, f. Infuſ. calida ij horas: deinde liquor fervens coletur in lagenam ſuper Herb. Cochl. hort. (non conciſ.) ℥iij, Rad. Raph. ſylv. ʒiij, poſt hor. i. col. edulc. cum Syr. è 5 Rad. ℥iij, m.

Dec. Scorzoneræ.

℞ Rad. Scorzon. ℥iij, Cort. Citri cond. ℥ij. C. C. pulv. ℥j, coq. in Aq. font. ℔iv, ad conſumpt. tertiæ partis in fine addendo Sem. Carui ʒvj, col. clarif. adde Succi Aurant. ℥j, Sacchar. opt. ℥iij, m.

Bibatur ad libitum in Febribus.

Dec. ad Sitim.

℞ Herb. Acetoſæ Mij, coq. in Aq. font. ℥xij ad ℔ß, col. add. Succum xij, Limon. Vin. Rhen. ℔ij, Sacch. alb. ℥iv, vel. q. ſ. f. gratiſſimum.

Empiricus quidam hujus ope mirè celebris evaſit. Bibatur ad libitum.

Dec. ad Strumas:

℞ Herb. Geran. Robert. Becab. ana Miij, Lamii Mvj, Senæ ℥iij. Sem. Carth. ℥ij, Agar. ʒvj, Paſſular. ℥iv, Glycyrrh. ℥j, Hydropeg. ℔vj, infunde & coq. ad ℔iv, ſub finem add. Sem. Aniſi ℥j, col.

Dentur ℥iij vel iv, ter in die. Præterea

rea bibatur (omiſſis purgantibus) pro potu communi; interim Unguentum Digitalis locis affectis adhibeatur.

Dec. Traumaticum.

℞ Rad. Chinæ, Symph. maj. Lig. Sant. alb. citr. ana ℥j, Dactyl. inciſ. N° xxx. Glycyrrh. ℥iß, Summit. Hyper. Veronicæ utriuſque, Vincæ pervincæ, Agrimon. ana Mij, infunde per hor. xij, in Aq. calc. q. ſ. col. (ſine expreſſ.) adde Syr. de Piloſel. è Succo Elatin. ana ℥ij, m. ſervetur loco frigido.

Doſ. ℥iv, horis medicis.

Dec. ad Tuſſim.

℞ Herb. Cynogl. Miv, Hyſſo. Capil. Ven. Tuſſilag. ana Mj, Glycyrrh. ʒvj, coq. in Aq. Hord. ℔vj ad iv, ſub finem add. Sem. Aniſi ℥ß, col. add. Sacch. candi rub. ℥ij, m.

Doſ. ℥iv, ter quatervè quotidiè.

Dentificium Acidum.

℞ Pulv. Laterum ℥j, Ol. Sulph. per camp. q. ſ. f. paſta; cui exiccatæ add. Tart. alb. pulv. ʒvi, Panis cremati ℥ß m.

Dentifr. Dominarum.

℞ Cryſtall. præp. ʒiß, Pulv. Laterum, Pumicis ana ℥ß Oſſ. Sepiæ, Corall. utriuſque ana ʒij, Margar. Caryophyll. ana ʒj, Moſc. gr. iv, m. f. pul. ſubtil. cui add. Rhodomel, ut f. paſta mollis.

Dentifric.

Dentifric. Infantum.

℞ Butyri rec. ℥j, Anaphromel. ʒvj, Coral. rub. præp. ℥ß, f. Miſtura.

Qua fricentur gingivæ ad dentitionem facilitandam.

Dentifricium Scorbuticum.

℞ Sal. Cochlear. Maceris ana ʒj, Salviæ ℈iv, Alum. uſti ʒij, Sal. decrepit. ℈ij, f. pulv. ſubtil. cui adde Rhodomel. q. ſ. f. Miſtura.

Pro dentibus fricandis ante uſum Lotionis.

Dentilavium firmans.

℞ Rad. Tormentil. ℥ß, Irid. Florent. Nuc. Cupreſ. ana ʒvj, Balauſt. Cinnam. ana ʒij, Alum. rup. ʒj, Aq. Plant. Roſ. ana ℔j, Aq. Naphæ ℥iv, Aq. Hungar. ℥j, f. triduana Infuſio, ac deinde colatura.

Dentilavium Scorbuticum.

℞ Rad. Biſtort. Sem. Cochl. ana ʒij, Maſtich. ʒiij, Alum. ʒj, coq. in Aq. font. q. ſ. ad ℔j, col. adde Mel. Roſ. ℥ij, m. f. Lotio.

Elæoſaccharum Aniſatum.

℞ Ol. Aniſi gᵗ xxvj Sacch. opt. ℥xij, diu & laborioſè in mortario terendo optimè incorporentur.

Elæoſ. Cardiacum.

℞ Ol. chym. Nuc. Moſc. ʒiij, Cinnam. ʒj, Sacch. ℥xviij, m. f. pulv.

Ad edulcoranda Julapia.

Elæoſ. Carminativum.

℞ Ol. chym. flor. Chamæm. g^t. xxiv, Sacch. alb. ℥xij, m.

Elæoſ. Nuciſtæ.

℞ Ol. ſtil. Nuc. Moſc. ʒj, Sacch. alb. ℥xij, m.

Ad Ventris inflationem detur ʒj ſæpè.

Elæoſac. Saſſafras.

℞ Ol. ſtil. Saſſafr. ℥ß, Sacch. ℥xij, m.

Electuarium Æthiopicum.

℞ Æthiopis miner. (ſine igne parat.) ℥j, Troch. de Viper. ʒvj, Gum. Guai. ℥ß, Extract. Guai. comp. ℥iß, Syr. Caryoph. q. ſ. m. f. Elect.

Ad affectus Cutaneos, & Luem Veneream, cap. ʒiij, bis in die, & ſuperbibatur hauſtus decoct. Santal.

Elect. Album.

℞ Ceruſſæ Antimon. rectè parat. ℥iv, Sacch. albiſſ. ℥xij, optimè miſtis add. Syr. de Rad. Eryng. (vel Balſam. de Tolu) ℥iv, vel q. ſ. m. f. Elect. albiſſimum.

Sanguinem depurat. valet in Cachexiâ, Hydrope, Ictero, Scorbuto, Lue venereâ, Morbiſque Cutaneis, &c.

Doſ. ʒij vel iij bis in die, augendo quantitatem quotidiè gradatìm ad ʒvj, pro vice.

Elect. de Althæâ.

℞ Pulp. Rad. Alth. (Aq. Hord. coct. contuſ. & per Setac. traject.) ℥ij, Pulp. Paſſular. ſol. (contuſ. cum Vin. Canarini q. ſ. ad eas emolliendas) Pulp. Conſerv. Roſ. rub. ana ℥j, Specier. Diatragac. frig. ʒiij, Sacch. Penid. ℥ij, Syr. de Nymph. q. ſ. m. f. Elect.

Refrigerat, incraſſat, Catarrhos ſiſtit, Tabidis conducit, dentur ejus ʒiij, bis indies cum Lacte Aſinino.

Elect. Aſthmaticum.

℞ Flor. Sulph. ʒiij, Cinnam. ʒj, Zinzib. ℈iv, Croci ʒij, Moſch. gr. vj, Mell. deſpum. ℥vj, vel q. ſ. m. f. Elect.

Doſ. ʒiij, bis in die.

Elect. ad Calculum.

℞ Conſ. flor. Malvæ ℥ij, Sem. Melon. (vel Pepon.) decortic. in Aq. Roſ. infuſ. ʒvj, Amygd. dulc. excor. ℥ß, Sem. Lactucæ, Papav. alb. Alkekengi ana ʒij, Pul. Glycyrrh. ʒiß, Gum. Prunor. Ceraſor. Arab. ana ʒj, Syr. de Alth. q. ſ. m. f. Elect.

Elect. Cardiacum.

℞ Pulp. Conſerv. Lujulæ ℥iv, Cort. Citri cond. ℥iß, Pul. è Chel. Cancr. comp. ʒij, Syr. de Succo Citri q. ſ. m.

Sumantur ʒij, tèr in die cum Julap. Cardiaco.

Elect. Caryophillatum.

℞ Conſerv. Flor. Caryoph. ℥iv, Conſ. Roſ. rub. ℥vj, Syr. de Cort. Citri ℥ij, contuſ. optimè trajic. per ſetac. & adde Spec. Arom. Roſ. Caryoph. aromat. ana ʒiij, Ambr. griſ. ℈ß, m. f. Elect.

Usûs eſt egregii in Anorexiâ, ventriculi dolore, &c. Doſ. à ʒj ad ʒij.

Elect. Caſtitatis.

℞ Sem. Vitic. Hyoſcyam ana ʒj, Camph. ʒij, Glycyrrh. ʒiv, m. f. pulv. cui add. Conſerv. Fl. Nymph. ℥iij, Syr. de Nymph. q. ſ. m. f. Elect.

Doſ. ʒii vel iij, bis indiès, ſuperbibendo ſerum Chalybeatum: & inungendo interìm Renès, ac Teſtes Oleo Sem. Hyoſcy. expreſſo.

Elect. Catharticum.

℞ Zinzib. cond. minutìm conciſ. & optimè contuſ. ʒvj, Pulv. Rad. Jalap. ʒiij, Gamand. ʒß, Crem. Tart. ʒij, Ol. Mac. expr. ʒß, Ol. Aniſi gt. j. Syr. Roſ. ſol. q. ſ. m. f. Elect. pro iv Doſibus.

Elect. Catharticum Cæſareum.

℞ Pulp. Zinzib. cond. ℥ij, Reſin. Scammon. ℥j, Confect. Alkerm. ℥ß, Roſ. rub. Crem. Tart. ana ʒij, Ol. ſtil. Caryoph. g^t xx, Sp. Vitrioli, g^t xvj, Syr. de Zinzib. cond. q. ſ. m. f. Elect.

In omnibus affectibus frigidis utile eſt,

& jucundum Catharticum. Corpus ſine moleſtiâ purgat, Appetitum excitat, Fætorem Oris & Naſi emendat. Sanguinem expurgat, Flatus diſſipat; & cruciatibus Colicis mirè confert. Doſ. à ʒß ad ʒij.

Elect. Chalybeatum.

℞ Limat. Chalyb. tenuiſſimæ ℥ß, Chalyb. cum Sulph. præp. & lævigat. ℥j, Pulp. Paſſul. minor. ℥xij, Ol. Caryoph. g^t. 40, Syr. è condit. Zinzib. q. ſ. m. f. Elect.

In Chloroſi, Hydrope, &c.

Elect. Chalybeatum aromaticum.

℞ Conſerv. flaved. Limon. ℥iß, Aurant. ℥j, Zinzib. cond. ℥ß, Rubiginis Ferri (in ſubtiliſſimum pollinem lævigando redactæ) ℈viij, Ol. Nuc. Moſc. g^t iv, Ol. Caryoph. g^t ij, Ol. Ment. Abſint. ana g^t j, Syr. Balſam. q. ſ. m. f. Elect.

Doſ. ʒiij.

Elect. Diarrhodi.

℞ Spec. Diarrhod. Abbat. ℈iv, Mivæ Berber. ℥iij, Sacch. alb. (in Aq. Fragor. ſolut.) ℥iij, m. f. Elect.

Doſ. ʒiij, bis in die ſuperbibendo hauſtum Seri de Sedo.

Elect. Diaſennæ.

℞ Pulv. Sanct. ʒiij, R. Jalap. ℈iv, Sem. Carui ℈ij, Elect. Lenit. ℥iv, Syr. Roſ. cum Agar. ℥iß, f. Elect.

Doſ. ʒvj, manè.

Elect.

Elect. Ducis Sabaudiæ.

℞ Pulv. Sarſapar. ℥iij, Sem. Ebuli ℥vj, Sem. Hyper. Herb. Chamædr. Chamæpit. ana ℥iij, Rad. Angel. ʒiij, Ariſtoloch. ʒvj, Cinnam. ʒiiß, Caryoph. ℈iv, Croci ℈ij, cum Mell. deſpum. triplo f. Elect.

Ad Arthritidem curandam optimum remedium cap. ʒiij, quotidie per annum integrum.

Elect. Enulatum.

℞ Rad. Enulæ ℥vj, Paſſul. ſol. (ab acinis liberat.) ℥xij, Paſſul. Corinth. Fic. ana ℥iv, Glycyrrh. ℥ij, coq. omnia in Aq. Hord. q. ſ. donec molleſcant. Terantur deinde in mortario marmoreo, & trajiciatur Pulpa per Setaceum, quæ cum reſiduo decocto lentè coquendo inſpiſſetur.

Hujus ℥xij, adde Mellis deſpum. ℥iv, Sacch. cryſtal. pulv. ℥vj, Mac. ʒj, Caryoph. ʒß, Croci ℈j, Ol. Aniſi g^t xij, Ol. Sulph. per Camp. q. ſ. ad ſaporis gratiam m. f. Elect.

Bechicum eſt, & Antiphthiſicum.

Elect. Epidemium:

℞ Rad. Contray. ℥iij, Valerian. Imperator. Zedoar. ana ℥iß, Sem. Angel. excort. Dictam. Cret. Myrrh. ana ℥j, Rad. Serp. Virgin. ℥ß, Croci ʒiij, Opii ʒij, (vel ità ut ℥j, contineàt Opii gr. ij,) Pulp.

Bac. Junip. (Vino Hiſpan. extract.) ℥xij, Vini. Hiſpan. q. ſ. ad ſolvend. Myrrham & Opium Syr. à Cort. Citri q. ſ. m. f. Elect.

Elect. Epilepticum.

℞ Sterc. albiſſ. Pavon. Rad. Pæon. mar. ana ℥ij, Rad. Valerian. ℥j, Sem. Pæon. excort. ℥iij, Carui ℥ß, f. omn. pulvis cui add. Mel. Anthoſat. q. ſ. m. f. Elect.

Doſ. ʒij.

Elect. de Eryngio.

℞ Pulp. Rad. Eryng. cond. ℥iv, Nuc. Moſc. cond. Conſ. flor. Hormin. ana ℥j, Lamii ℥jj, Pulv. Priapi Hippopot. ʒvj, Syr. de Cond. Rad. Eryng. ℥iv, m.

Inſigniter corroborat, & reſtaurat. Detur qu. Caſtaneæ horis ſomni, & omni mane; deſuperque propinetur hauſtus Caudelæ Analepticæ.

Elect. de Guaiaco.

℞ Rad. Eryng. candefact. ℥iij, Scorzon. candefact. ℥iß, contunde irrigando cum Spir. Hormini comp. ℥ij, exprime per ſetaceum, huic pulpæ adde extrac. Guai. ℥j, Ceruſſæ Antimon. ʒvj, m. f. Elect.

Sanguinem depurat, & Spiritus reficit.

Elect. Incraſſans.

℞ Pulp. Rad Conſolidæ maj. ℥iij, Rad. Alth. Conſerv. Fl. Nymph. ana ℥ij, Spec. Diatra-

Diatragac. frig. ℥ß, Sacch. opt. pulv. ℥v, Syr. de Mucilagin. (vel Alth.) ℥ij, vel q. ſ. m. f. Elect.

Doſ. ʒiij, ter in die.

Elect. Juniperinum.

℞ Bacc. Junip. ſucculent. probè (adeò ut nuclei frangantur) contuſ. ℔j, infunde in Aq. font. ℔ij, per hor. iij, fortiter exprimendo f. col. adde Sacch. opt. ℔j, coq. ad Syrupi craſſioris conſiſt. Tunc adde Elect. Saſſafras ℥iv, Pulv. Cal. arom. (non carioſi) ʒiß, Mac. ʒj, Croci ℈ij, m. ſ. a.

Diureticum, Stomachicum, Scorbuticum.

Elect. Lætificans.

℞ Cort. Citri cond. ℥iß, Conſerv. Flor. Caryoph. Calendulæ ana ℥j, Specier. Lætif. Galen. ʒj, Pul. Oſſ. è Corde Cervi ʒß, Aq. Meliſſæ comp. (vel Spir. Lavend. comp.) ʒiiß, Syr. Caryoph. ℥j, vel q. ſ. m. f. Elect.

Cardiacum eſt, & contra Cordis palpitationem ſpecificè inſervit. Doſ. ʒiij, ter in die cum Julapio Cardiaco.

Elect. Laxans.

℞ Pulp. Caſſiæ rec. extract. ℥iij, Pul. Rad. Jalap. Sem. Carui ana ʒiij, Syr. de Pomis ℥iij, m.

Sumantur ʒiij, quotiès opus fuerit ad

alvum

alvum laxandam, horâ ante prandium, ſine cuſtodiâ.

Elect. Lithontripticum.

℞ Tereb. Ven. ℥ij, Vitel. Ov. N° ij, exactiſ. miſtis adde Pulv. Sem. Bardan. Mill. Sol. ana ℥j, Alkekeng. ʒiij, Lap. Judaic. ʒvj, Syr. de Alth. q. ſ. m. f. Elect.

Doſ. ʒiij, bis in die (præmiſſis præmittendis) ſuperbib. Aq. Senelor. comp. ℥iv, cum Syr. de Alth. ℥j.

Elect. Macis.

℞ Mac. (in Oxyrrhodino 24 horas infuſ. & exiccat.) ℥j, Sem. Citri, Card. bened. Lig. Vitæ ana ʒiß, f. omn. pulv. ſubtil. cui add. Spec. Liberant. ʒj, Cort. Citri, cond. ℥j, Ther. Androm. ʒiij, Conſerv. Lujulæ, Conſ. Flor. Borag. ana ℥ij, Syr. Lujul. q. ſ. m. f. Elect.

Usûs eſt in Peſte, morbiſque malignis.

Elect. Nenupharinum.

℞ Conſerv. Flor. Nenuphar. ℥iij, Conſolid. maj. Rad. ejuſdem cond. ana ℥j, contunde pulpam cum Sem. Lactucæ ℥iß, irrigando cum Syr. de Nymph. ℥iv, f. expreſ. per Setaceum, adde Rad. Nymph. pulv. ʒij, Spec. Diatrag. frig. ʒiß, m. f. Elect.

Refrigerat, incraſſat, inſtaurat: Urinæ ardorem extinguit. Dentur ʒiij, ter

in

in die, cum hauſtu Juſculi de Chinâ.

Elect. Oxydorcicum.

℞ Succi Rutæ, Chelidon. maj. depur. ana ℥iv, Mel. ℔j, coque (deſpumando) ad debitam conſiſtentiam, deinde adde Pulv. Euphrag. (nigris ſurculis) ℥ij, Sem. Fænic. dulc. ʒvj, Cinnam. Cubeb. Caryoph. Macropip. ana ʒj, m. f. Elect. ſ. a.

Ad viſum acuendum inſigne remedium eſſe perhibetur. Dentur ʒiij bis in die.

Elect. Paralyticum.

℞ Sem. Sinap. pulv. ℥v, Sem. Naſturt. hort. ℥ij, Syr. de Succo Salv. ℔j, vel q. ſ. m. f. Elect.

Optimum eſt Remedium. Detur ℥ß, quotidiè per menſes aliquot.

Elect. Pectorale.

℞ Pulp. Uvar. Paſſar. Pulp. Conſerv. Roſ. rub. Syr. Capill. Vener. ana ℥iv, Sacch. cand. alb. pulv. ℥iij, Spec. Diatrag. frig. ℥ß, Ol. Sulph. per Camp. gᵗ xxv, m. f. Elect.

Elect. Perlatum.

℞ Conſerv. flor. Tunicæ ℥iij, Confect. Alkerm. ℥ß, Margarit. præp. (vel Lap. de Goâ) ℈iv, Syr. Corall. q. ſ. m. f. Elect.

Cardiacum eſt temperatum.

Elect.

Elect. Piperinum.

℞ Macropip. minutiſſ. conciſ. ℥iß, ſummit. Rutæ ℥ß, Sal. Gem. ʒv, Theriac. Januenſ. ℥xij, m.

In Colico Ventriculi dolore (poſt varia incaſsùm uſurpata) hoc miraculosè reſtituit rem.

Elect. Rheumaticum.

℞ Pulv. Rad. Jalap. Turpet. Hermodact. Tart. Vitriol. ana ʒj, Ol. Aniſi g^t ij, Elect. Lenit. ℥ß, Syr. Roſ. ſol. q. ſ. m. f. Elect. pro iv Doſibus.

Elect. Sanans.

℞ Lohoch. Sanant. ℥iij, Conſ. Roſ. rub. ℥ij, Pulp. Ficuum (Aq. Hord. extract.) ℥j, Syr. Capill. Vener. ℥iij, m. f. Elect.

Ad Serum acre corrigendum; tenue incraſſandum; & Tuſſim titillantem refrænandam.

Elect. de Saſſafras Magarii.

℞ Lig. Saſſafr. pulv. ℥j, Cort. Citri, Aurant. cond. ana ℥ß, Sem. Coriand. ʒiij, Ambræ griſ. ʒj, cum Sacchar. alb. (ultra Syrupum cum Aq. Naphæ coct.) f. Elect. quod reddatur acidulum (ad ſaporis gratiam) cum Spir. Vitrioli q. ſ.

Elect. de Satyrio.

℞ Rad. Satyr. cond. per ſetaceum traject. ℥iv, Rad. Conſolidæ cond. & traject.

ject. ℔j, Pulv. Priapi Tauri ℥j, Priapi Hippopot. ℥iß, Dent. Hippopot. & Eboris ana ʒvj, Gum. Anime ℥ij, Maſtich. ℥j, Nuc. Moſc. ℥ß, Syr. de Symph. ℥viij, m. f. Elect.

Analepticum & Aphrodiſiacum eſt. Sumat Patiens ℥ß bis in die, ſuperbibendo mane Lactis Caprini ℔j, cum Sacch. Roſ. edulcor. vel hauſtum decoct. Fol. Conſolidæ maj. cum Flor. Hyper.

Et horâ ſomni ſuperbibendo Aq. Hormini comp. ℥j.

Elect. Scorbutico-Cephalicum.

℞ Conſerv. Cochl. hort. (cum æq. Sacchari pondere facti) ℥iij, Zinzib. cond. ʒij, Flav. Aurant. & Limon. cond. ana ʒiij, Pul. è Chel. & Ocul. Cancr. ana ℈ij, Spec. Diamb. ʒj, Cort. Winter. gr. 45, Rad. Zedoar. Galang. Cubeb. ana ʒß, Sem. Sinap. ʒj, Spir. Lavend. comp. ʒij, Syr. è Condit. Nuc. Moſc. q. ſ. m. f. Elect.

Elect. Succinatum.

℞ Conſerv. Cochl. marin. ℥vj, Conſ. flor. Salv. ℥iij, Conſ. Anthûs ℥j, Sem. Cochl. pulv. ℥iß, Spec. Dianth. Aromat. Roſ. ana ℈iv, Syr. de Stæchad. ℥iij, Ol. Succini rectif. ℈j, m. f. Elect.

Dentur ʒiij ter in die.

Elect.

Elect. de Symphito.

℞ Pulp. Rad. coct. Conſolid. maj. Sacch. opt. ana ℥iij, coq. in Elect. conſiſt. adde Virgæ Hippopot. pulv. ℥ß, Syr. de Nuc. Moſc. ℥j, m.

Ad Gonorrhæam ſimplicem, Fluorem album, Dorſi debilitatem, ſumatur ℥ß, horâ ſomni; & horâ j, ante prandium; ſuperbibatur largus hauſtus Decoct. Herb. Conſolid. maj. in Liquore Poſſet. cum Dactylis præp.

Elect. è Terebinthinâ.

℞ Pulp. Caſſiæ ℥iij, Terebint. Venet. coct. Cypriæ coct. & pulv. ana ʒiij, Rhabarb. ʒj, Gum. Arab. Spec. Diatragac. frig. ana ℈iv, Syr. de Alth. q. ſ. m. f. Elect.

Ad ardorem Urinæ, Affectus Nephriticos, necnon Venereos: ſumantur ʒiij omni mane, ac ſuperbibatur hauſtus Emulſionis.

Elect. Tolutanum.

℞ Balſ. Tolut. pulv. ℥ß, Vitel. Ovi j, Conſ. Roſ. rub. ℥iß, Liquam. Sacch. cand. q. ſ. m.

Pro Phthiſicis.

Elect. Traumaticum.

℞ Conſer. Flor. Papav. Rhæad. Conſ. Roſ. rub. ana ℥iß, Lapid. Hibern. ʒvj, Syr. de Symph. q. ſ. m. f. Elect.

Doſ. ʒiij ter indiès.

Elect.

Elect. Vermifugum.

℞ Herb. Helleboraſti (optimè ſiccando cicurati) pulv. ℥ij, Anaphromel. ℥vj, m. f. Elect.

Ad Lumbricos enecandos, & educendos certiſſimum (ſi modò tutum) eſt Remedium. Doſis à ℈iv ad ʒij.

Emplaſtrum contra Abortum.

℞ Pul. Rad. Biſtortæ, Sem. Coriand. ana ʒij, Nuc. Cupreſ. Lig. Sant. rub. Hypociſt. ana ʒj, Coral. rub. Succini ana ℈iv, Labdan. Maſtich. ana ℥ß, Thur. Bdell. ana ʒij, Ol. Maſtic. ℥j, Ceræ citr. ℥iiß, Terebint. Cypr. ℥ij, m. f. Empl.

Empl. Adhæſivum.

℞ Empl. Diachyl. ſimp. Diapalm. ana ℔j, Pic. Burgund. Sarcocoll. ana ℥iv, Terebint. Ven. ʒvj, vel q. ſ. m. ſ. a.

Pro Fontanellis apertis ſervandis, & ab inflammatione tutandis.

Empl. Album.

℞ Ung. albi, Ceræ albæ ana ʒvj; m. f. Empl.

Ad Inflammationes, & Eroſiones; etiam ad Hæmorrhoides internas.

Empl. de Alcalibus Tachenii.

℞ Ol. Oliv. ℔j, calefiat in ſartagine, adde Sapon. Ven. raſ. ℥iv, liquefacto Sapone, adde pulv. ſubtil. Ceruſſæ, Minii ana ℥iv, coq. lentiſſimo (ac lampadis quaſi)

ſi) igne, continuè movendo piſtillo ligneo, & f. Empl. coloris incarnati, aut albicantis.

Huic refrigerato ferè, ac circa finem (ſi lubet) Camphoræ (ſpiritu vini ſolutæ) ℥j, item (pro Vulneribus, & Ulceribus) Alumen uſtum addi poteſt.

Valet contra Podagram, Articulorumque dolores.

Empl. dè Balauſtiis.

℞ Pulv. Balauſt. Roſ. rub. Cinnam. Maſtic. ana ʒj, Balſ. Tolut. pulv. ʒij, Tereb. Ven. (in Vino rub. auſtero coct.) Ceræ citr. ana ʒiij. m. f. Empl.

Pro Dorſo ad imbecillitatem & dolores. Pro Ventriculo ad Vomitionem; pro Umbilico, ad Diarrhæam ſiſtendam; & ad Herniam.

Empl. Burgundicum.

℞ Pic. Burgund. ℔j, Pulv. Caryoph. ʒx, Ol. ſtill. Piperis ʒiij, m. ſ. a.

In Cephalalgiâ, Ophthalmiâ, Catarrhis, &c. Humeris aut Nuchæ applicatum usûs eſt inſignis.

Empl. Camphoratum.

R Camph. ℥iß, Balſ. de Tolu ℥j, Galb. col. ℥vj, m. ſ. a.

Contra affectus Hyſtericos vires habet Empl. Diagalb.

Empl. è Caranná comp.

℞ Carannæ, & Tacamahac. ana ℥ij, Ceræ citr. ℥iv, Ol. Nuc. Moſc. expreſ. ʒv, Balſ. Peruv. ʒx, (vel q. ſ.) ſimul eliquatis adde Pulv. ſubtil. Abſinth. ʒvj, Fl. Chamæm. Lavend. ana ℥ß, Hermodact. ℥j, Croci ʒij, Sal. marin. (ter fuſi, & in Alcochol. redact.) ℥iß, m. f. Empl.

Ad partes nervoſas roborandas; & ſpecificè contra Arthritidem.

Empl. Catarrhale.

℞ Tacamah. Caran. ana ℥iß, Empl. de Beton. ℥iij, Pulv. Succini ℥j, Caryoph. ℥ß, Cort. Saſſafr. & Winter. ana ʒij, Balſ. Peruv. q. ſ. m.

Pro Capite raſo.

Empl. Cinnaberinum.

℞ Minii ℥iij, Ol. Oliv. ℥vj, coctis adde Cinnab. ℥j m.

Empl. Cypreum.

℞ Terebint. Cypr. ʒiij, Balſ. Tolut. pulv. ʒiß, Diapalm. (Aceto Roſ. lot.) ʒvj, m. f. Empl.

Adverſus Lumbaginem.

Empl. Diachylon odoratum.

℞ Empl. Diaehyl. ſimpl. ℔iij, Pulv. Rad. Ireos Florent. ℥iij, Ol. Rod. ℥ß, Moſch. gr. iij m. ſ. a.

Ad Fonticulos.

Empl. Diagalbani.

℞ Galb. col. ℥xij, Ceræ citr. ℥viij, Terebint. Venet. ℥v, m. ſ. a.

Nervos & Uterum roborat. Exploſiones hyſtericas prohibet; Tophos, Nodos, Scrophulas digerit, emollit, reſolvit, eorum dolores ſedat. Verrucas, pedumque Clavos tollit.

Empl. Diapalmæ odoratæ.

℞ Diapalmæ (cum Ol. Roſato, loco Axungiæ, & Ol. Oliv. fact.) liquat ℔iij, Ol. ſtill. Rhodii ʒiij, m. ſ. a.

Ad Fonticulos.

Empl. Diaſulphuris Rulandi.

℞ Balſ. Sulph. (cum Oleo Nucum parati) ℥iij, Ceræ citr. ℥ß, Colophon. ʒiij, liquatis adde Myrrh. pulv. ℥iiiß, coq. ſ. a.

Omnis generis Ulcera, & Vulnera infallibilitèr (ut aiunt) ſanat.

Empl. Dorſale.

℞ Empl. Diapalm. (Aceto Roſ. lot.) ʒvj, Pul. Balſ. de Tolu, Terebint. Venet. Ceræ citr. ana ℥ß, Sant. rub. Boli, Coral. rub. ana ʒj, Terræ ſigill. ℈iv, f. ſ. a. Empl. exteriùs tangendum Spir. Roſar. g^t ij, & tegendum Syndone rubrâ.

Contra Abortum, & Dorſi debilitatem, doloremvè.

Empl. Febrifugum.

℞ Gum. Lentiſc. ʒvj, Aloes ʒij, Boli Arm.

Arm. ℥iij, Euphorb. Sem. Staph. agr. Fænugr. Bac. Lauri, Vitri Venet. ana ʒij, Fulig. è ligno, Sal. nig. ana ʒiß, Terebint. Ven. ℥iij, vel q. ſ. m. f. Empl.

Tertianas tollit ſæpe; Quartanas aliquando. Carpis adhibeatur hor. iij vel iv, ante acceſſionem Paroxyſmi.

Empl. Hæmorrhoidale.

℞ Litharg. Argent. pulv. & creti ℔j, Axung. ℥j, vel. q. ſ. contund. optimè, ut fiat maſſa convenientèr dura pro Emplaſtris, vel pro Suppoſitoriis.

Empl. de Hierâ.

℞ Aloes, Myrrh. ana ʒj, Spec. Hieræ, Theriac. Androm. ana ʒß, Ol. Abſint. g^t. iv, Fel. Bov. q. ſ. f. Emp. pro Umbilico. Contra Vermes.

Empl. de Labdano.

℞ Labdani ℥j, ducatur in Mortario calido cum Balſ. Peruv. q. ſ. ad Conſiſtentiam, & adde Carannæ ʒij, m.

Ad Ventriculum confortandum.

Empl. Laterale.

℞ Flor. Sulph. ℥v, Rad. Irid. Florent. ℥ij, Caryoph. ℥ß, Sem. Cymini ℥iß, pulveriſatis adde Pic. naval. & Burgund. ana ℥iv, Terebint. Ven. ℥iij, Ol. ſtil. Carui, Rhodii ana ℈iv, m.

In Doloribus flatulentis, etiam (præ-

miſsâ phlebotomiâ ſatìs liberali) Pleuriticis multum facit.

Empl. Lethargicum.

℞ Galb. col. ʒv, Caſtor. pulv. ʒij, Euphorb. ʒj, Ol. Succini gt xvi, Balſ. Capiv. q. ſ. m. f. Empl. pro Capite raſo.

Empl. Mamillare.

℞ Sperm. Ceti ℥j, Ceræ alb. ℥ij, Galb. col. ℥ß, Ol. Sambuc. q. ſ. m.

In omnibus Mammarum tumoribus à lacte concreto, œdematoſis; imò & Scrophuloſis nil huic æquale.

Empl. de Minio Goddardi.

℞ Minii accuratè pulv. & creti ℔ß, Ol. Oliv. (vel Ol. Lini) ℔j, coq. ad nigredinem continentèr agitando; deinde adde Colophon ℔ß, m.

Empl. Mirabile.

℞ Gum. Ammon. ʒv, Tereb. Ven. Argent. viv. Caryoph. pulv. ana ʒj, fiat omnium miſtura artificioſa.

Spleneticum eſt.

Empl. Nuchale.

℞ Gum. Elemi, Terebint. Ven. ana ℥ß, Olib. Maſtich. Gum. Tragac. ana ʒiij, Bol. Arm. ℥iß, Balauſt. Sem. Pſyllii, Bac. Myrti ana ʒj, Euphorb. ℈j, Succini ʒij, Pic. Burgund. ℥viij, Caran. ʒx, Ol. Caryoph. Balſ. Peruv. ana gt vi, m. f. Maſſa.

Ad

Ad Ophthalmiam & Defluxionem in Oculos, Nuchæ adhibeatur. Ad Odontalgiam, pone aures applicetur.

Empl. Opiatum.

℞ Diachyl. magn. ℥iv, Argenti vivi ℥ij, Opii ℥j, artificioſa omnium fiat miſtura.

Ad dolores tàm Arthriticos, quàm Venereos mitigandos eximiè conducit.

Empl. Paralyticum.

℞ Lumbricor. pulv. ℥iv, Rad. Cal. arom. ℥iß, Galangæ ʒvj, Mellis q. ſ. f. Empl.

Pro Membris affectis nulli ſecundum.

Empl. Plumbeum.

℞ Plumbi albi puriſſimi pulv. & creti ℔j, Succi Caprifol. Veronicæ fœm. Prunellæ ana ℥iv, Succi ſensìm affundantur, & ducantur ſimul omnia in Porphyrite, ad perfectam commiſtionem, inſtar Pigmenti Pictorum; ac reducatur Maſſa in Paſtillos, qui ad Solem ſiccati pulveriſentur.

℞ Plumbi ità præp. ℥iv, Ungu. Popul. Hydrargyr. ana ℥ß, miſce ut artis eſt, aliquando è re erit Creti ℥ß, admiſcere.

Ad Ulcera cacoethea, quando applicatur, ſuper partem firmitèr contineatur Emplaſtro de Minio Vigonis ſuperpoſito, & quinto, ſextovè die renovetur.

Empl. Podagricum.

℞ Opii, Sapon. Venet. ana ℥ß, Empl. Diachalcit. ℥ij, m. ſ. a.

Empl. Reſolvens.

℞ Empl. Diachalcit. Diachyl. cum Gum. ad ʒvj, de Sapone ℥j, Pul. Rad. Cicutæ ʒij, Mercur. præcip. alb. ʒiij, m. f. Empl.

Ad Tumores præduros, Ganglion, &c.

Empl. Reſtringens.

℞ Empl. ad Hern. recèns parat. ℥j, Lap. Hæmatit. Croc. Martis aſtring. Ochræ rubræ (Aceto nutritæ) ana ʒij, Ol. Roſar. q. ſ. m. f. Empl.

Humorum defluxiones reſtringit.

Empl. Saturnium.

℞ Ceruſſæ ℥iv, Cretæ alb. ℥ß, Myrrh. ʒij, Amalg. (ex p. ij. Merc. & p. 1. Saturn parat.) ʒvj, Axung. veter. q. ſ. ad formand. Empl. in mortario calido, ſpiſſæ & conſtantis conſiſtentiæ.

Ulcera calloſa & maligna, imò peſſima, unâ ſolâ admotione ſanat; abluendo ea primò (ſi ſordida ſint) Aquâ ſolutionis Lap-Salutis; mox Empl. in alutam ſat ſpiſſum extenſum admoveatur Ulceri; & ſi opus ſit, Emplaſtro Diachalciteos contineatur, ſuper-inductâ faſciâ laneâ benè ſtrictâ; neque renoveatur ante 15 dies.

Empl. Scorbuticum.

℞ Flor. Hyper. Herb. Piloſel. Veron. mar. Cochlear. marin. ana Mij, Abſint. Mj, coq. in Ol. Roſ. ℥vj, ad Herbar. Putrilaginem: Expreſſioni adde Sevi Cerv. Ceræ citr. Mel. Roſ. ana ℥iß, Farin. Tritici ℥j, m. ſ. a.

Confert ubi Ulcera, & Tubercula adfuerint Scorbutica.

Empl. Sedativum.

℞ Empl. Metroproptot. ʒiij, (vel ejus defectu, Empl. Diachalcit. & Oxycroc. ana ʒiß) Galb. col. ʒij, Opii (Spir. Vini ſolut. & ad Mellaginem evapor.) ʒj, m. f. Empl.

Ad Dorſi dolorem; & Abortum prohibendum.

Empl. Smecticum.

℞ Minii ℔iß, Ol. Oliv. ℔ij, Sapon. alb. ℥iv, Ceræ ℥ij, coq. ſ. a.

Detergit, ac reſolvit. Dolores Dorſi, & Articulorum (etſi Podagricos) ſublevat. Contuſiones & Ecchymomata diſſipat. Abortum præcavet. Dorſo, & Umbilico adhibeatur; & continuò geſtetur.

Empl. Soleare.

℞ Sevi Ovilli ℥iv, Pic. Naval. Reſin. ana ℥viij, Thuris ℥xij, Pul. Croci ℥ß, Caryoph. Mac. ana ʒvj, Sem. Cymin. ℥iß, Labd. ʒvj, m. ſ. a.

Empl.

Empl. Spaſmicum.

℞ Pic. naval. ℥iv, Caſtor. Ol. Coſtin. ana ℥j, m. f. Maſſa.

Empl. Spleneticum.

℞ Empl. è Bac. Laur. ʒvj, Tacamah. ℥ß, Balſ. Peruv. ʒj, Ceræ ℥ij, m. f. Empl. ſ. a. Syndone contegendum.

Empl. ad Strumas.

℞ Empl. è Cicutâ c. Ammon. ℥iv, Gum. Elemi ℥ß, Mercur. ſublim. corroſ. ʒx, m.

Scrophulis, & Strumis medetur.

Empl. Synanchinum.

℞ Pulv. alb. Canis ℥vj, Mellis ℥viij, Pollinis Tritic. ℥iiß, Ceræ ℥iv, Ol. Roſ. ℥vj, vel q. ſ. ut f. Empl.

Adhibeatur Gutturi, & Colli partibus pone aures dolentibus.

Empl. Tibiale.

℞ Argent. vivi ℥ij, ſolve in Aq. fort. ℥ij, adde Axung. Porc. ℥iv, coq. in vaſe fictili continuò agitando rudiculâ ferreâ, ad conſiſtentiam Emplaſtri mollioris, & exhalationem humiditatis. Tunc adde Ceræ citr. ℥j, Pulv. Maſtic. & Olib. ana ʒiij, m. f. Empl. ſ. a.

Ad Nodos, &c. in Lue Venereâ.

Empl. Tolutanum.

℞ Balſ. Tolut. pulv. ʒvj, Balſ. Peruv. q. ſ. f. Empl. pro regione Ventriculi.

Empl.

Empl. Vermifugum.

℞ Pulv. Aloes ℥j, Colocynth. Myrrh. ana ʒiij, Summit. Sabin. Rutæ, Abſint. Tanacet. Fol. Jugland. Rad. Bryon. alb. ana ʒij, Ceræ, Reſinæ ana ℥iv, Ol. Rutac. ℥ij, m. f. Maſſa Empl. ſ. a.

Vermes, Umbilico applicatum, enecat, expellitque.

Emulſio Analeptica.

℞ Aq. Hord. ℔iv, Poma Pippina N° iv, Herb. Tuſſilag. Miv, Jujub. ℥iv, coq. ad ℔ij.

℞ Col. (ſubſidendo depur.) ℔iß, Amygd. dulc. excort. larg. N° iij, Nuc. Piſtach. Sem. Pepon. ana ℥j, Sem. Bombac. ʒiij, Rad. Eryng. candefact. ℥iß, f. Emulſ. ſ. a. cui add. Aq. Roſ. rub. ℥iß m.

Exhib. tepid. ℥iij, tertiâ quâque horâ.

Emulſ. de Avellanis.

℞ Nuclæ Avellan. ſativ. Hiſpanic. N° 40, Sem. Canab. Pepon. Melon. ana ℥j, Portul. ʒvj, Amygd. dulc. excort. N° viij, contuſ. adde aq. Lact. ſimpl. ℔iiß, Aq. Roſ. rub. ℥iv, Sacch. cand. alb. ℥ij, f. Expreſſ.

Ad Ardorem Urinæ, Gonorrhæam, &c. Doſ. ℔ß, bis in die cum Priap. Cerv. pul. ʒj.

Emulſ. Catholica.

℞ Sem. Carthami ℥j, Mannæ ℥iij, Amygd.

mygd. dulc. decort. ℥ij, Aq. Hord. (vel Ebſham.) ℔ij, f. Emulſ. ſ. a.

Emulſ. Cichoracea.

℞ Rad. Cichor. ℥iß, Herb. cum Radic. Fragar. & Pentaphyl. ana Mj, Jujub. ℥ij, Uvas. Corinth. ℥iij, coq. in Aq. font. q. ſ. ad ℔ij, col. & cum Sem. Aquileg. ℥j, Amygd. d. N° iv, f. Emulſ. cui adde Syr. de 5 Radic. ℥ij, m.

Contra Icterum detur hauſtus plenus bis in die.

Emulſ. Cretacea.

℞ Cretæ alb. pulv. ℥iij, Aq. Hord. ℔iij, coq. ad ℔ij, cum Liquore frigefacto à ſedimento decantato, & Sem. 4 frig. maj. ana ʒij, Carui ℈ß, Amygd. dulc. N° viij, f. Emulſ. cui add. Cretæ ſubtil. pulv. ʒiij, Sacch. Penid. (vel Diacod.) ℥iß, m..

Propinetur pro re natâ.

Emulſ. Dactylorum.

℞ Dactyl. (oſſibus exemptis) N° xv, coq. in Cereviſ. illupul. ℔iiß, contund. Dactylos cum Amygd. dulc. decortic. N° xxiv, f. Expreſ. cum Cerev. dicta. adde Sacc. candi & Nuc. Moſc. q. v.

In Abortu, Infirmitatibus Dorſi, Gonorrhæâ, Tabe, Tuſſi, Macilentiâ. Doſ. ℔ß, ter in die per dies 40 vel 50.

Emulſ. Expulſiva.

℞ Sem. Citri decort. ℥ß, contuſ. adde

Aq.

Aq. Citri, Card. Ulmar. Ulmar. Scord. comp. ana ℥iij, Sacch. ℥j, f. Emulſ.

Ad Malignitatem expellendam, dentur cochl. iij, ſecundâ quâque horâ.

Emulſ. Hæmoptoïca.

℞ Hord. perl. ℥j, Glycyrrh. ʒiij, Herb. Tuſſilag. Mij, Dactyl. Jujub. ana ℥ij, coq. in Aq. font ℔v ad ℔iij, col. adde Cretæ ſubtill. pulv. ℥j, Sem. 4, frig. maj. ana ʒiij, Portul. Papav. alb. ana ℥ß, f. Emulſ. ſ. a. cui col. add. Syr. Myrt. de Portul. ana ℥ij, m.

Doſ. ʒiv, ter in die.

Emulſ. Icterica.

℞ Sem. Aquileg. ʒvj, contuſ. affund. Aq. Chelidon. ℥vj, f. Emulſ. cui adde Sacch. perl. ℥ß, m.

Sumatur pars dimid. pro vice bis in die.

Emulſ. Nenupharina.

℞ Rad. Nenuph. ℥iv, R. Sigil. Solom. ℥ij, Dactyl. N° vj, infund. & coq. in Aq. font. ℔vj ad iv, ſub finem add. Herb. Conſolid. maj. Bugulæ, Flor. Lamii ana Mij, col. cum hâc colaturâ, Dactylis ſupraſcriptis, & Amygdal. dulc. excort. N° xxiv, f. Emulſ.

Emulſ. Phthiſica.

℞ Hydrocrit. ℔iij, Jujub. ℥iv, Herb. Tuſſilag. Capil. Vener. ana Miß, Sem.

Viol. Bombac. Portul. ana ʒij, Sem. Aniſi (ad finem add.) ʒiß, coq. ad ℔ij, còl. clarific. adde Sem. Melon. Cucumer. ana ℥j, Amygd. dulc. excort. N° vj, Nucl. Pinear. (non acid.) ℥ß, f. Emulſ. ſ. a. cui add. Aq. Roſ. rub. ℥iv, Sacch. cand. alb. ℥j, m.

Propin. ʒiv, tepid. quartâ quâque horâ.

Emulſ. Pæoniata.

℞ Sem. Pæon. decortic. ℥j, contuſ. adde Aq. Rutæ, Ceraſ. nig. Pæon. c. ana ℥vj, f. Emulſ. cui add. Sacch. Perlat. ℥iß, m.

In Epilepſiâ, Vertigine, Hæmicraniâ, &c. Dentur (præmiſſo Electuario convenienti) cochl. iij manè, & horâ ſomni.

Emulſ. de Sarsâ.

℞ Rad. Sarſæ debitè conciſ. ℥iij, R. Nymph. ℥iß, Raſ. Ebor. ʒiij, infund. in Aq. ℔iij, per horas viij, add. Paſſul. enucleat. ℥iv, coq. ad ℔ij, cum col. & Sem. Pepon. ℥j, Lactùc. Cannab. ana ʒvj, Amygd. dulc. decortic. N° viij, Album Ov. (priùs in aquam agitat. cum Aq. Roſar.) N° ij, Sacch. candi ℥ij, f. Emulſ.

Refrigerat, incraſſat, edulcorat. Detur ℔ß, mane & ſerò.

Emulſ. de Scorzonerâ.

℞ Rad. Scorzon. recent. ℥ij, coq. cum Hord. perl. cochl. iv, in Aq. font. ℔iij,

ad ij, f. col. contunde Rad. Scorzon. cum Sem. Pepon. & Melon. ana ℥j, Amygd. dulc. decort. N° iij, & cum Aq. Hord. præſcripta clar. ℔j, f. Emulſ. cui add. Sacch. candi ℥ß, Aq. Ment. comp. g^t iv.

In Febribus bibatur dimidium horâ ſomni, & reſiduum mediâ nocte.

Emulſ. Somnifera.

℞ Sem. Papav. alb. contuſ. ʒvj, Amygd. dulc. decort. N° ij, Aq. Citri, Papav. Rhæad. ana ℥ij, f. Emulſ. cui col. add. Aq. Mariæ ℈j, Man. Chriſti perl. ℥ß, m.

Sumatur horâ ſomni.

Enema Alexiterium.

℞ Herb. Scord. Mj, Sem. Citri ʒiij, Flor. Samb. Chamæm. Roſ. rub. Centaur. min. ana p. j, coq. in Aq. font. q. ſ. col. ℥x, adde Succi Cherm. ℥j, Sacch. opt. ℥ß, m.

Ad extrahendum Venenum &c. ab inteſtinis.

Enema Balſamicum.

℞ Decoct. fort. Equiſeti ℥vj, Ol. Hyper. ʒvj, Balſ. Lucatel. ℥j, Peruv. ʒiij, m.

Ad Dyſenteriam, Excoriationes inteſtinorum ſanandas, &c. maximè proficuum.

Enema Butyraceum.

℞ Butyri inſulſi ℥x, Pulv. Sang. Drac. ʒij, Vin. rub. aſtring. ℥ij, m. f. En.

Contra Dyſenteriam.

En. Colicum.

℞ Dec. com. (cum Bac. Junip. & Sem. Fænugr. ana ʒij, præp.) ℥x, Infuſ. Croc. Metall. Ol. Aneth. ana ℥ij, Sapon. Caſtil. Elect. Lenit. ana ℥j, Ol. ſtill. Junip. ʒß, m. ſ. a.

In Colicâ, Iliacâ, Calculo, &c. inſigne.

En. Conſolidans.

℞ Lact. (cum Herb. Conſolid. maj. & Flor. Roſ. rub. ana Mij coct.) ℔ij, Album Ov. conquaſſ. N° ij, Sacch. alb. ℥iij, m. pro ij Enematis.

Ad inteſtinorum Eroſionem, Diarrhæam, & Dyſenteriam.

En. Dyſentericum.

℞ Caput Ovi cum Lanâ confractum, demptis Linguâ, & Cerebro coquatur in Aq. q. ſ. ad ℔vj, f. Col. pro Enematis.

Addi poſſint Flor. Chamæm. Malv. Alth. &c.

En. Epilepticum.

℞ Summit. Rutæ Mj, coq. in Aq. q. ſ. ad ℥iij, col. adde Syr. Pæon. comp. ʒiij, Ol. Aniſi g^t v, Spir. Sal. Armon. g^t x, m. ſ. a.

En. ad Eroſiones.

℞ Herb. Conſolid. utriuſque Plantag. ana Mvj, Sem. Cydon. ℥ij, S. Coriand. ℥iv, coq. in Aq. & Lact. ana q. ſ. ad ℔iij,

col.

col. adde Sacch. Roſ. ℥vj, miſce cum Ovi Albumine & Vitello optimè conquaſſatis, pro 4 Enematis.

En. Hæmorrhoidale.

℞ Fol. Samb. Herb. Chelidon. min. Linariæ, Verbaſci, Viol. ana Mij, Cicutæ, Hyoſcy. ana Mß, Sem. Lini ℥iß, coq. in Aq. font. q. ſ. col. ℔iß, add. Vitel. Ov. N° j. m. ſæpe injiciatur in anum ope Syringæ.

En. Hydropicum.

℞ Urinæ humanæ matutinæ ℥viij, infuſ. Croc. Metal. ℥iij, Gut. Geman. (Vino Hiſpan. ſolut.) ʒj, Terebint. Venet. (Vitel. Ovi ſubactæ) ʒvj, Ol. Saſſafr. ℥ß, m. col.

En. Hyſtericum.

℞ Dec. com. ℥x, Camph. ʒj, Ol. Rut. ℥ß, Mel. Mercurial. ℥ij, m.

En. Oleoſum.

℞ Ol. Lini ℥iij, Ol. Chamæm. Aneth. ana ℥ij, Ol. Scorpion. Rutæ ana ℥j, Ol. Terebint. ℈j, m.

In Colicâ, Calculo, &c. egregium.

En. Opiatum.

℞ Lact. recent. ℥xij, Opii ℈j, Croci ʒß, coctis & col. adde Vitel. Ov. N° ij, Sacch. alb. ℥iß, m.

In Dyſenteriâ convenit.

En. Sanativum.

℞ Ped. Ovil. N° xij, Lumbric. præp. ℥ij, Summit. Hyper. cum florib. Miv, Alth. Conſolid. maj. ana Miij, Rad. Tormentil. ℥iv, Aq. font. q. ſ. f. decoct. pro Clyſteribus.

Ad Dyſenteriam:

En. Stypticum.

℞ Lact. ℔j, Vitrioli albi ʒß, m.

En. ad Teneſmum.

℞ Lact. ℥iv, Vitel. Ov. N° ij, Sperm. Ceti ℈iv, Aq. Cinnam. Diacod. ana ℥ij, m.

En. Terebinthinatum.

℞ Decoct. com. ℥xij, Tereb. Ven. ʒß, Vitel. Ovi unius, Syr. Viol. ℥iß, Elec. Diaphæn. ℥j, m.

In Dolore Calculoſo valde proficuum.

En. Vinoſum.

℞ Vin. Hiſpan. ℥xij, Ol. Aniſi ʒß, Sacch. rub. ℥iij, m.

Ad Tormina.

En. Urinoſum.

℞ Sem. Rutæ, Dauci ſylv. Cymini ana ʒij, Sennæ ℥j, Urinæ matutinæ ℔iß, coq. ad dimid. col. add. Spec. Hieræ ſimpl. ʒij, Sacch. rub. ℥iij, m.

Hydragogum eſt, & valet in Hydrope.

Epicarpia Cretacea.

℞ Cretæ (in Crucibulo ignitæ, & in

Aceto

Aceto Samb. extinctæ) ℥j, Sapon. nig. ℥ij, m. f. Ung. pro Carpis.

Contra Febrem intermittentem.

Epicarp. Helleborata.

℞ Rad. Helleb. alb. pulv. ℥ß, Nitri pulv. ʒij, Pulp. Ficuum q. ſ. f. m. Maſſa Cataplaſmatis inſtar.

Carpis (cum aſtrictione) adhib. hor. ij ante Acceſſionem febrilem.

Epithema contra Abortum.

℞ Succi Cydon. ℔j, Vin. rub. auſter. ℥iv, huic immergatur panis toſtus, inſpergendus poſteà pulv. ſeq. inter duo linteola Umbilici regioni adhibendus, ac ter in die & nocte renovandus.

℞ Nuc. Moſc. ʒj, Cinnam. ℈ij, Mac. ℈j, m. f. pulv.

Conducit etiam ad Vomitum, Diarrhæam, Hypercatharſin ſedandam.

Epith. Cephalicum.

℞ Camph. ʒij, ſolve in Pyrœni ℥ij, qui Rhodoſtagmatis q. ſ. excipiatur in diſco calefaciendo ad mediocrem ſiccitatem. Tunc inſperge Pulv. Nuc. Moſc. ℈j, Zedoar. ʒß.

In Cephalalgiâ Fronti adhibeatur.

Epith. Hypnoticum Penoti.

℞ Moſc. gr. xij, Camph. ℈ß, Aq. Roſ. (Tinct. Sant. rub. imprægnat.) ℥xij, m.

Epith. Stomachicum.

℞ Herb. Abſint. Ment. (ſiccat. & a ſtipitib. liberat.) ana Mij, Mac. ʒiij, contunde & f. Sacculus immergendus Aceto Roſaceo calenti, exprimendus, Ventri admovendus, & quartis horis renovandus.

Epith. Stypticum.

℞ Vitrioli Hungar. & Alum. rup. ana ℥j, Aq. font. (cum Ol. Vitrioli parùm acidulatæ) ℔ß, coq. tamdiu donec perfecta fuerit diſſolutio. Liquorem frigefactum filtra; & à cryſtallis ſubinde natis ſepara; reſiduo adde Ol. Vitrioli partem duodecimam.

Turenda ex Linteo raſo (vel potius ex Fungo pulverulento) hoc liquamine humectato, Nari, ex qua ſanguis ſtillat indetur; ac per dies iſtìc relinquatur.

Expreſſio Citrata.

℞ Cort. Citri cond. ℥iij, Conſ. Fl. Caryophyl. ℥iß, Sem. Fænic. dulc. ʒiij, Aniſi ʒij, Carui ℥ß, Spec. Aromat. Roſat. ʒj, Aq. Lumbric. Magiſtr. ℔ß, Aq. Meliſſ. ℔iß, macera in tepido per horas iv, col. adde Syr. Caryoph. ℥iij, m.

Spiritus reſicit, & Flatus diſcutit.

Expreſſ. Cydoniorum.

℞ Cydon. radula raſ. ℥vj, Aq. font. ℥xij, ſimul agitentur col. expreſſ. adde Sacch. alb. ʒij, Vin. Canar. ℥iv, m.

Expreſſ.

Expreſſ. Hæmoptoïca.

℞ Sem. Papav. alb. ℥j, Hyoſcy. ℥ß, Conſ. Roſ. rub. ℥iß, contunde optimè ſæpe irrigando Aq. Portul. ℥viij, f. expreſſ. cui adde Syr. è Roſ. ſicc. ℥j, m.

Urgente Sanguinis ſputo ſumantur cochl. iv, bis in horâ.

Expr. Raphani comp.

℞ Rad. Raph. ruſt. ℥ij, Herb. Cochl. Miv, Becab. Naſturt. aq. ana Mij, Piper. long ʒiij, ſimul omnia contuſa ponantur in ollâ vitreatâ cum Vin. Rhen. (vel Hiſpan.) ℔ij, orificio probè occluſo ſtent in Cellâ frigidâ duos dies, deindè f. expreſſ.

Ad Affectiones Scorbuticas doſ. ℥iij, bis indiès.

Expr. Scorbutica.

℞ Summit. Pini Mvj, Herb. Naſturt. aq. Becab. ana Mix, Ling. Cerv. Tarax. cum Radicib. ana Miv, contuſis affunde Aq. Antiſcorb. ℔ij, f. expr. cui add. Sacch. cand. ℥vj, deinde trajice ſæpe per Manicam Hippocr. ſupra Cortic. Saſſaf. contúſ. ℥ß.

Doſ. ℥iv, bis in die.

Extractum Maltæ comp.

℞ Herb. Tuſſilag. Pulmonar. macul. recent. ana ℥vj, Glycyrrh. ℥viij, Paſſul. exacin. ℔ij, Cerev. illupul. fort. debitæ ætatis

tis cong. vj, coq. ad cong. ij, f. Expreſſ. fortis & exhal. ad Mellaginem.

Phthiſicis capiatur bis tèrve in die.

Extr. Pectorale.

℞ Herb. Scabioſ. Hyſſop. Hed. terreſt. ana Mxij, Marrúb. alb. Jaceæ ana Mx, Tuſſilag. Helen. ana Mxviij, contuſ. exprim. ſuccus, depuretur, ad Mellaginem evaporetur.

Detur cochl. j, ter in die, & ſuperbibatur decoct. Pectorale.

Extrac. Peticum.

℞ Herb. Peti Virgin. ℥ij Aſari rec. ʒx, Glycyrrh. ℥j, Sem. Aniſi ʒiij, Coriand. ʒij, Rad. Angel. Galang. ana ℈viij, macer. in tepid. Hydromel ℥xx, horas 24 f. Expreſſ. & Exhal. ad debitam conſiſt.

Craſſos humores per Vomitum, & nonnumquam per Seceſſum potenter expurgat. Feliciter datur in Aſthmate, & Pulmonum Tartaro, necnon in Febribus intermittentibus, Ictero, Hydrope, ac Arthritide. Doſ. ad ℈ij.

Febrifugum Crollianum.

Teſtis Concharnm oblongarum (vulgò *Muſcles)* affunde Acetum, & macera 24 horas abrade mucorem externum; exicca, ac pulveriſa; inſtillato ſæpè inter pulveriſandum Aqu. Card. bened. Cochl. j, quo pulvis

pulvis volatilis retineatur: exicca ad uſum.

Febrifugum eſt nobile; potentèr ciet Sudorem. Doſ. à gr. vj ad ℈j, (potiùs ad ʒj.)

Fel Coſmeticum.

℞ Fellis Bubuli (menſe Maio collecti) ℔vj, agitetur cum Album. Ovor. N° vj, mox fiat una vel altera Ebullitio; deindè Filtratio. Huic admiſc. Vini Canar. ℔iij, Spir. Vini rect. ℔j, Mellis, Succi Rad. Bryon. alb. recèns expr. ana ℔ij, ponantur in duplici Alembico; & in B. M. f. circulatio octiduanâ; filtretur liquor, & add. Myrr. pulv. ℥iv, Ol. Tart. per deliq. ℥vj, Sal. Gem. ℥j, Camph. ʒj, octo dies iterùm circuletur, & fiat per chartam duplicem filtratio ad uſum.

Fel ad Capſulam Coſmeticam.

℞ Fel. Bubul. (digeſtione 24 horas in Balneo depurati) ℔vj, Succi Limon. (per reſidentiam defæcati) Succ. Rad. Bryon. alb. turbidi (ut fæculæ etiam adſint) ana ℔ij, Mell. albiſſ. Sacch. candi albi ana ℔j, f. Digeſtio dies viij, in fimo equino, deinde Liquoris (adhuc calentis) per chartam emporeticam colatura. De quâ cape ℔vj, Ol. Myrrh. (per Ovum parati) ℥xij, Olib. Benzo. ſubtil. pulv. ana ℥iij, Maſtic. Gum. Junip. ana ℥j, Gerſæ Serpentar. recent.

cent. ℥iij, Sal. Tart. ℥ij, Borac. Ven. ʒvj, Camph. (Sp. Vin. ſolut.) ℥ß, ponantur omnia in Cucurbitâ amplâ, cui altera allutetur, & clauſis optimè juncturis f. Circulatio (in fimo equino, vel Balneo) dies xv aut xx; mox ſinantur omnia in Cellâ vinariâ per menſem integrum. Ante uſum Liquor per chartam filtretur, & uſui ſervetur.

Fotus Arthriticus.

℞ Salv. Roriſmar. Artemiſ. Hyper. Abſint. vulg. Fol. Chamæm. ana Mvj, Sal. nig. Miij, coq. in Aq. Cong. iij ad ij, f. col. pro uſu.

Fotus Aſtringens.

℞ Cort. Querc. ℥ij, coq. in Aq. font. iij ad iß, ſub finem add. Cort. Granat. contuſ. ℥j, Flor. Granat. Roſ. rub. ana Mij, deinde Vin. rub. auſteri ℔ß, Aceti ℥ij, m.

Ad Vomitionem ſiſtendam. Ad Ani & Uteri laxitatem & procedentiam.

Fot. ad Calculum.

℞ Herb. Alſines Miv, Alth. Viol. Malv. Parietar. ana Miij, Chærefol. Flor. Chamæm. Samb. ana Mij, Sem. Lini ℥iv, Aneth. ℥iij, coq. in Aq. font. q. ſ. col.

Fot. ad Cancrum.

℞ Rad. Torment. ℥j, Herb. Elatines Miij, Verbaſc. Plantag. Agrimon. ana Mij,

Caprifol.

Caprifol. Scabioſæ, Equiſeti, Summit. Rubi, Flor. Roſ. rub. ana Mj, Balauſt. Mß, Alum. rup. ℥j, coq. in Aq. Fabror. q. ſ. ad ℔v, col. add. Vin. rub. auſter. ℥iv, Succi Solani, Semperviv. ana ℥iij, m.

Fot. Cephalicus.

℞ Rad. Pæon. m. ℥vj, Herb. Salv. Primul. Ver. ana Miv, Fl. Chamæm. Miij, Fl. Lavend. Mj, coq. in Aq. q. ſ. ad ℔iv, f. col. quâ foveatur caput mane quotidiè horæ ſpatium.

Fotus Crinificus.

℞ Herb. Abrot. Miij, Gum. Labd. ℥j, Adip. Urſin. ℥iij, Mellis ℥iv, coq. in Vin. Hiſpan. ℔iv, ad tertiæ partis conſumpt. addendo ſub finem Nuc. Moſc. ℥j, Mac. ʒiij, Caryoph. ʒj, f. col. quâ foveatur pars affecta bis in die per horæ ſpatium pro vice; atque inungatur poſtea Unguento Criniſico.

Fot. Emmenagogus.

℞ Rad. Lil. alb. ℔ß, Ireos ℥iv, Cyclam. ℥ij, Herb. Artemiſ. Matricar. ana Mij, Puleg. Miij, Calamint. Fl. Chamæm. ana Miß, Bac. Junip. Sem. Aneth. ana ℥iij, coq. in Aq. q. ſ. col.

Convenit etiam Colicis.

Fot. Hæmorrhoidalis.

℞ Rad. cum Herb. Scrophular. utriuſque ana Mij, Fol. Samb. Herb. Linar.

Millefol. Verbaſc. ana Miij, Malv. Viol. ana Miß, Sem. Lini ℥iv, coq. in Aq. q. ſ. ad mollitiem: f. col.

Fot. Scorbuticus.

℞ Herb. Artemiſ. Hyper. Chamæpit. Cochlear. utriuſque anā Miij, Abſint. com. & Rom. ana Miv, Roriſm. Mij, Rad. Raph. ſylv. ℥iv, coq. in Aq. q. ſ. col.

Fot. Spleneticus.

℞ Rad. Bryon. alb. Alth. Petroſel. ana ℥iß, Summit. Tamariſc. Herb. Melilot. Chamæm. Malv. Agrimon. ana Mj, Sem. Lini ℥iv, S. Cymini ℥ij, Flor. Lil. alb. Malv. Chamæm. Aneth. ana p. ij, coq. in Aq. f. q. ſ. ad ℔iij, addendo in fine Vin. alb. & Aceti ana ℥iij, f. col.

Frontale Cephalalgicum.

℞ Rhodoſtagm. (non ueteraſcentis) q. ſ. in Aceto vel Spir. Vini frigatur, pulv. Zedoar. ʒß, Nuc. Moſc. ʒj, Camph. ℈ij, inſpergatur, atque Fronti, & Temporibus calens adhibeatur.

Gargariſma Album.

℞ Aq. Plantag. ℥iij, Aq. Roſ. rub. ℥j, Album. Ovor. (in Aqueam ſubſtantiam agitat.) N° iij, Sacch. cryſtall. pulv. & cret. ℥j, m. f. Gargar.

Garg. de Althæâ.

℞ Rad. Alth. ℥ß, Sem. Cydon. ʒij, coq. in Aq. Hord. ℔iij ad ij, circa finem add.

add. Glycyrrh. ʒij, col. add. Album. Ovor. agitat. N° ij, Sacch. cryſtall. ℥ij, m.

Ad Aphthas.

Garg. Anginoſum.

℞ Spong. Sambuc. Fic. ana N° xij, Sem. Fænugr. ʒiij, S. Lini ʒij, Mivæ fruct. Rubi Idæi (cum nucleis contuſ.) ℥iv, Cynocop. ℥iß, Succi Agreſt. ℥iv, coq. in Aq. font. ℔iv ad ij, col. adde Syr. de Rubo Idæo Diamor. ana ℥iß, clarific.

Garg. Apoplecticum.

℞ Sem: Sinap. pulv. Spir. Caſtor. ana ʒij, Oxyrrhod. ℥j, f. Muſtarda ſ. a. cui adde Decoct. fort. Roriſmar. & Beton. ℔j, Mel. Anthoſ. ℥ij, m.

Garg. de Balauſtiis.

℞ Balauſt. contuſ. ℥ß, Caryoph. contuſ. ℈ij, Aq. font ℔ij, Ol. Vitrioli g^r xxxij, (vel q. ſ. ad ſaporem acidulum inducendum) f. Infuſio calida per iij horas, col. adde Syr. è Rubo Idæo Mel. Roſ. col. ana ℥ij, m.

Garg. Benedictum.

℞ Aq. Benedict. fort. ℔ij, Mel. Roſ. col. ℥iv, m.

Ad Oris Ulcera.

Garg. Emolliens.

℞ Rad. Alth. ℥j, Herb. Malv. Mj, Sem. Lini ʒij, S. Fænugr. ʒiß, Glycyrrh. ʒiij,

Fic. inciſ. ℥iv, coq. in Aq. q. ſ. ad ℔ij, f. col.

Garg. de Ficubus.

℞ Fic. pingu. inciſ. ℥iv, coq. in Aq. font. ℔iij, (adject. ſub finem Sem. Fænugr. ℥ß) ad ℔ij, col.

Garg. ad Gingivas.

℞ Balauſt. ℥j, coq. in Aq. font. ℔iiß, & Aceti ℥ij ad ℔iß, ſub finem add. Alum. rup. ℈iv, col. add. Mel. Roſ. ℥iv, Aq. Cinnam. ℥iij, Aq. Hungar. Tinct. Benzo. ana ℥ß, m.

Garg. Scorbuticum.

℞ Summit. Roriſm. Mj, Caryophyl. contuſ. N° 40. Sal. Cochl. ʒij, Omphac. ℔iij, coq. ad ℔ij, col.

Ad Gingivas Scorbuticas putridas.

Garg. Synanchicum.

℞ Spong. Samb. ℥j, Cynocop. ʒvj, Summit. Rubi Mj, Herb. Geran. columb. Mij, Flor. Roſ. rub. Mß, Fic. N° viij, coq. in Aq. ℔iij ad ij, col. add. Aceti Sambuc. ℥j, Rhodomel. ℥iij, m.

Ad Aphthas, & Oris Ulcera.

Garg. de Ulmo.

℞ Cort. inter. Ulmi rec. ℥j, coq. in Aq. ℔iij ad ℔iß, col. rubicundæ (inſtar V. Rubelli) add. Syr. de Rubo Idæo, & de Moris ana ℥iß, m. f. Gargar. elegantiſſimum.

Quatenus

Quatenus Gargariſma, optimè valet in Linguæ aſperitatibus, Aphthis, omnibus Oris calidis affectibus, & cujuſcunque generis Ulceribus.

Quatenus Potus communis (cum pauco Leucæno) graveolentiſſimos Sudores movet; atque Elephantiaſin, Leprámque Græcorum tollit.

Gelatina Analeptica.

℞ Raſ. CC. ℥iv, Rad. Chinæ (per taleolas ſectæ) ℥ij Gallum juvenem, Poplitem Vitulinum, Pedes Vitulinos, N° iv, Perdices N° ij, Aq. font. (vel Chalybeatæ) ℔xij, bulliant ad Animalium putrilaginem, & ad Gelatinæ ſpiſſæ conſiſtentiam: ſub finem add. Vin. alb. ℔iv, Succi Limon. ℥iv, f. col. ſeparetur Pinguedo; reliquum clarificetur; & mittatur per Manicam ſuper pulv. Mac. Cinnam. & Sant. citr. cum tantillo Croci, additâ parte 16ª Sacchari, vel q. placuerit.

Author aſſerit hanc optimam, & ſapidiſſimam eſſe Gelatinam.

Gelatina Cornu Cervi.

℞ Raſ. CC. ℥vj, Aq. font. ℔vj, infunde in tepido & coq. lento igne (vaſe clauſo) ad 3 vel 4 horas, ut f. Gelatina, col. add. Succ. Limon, ℥j, Sacch. opt. ℥ij, m.

In Tabe reſtaurativa eſt.

Gelatina Icthyocollæ.

℞ Ichthyocol. alb. inciſ. & contuſ. ℥ij, Aq. font. ℔ij, coq. ſ. a. ad ℔j, col. add. Neogalact. ℔j, Sacch. candi ℥j, m.

Ad Gonorrhæam, Profluvium album, Tabem &c. Doſ. ℔j, bis in die.

Gelatina Roborans.

℞ Virg. Hippopot. ℥j, CC. ʒx, Eboris ℥ij, Pedes Ovill. N° iv, Ped. Vitul. N° ij, Aq. f. ℔x, coq. ad ℔iij, paulo ante finem addendo Rad. Satyr. ℥ij, Herb. Alchymil. Bellid. min. ana Mij, col. adde Sacch. cand. alb. ℥iij, refrigeant, reſideat Gelatina, auferantur Pinguedo & Fæces.

Detur hauſtus manè cum Priapi Cerv. pulv. ℈j, præmiſſis Pilulis aſtringentibus.

Hauſtus de Arnogloſſo.

R Succi Arnogloſ. ℥iv, Mell. ℥j, Aq. Roſ. rub. Succ. Aurant. ana ℥ij, clarif. cum Alb. Ovi, & div. in ij partes, quarum j ſumatur hor. ij ante Paroxyſmum ; & altera ingruente paroxyſmo.

Hauſt. Diureticus.

℞ Succ. depur. Parietar. ℥ij, Succ. Limon. ℥ß, Vin. alb. ℥j, Spir. Vin. ʒiij, Syr. Viol. ʒvj, Ol. Amygd. dulc. ℥iß, m.

Hauſt. Febrifugus.

℞ Succ. Plantag. ℥iij, Ther. Lond. ʒj, Syr. de 5 Rad. ℥j, m.

Suma-

Sumatur horâ j ante paroxyſmum; & ſudor provocetur.

Hauſtus Præparans.

℞ Pul. Rad. Aſari, Fæcul. Aron. ana ℈j, Tart. Vitriol. ℈ß, Oxym. Simpl. ℥j, m. f. Hauſt.

Pro facilitandâ vomitione veſperi præcedenti hauriatur.

Hauſt. Purgans Antemeticus.

℞ Rhab. pulv. gr. xxv, Sal. Abſint. ℈j, Aq. Cinnam. Syr. Roſ. ſol. ana ℥ß, Succi Limon. ℥j, m.

Helleborus albus præparatus.

Fit affundendo Radic. pulv. Aquam Spiritu Vitrioli imprægnatam; macerando per dies 24, exiccando; atque hoc opus ter reiterando.

Doſ. à ℈ß ad ʒß.

Hellebori nigri folia præparata.

℞ Panem Hordaceum planum; coquatur in clibano donec cruſta induruerit; non perfectè coctus panis findatur per medium; & folia Hellebori extendantur in ejus cavitate, ità ut duo tantùm ſint ſtrata; & folium tantùm folio ſit ſuperpoſitum. Percoquatur panis: ubi refrixerit, tollantur folia, detergantur, ſiccentur, & pulveriſentur.

Vel folia integra immergantur Saccharo, ultra Roſatum cocto; & ſerventur uſui.

Hordei

Hordei Cremor.

℞ Hord. perlat. mund. ℥iv, coq. (primâ abjectâ Aquâ) in Aq. font. q. ſ. ad mollitiem; contunde optimè Hordeum cum Amygd. dulc. decortic. N° xx, add. Aq. Hord. ℔iiß, f. Expreſſ. fortis add. Sacch. alb. ℥ij, Aq. Roſar. Dam. ℥iß, ut f. Cremor.

Diureticum eſt, & Nutritivum: Sitim in Febribus extinguit.

Hydromel Bechicum.

℞ Herb. Cynogl. Conſolid. maj. ana Miij, Hed. terreſt. Mvj, Uvar. Paſſul. enucl. ℥vj, Fic. N° iv, Sem. Urticæ ℥iß, Aniſi ʒiij, coq. in Aq. f. ℔viij ad ℔vß, col. add. Mellis ℥vj, coq. ad deſpum. col.

Tepentis ℥iv, dentur quatèr in die.

Hydromel Diureticum.

℞ Rad. Gram. ℥iv, coq. in Aq. font. ℔iij ad ij, col. fervida affundatur ſuper Herb. Parietar. conciſ. Miv, Sal. Prunel. ℥ß, col. non expreſſ.) adde Mell. ℥iv, coq. ad deſpum. & aſſerv. in lagenâ vitreâ.

Doſ. ab ℥iv ad ℔ß.

Hydromel Traumaticum.

℞ Uvar. Paſſul. enucl. ℥viij, coq. in Aq. ℔vj ad iij, paulo ante finem addendo Herb. Hyper. Sanic. Bugul. ana Mij, Pyrolæ, Conſolid. utriuſque, Plantag. ana Miß, Piloſel. Miiß, col. add. Mell. ℥vj, clarific.

Doſ.

Doſ. ℥iv, ter in die.

Infuſum Anethinum.

℞ Sem. Aneth. contuſ. ℥j, Ther. Androm. ℥ß, Aq. Ment. ℥xvj, f. Infuſ. cal. & clauſa ij horas, col. per pannum (ſine expreſſ.) ℥xij, adde Tinct. Caſtor. ʒij, Aq. Pæon. comp. Syr. Cydon. ana ℥ij, m.

Contra ſingultum dentur cochl. iv, frequentèr per vices.

Infuſum Aperiens.

℞ Summit. Abſint. vulg. Fl. Chamæm. ana p. j, Fl. Sambuc. Summit. Geniſt. ana p. iij, Centaur. min. p. ij, Aq. Puleg. Hyſſop. Ment. Raph. comp. ana ℥iv, f. Infuſ. cal. iij horas, col. adde Tinct. Croci ℥ß, Syr. de Succo Aurant. ℥iß, m.

Dentur cochl. vj bis in die.

Infuſ. Balſamicum.

℞ R. Chinæ, Symph. maj. ana ℥j, Raſ. CC. Ebor. ana ʒij, coq. in Aq. font. ℔iv ad iij, col. add. Herb. Ling. Cerv. ℥iij, Sanic. ℥iß, f. Infuſ. cal. ij horas; col. add. de novo Ling. Cerv. ℥iß, Sanic. ʒvj, denuò infund. ij horas; col. (clar. ſine expreſſ.) ℥xxviij, adde Syr. Balſ. ℥iv, Tinct. Benzo. ʒij, m.

In Phthiſi valet, internis Hæmorrhagiis, Ulceribus, & Fluore albo.

Infuſ. Benedictum.

℞ R. Polypod. contuſ. Turpet. Sennæ ana

ana ℥vj, Sem. Carui ℥j, Vin. alb. ℔xij, macer. (vaſe clauſo) ſuper cineres calidos ad horas 24, col. cum expreſſ. factæ add. Mann. Syr. Roſ. cum Agar. Sacch. alb. ana ℔j, clarif. cum Album. Ovor. ſ. a. Bilem cum Pituitâ è Capite, Ventriculo, aliiſque partibus inſigniter educit, ſine faſtidio.

Doſ. ab ℥iij ad ℥vj.

Inf. Boraginatum.

℞ Rad. Borag. (in tenues lamellas conciſ.). ℥iv, Sal. Nitri ℥ß, Aq. font. ℔iij, f. Infuſ. frigida (& ſubinde agitatio) xxiv horas, col. limpidæ affund. ſuper Herb. Borag. (vel Pimpinell.) conciſ. ℥ij, f. iterum Infuſio frigida ij horas, col. ℥xxviij edulc. cum Syr. è ↄ Radic. ℥iv, m.

Refrigerat, aperit, Urinam ciet: convenit in Febribus, & Affectibus Melancholicis.

Infuſum Cachecticum.

℞ Rad. Enulæ rec. inciſ. ℥vj, Uv. Corinth. ℥viij, Vin. alb. ℔iij, macer. in frigido hor. 48, col. diſſol. Sacch. alb. ℥vj, m.

Doſ. ℥iv, bis in die.

Infuſ. Cardiacum.

℞ Cort. Citr. cond. minutim conciſ. ℥iij, ſem. fænic. d. ʒvj, Carui, Aniſi, Flor. Calend. ſicc. ana ℥ß, Croci ℈j, Lætif. Galeni ʒij, Succ. Cherm. ʒvj, Aq. Meliſſæ ℔iiß, f. Infuſ.

tepida per horas viij, col. add. Syr. Caryoph. ℥iij, m.
Vires reficit: Flatus diſcutit.

Infuſ. Carminativum.

℞ Sem. Aniſi, Fænic. d. ana ʒij, contuſ. affund. Aq. calent. ℥xij, f. Infuſ. per iij horas, col. add. Aq. Angel. comp. ℥iv, Syr. Caryoph. ℥ij, m.

Infuſ. Cephalicum.

℞ Sterc. Pavon. ſiccat. ℥iij, Aq. Salv. Vin. alb. ana ℔j, f. Infuſ. per noctem, col. add. Sacch. alb. ℥ij, m.
Specificè medetur Vertigini.

Infuſ. Glycyrrhizæ.

℞ Glycyrrh. Angl. recent. raſ. & contuſ. ℥iv, huic affunde Aq. bullientis ℔ij, ſinatur refrigerare: col. add. Aq. Theriac. ſtill. ℥iv, Syr. de Succo Citri ℥ij, m.
Ad Sitim, & Tuſſim in Febribus moleſtam ſumantur ℥iv, ad placitum.

Infuſ. Ictericum.

℞ Sterc. Anſer. recent. ℥vj, Herb. chelid. Mij, Vin. alb. Aq. Chelid. ſimpl. ana ℔j, Infuſio fiat tepida horas ſex: ſæpe trajiciatur cum Sacch. alb. ℥ij, per Manic. Hippocr.
Doſ. ℥iv, bis in die.

Infuſ. Ireatum.

℞ Rad. Irid. noſt. recent. inciſ. Paſſular. exacin. inciſ. Sacch. alb. ana ℥vj. Cereviſ.

reviſ. ten. Vin. alb. ana ℔iij, macera dies duos, & col.

In Hydrope, Scorbuto detur hauſtus veſp. & mane.

Infuſ. Pomoſum.

℞ Pom. acido dulc. cum corticib. contuſ. & in Sacculo raro incluſ. ℥iv, Aq. font. (in quâ Tart. alb. ʒij, incoct. fuerint ad diſſolutionem) ℔iß, f. Infuſ. frig. ij horas: liquori per ſetaceum tranſmiſſo add. Herb. Lujulæ conciſ. ℥ij, Glycyrrh. contuſ. ʒij, infunde iterum in frigido ij horas: col. ℥xx, adde Vin. Rhen. ℔ß, Syr. è Rubo Idæo ℥iv, m.

Ad Ventriculi fervorem, & Sitim; Sanguiniſque æſtum refrænandum, affatìm bibatur.

Infuſum Sanctum.

℞ Raſ. Guai. ℥ix, Sal. Tart. Glycyrrh. ana ℥iv, Aq. font. ℔xx. Diger. ad dies ſex; deinde cola.

Alexipharmacum nobile habetur. Sanguinem mundificat; Obſtructiones tollit; Putrefactiones corrigit; & Sanitatem optimè præſervat. In Scorbuto, Hydrope, Lue Venereâ, Arthritide, cæteriſque morbis Tartareis multum facit. Doſ. ℥vj, quatèr in die.

Infuſum Vermifugum.

℞ Corallin. pulv. ℥j, coq. in Aq. ℔iij ad

ad ℔iß, col. add. Vin. Cana. ℔ß, Sem. Santon. contuſ. ℥j, Caryoph. Nuc. Moſc. Mac. Cinam. ana ʒß, f. Infuſ. cal. per noctem col. edulc. Mellis ℥iv, m.

Injectio Alba.

℞ Troch. alb. Rafis ʒiij, Camph. ℈j, ſolvantur in Aq. Sperniolæ ℥xij, ſ. a.

Inflammationes & Dolores mitigat: efficax admodùm eſt ad Ulcera Virgæ, Gonorrh. &c.

Inject. Aluminoſa.

℞ Alum. ʒij, Camph. ʒß, Troch. alb. Raſ. ʒiij, Aq. Sperniolæ ℥vj, Aq. Roſ. rub. ʒx, Vin. alb. ℥iv, macerentur in tepido horas xij, col.

Injiciatur bis tervè in die.

Inject. Auricularis.

℞ Anthûs Mij, coq. in Urin. ℔iß ad ℔j, col. add. Rhodomel. ℥iv, m.

In Surditate, & Aurium dolore.

Inject. Benedicta.

℞ Aq. Bened. ℥viij, Mercur. ſublim. dulc. pul. ʒiij, m. exactiſ. ſ. a.

Vires habet Inject. albæ.

Inject. ad Cancrum.

℞ Decoct. ſupraſcript. pro Fotu ad Cancrum ℔j, Tutiæ præparat. Antimon. crud. (Aq. Solani loti) Plumbi uſti (Aq. Sperniol. lot.) ana ʒiij, Troch. alb. Raſis,

Bol. Armen. Sacch. Saturni ana ʒij, m. f. pro Inject.

Injectio Detergens.

℞ R. Gent. Ariſtoloch. ana ℥ß, Herb. Scord. Fænic. Centaur. Hyper. ana Mj, Myrrh. ℥ß, coq. in Aq. font. ℔iiß ad ℔iß, col. adde Spir. Vini opt. ℔ß, m.

Julapium Aperiens minùs comp.

℞ Sal. Chalyb. ʒvj, diſſolv. in Aq. flor. Samb. ℔iß, per reſidentiam clarificatis, adde Aq. Amygdal. amar. ℔x, Aq. Cinnam. Abſint. comp. Cochl. Syr. de Ammon. ana ℔iß, m.

Julap. Aper. magis comp.

Superioribus addantur Abſinth. Flor. Chamæm. ana ʒx, Nuc. Moſc. Croci ana ʒvj, Caſtor ℥ß.

Julap. Armoniacum.

℞ Spir. Sal. Armon. (cum Gum. Ammon. parat.) ʒiij, Aq. Limac. Lumbric. Magiſt. ana ℥iij, Syr. de Praſſ. ℥ij, Tinct. Croci ʒij, m.

Ad Orthopnæam & Aſthma ſumatur cochleatìm.

Julap. Aſthmaticum.

℞ Millep. viv. N° 400 contuſis add. Aq. Hyſſopi ℥vj, Limac. Magiſtr. ℥iß, Sacch. cand. ʒiij, f. Expreſ. fortis.

Dentur cochl. ij, cum Decoc. Pector. calefact. ℥iij, quartis horis.

Julap.

Julap. Catharticum.

℞ Sennæ ℥ß, Sem. Coriand. ℈iv, Aq. Cichor. ℥iv, Succ. Aurant. ʒiij, f. Infuſ. per vj horas col. add. Syr. Sambuc. ℥ii, m.

Pro hauſtu matutino.

Julap. Citreum.

℞ Cort. Citr. cond. contuſ. ʒiij, contunde cum Aq. Borag. ℥j, & f. Expreſ. cui add. Aq. Citri totius ℥iij, Succ. Cherm. ʒij, Syr. Caryoph. ʒvj, Sacch. perl. ʒiij, m.

In Languoribus cap. cochl. v.

Julap. Cretaceum.

℞ Cretæ albiſſ. pulv. & per incerniculum tranſmiſſæ ℥j, Sacch. optimè depur. ℥iß, Ol. Nuc. Moſc. gt iij, Aq. coctæ ℔ij, m. ſ. a.

Ἐν τῇ καρδιαλγίᾳ ἄριστον.

Julap. Cydoniatum.

℞ Aq. Cydon. ℥vj, Aq. Ment. ℥iß, Syr. Granat. ℥ij, m.

Contra Vomitum & Abortum ſæpè ſumantur cochl. 2 vel 3.

Julap. Diateſſeron.

℞ Aq. font. ℥xij, Spir. Vin. Gall. ℥iv, Syr. Viol. ℥v, Succ. Limon. ℥ij, m.

Bibatur ante paroxyſmos Febriles.

Julap. Diureticum.

℞ Aq. Aparin. ℔iß, Syr. Alth. ℥iv, Spir. Nitri d. ℈ij, vel q. ſ. m.

Doſ. ℥vj, pro vice.

Julap. è Floribus.

℞ Aq. font. ℔ij, Aq. Roſ. Succi Pomor. Vin. Rhen. ana ℔ß, Succi Limon. ℥vj, Ol. Sulph. per Camp. q. ſ. ad aciditatem paulò intenſiorem, Flor. Caryoph. Roſar. rub. ana ʒvj, infunde ad Tincturæ extractionem: col. add. Syr. Viol. è Rubo Idæo ana ℥iv, m.

Ad æſtus Febriles propin. ℔ß.

Julap. Fragorum.

℞ Fruct. Fragor. matur. ℔iß, Aq. font. Vin. alb. ana ℔j, Sacch. alb. Syr. Limon. ana ℥iß, macerentur in frigido horas ʒ, & col.

In æſtu ſebrili refrigerat &c.

Julap. Gravidarum.

℞ Aq. Roriſm. ℥iv, Sacch. opt. ℥ß, m. ſumatur cochl. j, ſæpè contra Abortum.

Julap. de Hormino.

℞ Aq. Hormini ℥xij, Aq. Meliſſ. ℥vj, Spir. Hormin. ℥ij, Sacch. per ℥iij.

Fluore albo debilitatis ſubvenit.

Julap. Hyſtericum Camphoratum.

Incende Camph. ʒij, & ſæpe extingue in Aq. font. ℔j, ad totalem Camphoræ conſumptionem, tunc cola.

Dentur cochl. iv vel v ſæpè in paroxyſmo.

Julap.

Julap. Hyſter. Farinaceum.

℞ Farinæ Tritici puriſſ. ʒij, Sacch. alb. ℥ß, Aq. font. ℥viij, m. in phialâ.

Dentur ſæpiùs cochl. iv, in paroxyſmo.

Julap. Hyſter. fætidum.

Solve Aſæ fæt. ʒiß, in Aq. Ceraſ. nig. nig. ℥vj, ſine calore in mortario ut lacteſcat ſ. a. & col.

Sumatur cochl. j, initio paroxyſmi, & repetatur poſt eum finitum.

Julap. Hyſter. Mithridaticum.

℞ Aq. Bryon. comp. ℥vj, Mithrid. ʒij, Tinct. Caſtor. ℥ij, Syr. Ceraſ. nig. Gran. Actes ana ℥iß, m. ſ. a.

Doſ. cochl. j vel ij in languoribus.

Julap. Hyſter. Moſchatum.

℞ Aq. Naphæ ℥vj, Moſch. ℈ß, Sang. Drac. ℈j, m.

Pro duabus doſibus in paroxyſmo.

Julap. Idæum.

℞ Fruct. Rubi Idæi rec. ℔j, Sacch. alb. ℥ij, Aq. font. ℔iß, ſtent ſimul in frigido ad hor. 3, & col.

In æſtu febrili ad ſitim extinguendam bibatur ad libitum.

Julap. Moſchatum.

℞ Cinnam. pulv. ℥ij, Spec. Diamb. ʒß, Moſc. gr. vj, Ambr. griſ. ʒß, Spir. Vini rect. ℔iß, fiat Digeſtio biduana, deinde per chartam bibulam filtratio, cui adde æ-

qualem portionem Julap. Alexandr. parat. ex duab. partibus Aq. Roſar. & unâ Aq. Naphæ.

Julap. Perlatum.

℞ Aq. Citri Ceraſ. nig. Borag. Meliſſ. ana ℥iij, Spir. Ceraſ. nig. (vel Sp. Citri) ℥j, Sacch. alb. ʒvj, Margarit. præp. ʒiß, agitentur optimé.

In Languoribus dentur cochl. v vel vj.

Julap. Pleuriticum Sylvii.

℞ Aq. Petroſel. Hyſſop. ana ℥ij, Fænic. ℥j, Theriacal. ℥ß, Laud. gr. iv. Spir. Sal. Armon. ʒß, Syr. Capil. Vener. ℥j, m.

Author aſſerit hocce Julapium cochleatìm per brevia intervalla, in tempore, uſurpatum, tùm Pleuritidem, tùm Peripneumoniam, tùm aliarum partium Inflammationem, citò, tutò, & jucundè curare.

Julap. Purpureum.

℞ Hydrocrith. (vel Hydropeg.) ℔ij, Syr. Viol. ℥iij, Spir. Vitrioli, q. ſ. ad aciditatem gratam m.

In Febribus ardentibus, ad Sitim extinguendam, utiliſſimum.

Julap. ad Rachitidem.

℞ Aq. Ling. Cerv. (cum duobus cohobiis deſtil.) ℥iv, Confect. Alkerm. ʒij, Syr. Caryoph. ℥j, Ol. Sulph. per camp.

g^t vj,

g^t vj, Fol. Auri N° ij, m. f. Julap. Elegans.

Miranda præſtitiſſe narrant Dominæ. Doſ. cochl. ij, bis in die.

Julap. è Roremarino.

℞ Aq. Roriſm. ℔ß, Aq. Hungar. Cinnam. ana ℥j, Succ. Cherm. col. ℥ß, Syr. è Rubo Idæo ℥iß, fol. Auri N° j, m.

Contra Puerperarum Tormina & Colicam, item contra Oculorum affectiones. Doſ. Cochl. v.

Julap. Scorbuticum.

℞ Vin. chalyb. ℔ß, Tinct. ſac. ℥iij, Spir. Cochl. ʒv, Spir. Lavend. comp. ʒß, Tart. Vitriol. ℈j, Syr. Scelotyrb. ℥iß, m.

Dentur cochl. ix omni mane.

Julap. ad Sitim.

℞ Aq. Fragor. ℔ij, Succ. Aurant. ℥iiß, Syr. Viol. ℥iij, m.

Propin. hauſtus, bis, tervè in die.

Julap. Stypticum.

℞ Succi Millefol. optimè clariſ. ℔iß, Sacch. alb. ℥ij, m.

Julap. Tartariſatum.

℞ Tart. alb. ſubtil. pulv. ℥j, Sal. Tart. ℥ß, Vin. alb. ℔iiiß, m.

In Icteritiâ curandâ dentur ℥iij, bis in die, per dies octo.

Julap.

Julap. Vitæ.

℞ Vitel. Ovor. N° ij, Sacch. alb. ℥ß, Ol. Cinnam. g^t iij, Vin. alb. (vel Hiſpan.) ℥vj, exactiſſ. miſc. ſ. a.

In animi deliquio, Viriumque maxima proſtratione, vel moribundis, auxilio fuit.

Juniperi Baccæ candefactæ.

℞ Baccar. ſelect. ℔j, Vino Hiſpanico irrorentur; Sacch. opt. pulv. ℥iv, ex cribro inſpergantur; & lenté ſiccentur ſ. a.

Sudorificæ, Hyſtericæ, Nephriticæ, &c.

Juſculum Chinæ.

℞ Rad. Chinæ, Nymph. ana ℥iij, Raſ. Sant. alb. ℥iß, Sem. Lactucæ ℥j, S. Papav. alb. ʒix, S. frig. 4 maj. ana ʒvj, m. & div. in partes tres æquales.

Una pars pro vice coq. cum Pull. Gallin. & fruſto Carnis Vitul. in Aq. q. ſ. ut f. Juſculum. col.

Refrigerat, incraſſat, edulcorat, nutrit.

Juſc. Galli.

℞ Gallum antiquum deplumatum, exenteratum, ingredientibus idoneis farcitum, coq. in Aq. font. q. ſ. hor. 5 vel 6, donec Caro ab Oſſibus ferè decidat, & col.

In Tabe nutrit, reſtaurat.

Juſcul. Gelatinoſum.

℞ Juſcul. Vituli ℔iij, Rad. Eryng. cond.

cond. ℥iß, Dactyl. ℥j, Limaç. è teſt. exempt. N° xij, coq. ad ℔iiß, col. add. Ichthyocol. ℥ij, coq. ad ℔ij, cum hoc Decocto, & Amygd. dulc. excortic. ℥j, f. inſtar Emulſionis.

Aſſumatur cum cochl. aliquot Vini Canarini.

Lac. Aluminis.

℞ Aq. Album. Ovor. conquaſſat. ℥vj, Pulv. Alum. ℥j, Spir. Vini ℔ij, optimè & diu in vaſe vitreo conquaſſentur, ut fiant Lactis inſtar.

In Gonorrhæâ, Profluvio albo, Menſibus immoderatis, &c. Arcanum habetur. Doſ. cochl. ij vel iij tèr in die.

Aſſumptum ad ℥ij, horâ ante paroxyſmum ſæpè curat Tertianam.

Lac. Ammoniacum.

℞ Gum. Ammon. ʒiij, ſolve in Aq. Hyſſop. frigidæ ℥vj, in mortario ſ. a. col.

In difficultate anhelitûs, detur ſæpe cochl. j.

Lac. Benzoini.

℞ Spir. Benzo. ℥j, Aq. Hyſſop. ℥xij, m. Pectorale, Aſthmaticum, &c.

Lac. Mercurii.

℞ Mercur. ſublim. corroſ. pulv. ʒvj, fricetur & agitetur in diſco ſtanneo cum Aq. Fumar. ℥xij, ut fiat Lactis inſtar ſ. a.

Ad

Ad Faciei ruborem, & Puſtulas hujus guttula ſuper locum effectum ſæpè imponatur, ſtatimque linteolo exiccetur.

Lac. Papaveris.

℞ Sem. Papav. alb. Amygd. dulc. excort. ana ℥j, Camph. ℈ß, Sacch. alb. ℥ß, exactè tritis ſensìm affund. Aq. Roſ. ℔ß, & f. Emulſ. ſ. a. cujus ſingulis unciis add. Mercur. ſublim. corroſ. ſubtil. lævig. ℈j, m.

Uſus eſt ad Herpetem, linteum ſcilicèt madefaciendo, & per noctem ſuper partem affectam detinendo; quæ matutinis horis Aqu. fl. Sambuci abluenda erit.

Lac. Scammonii.

℞ Pulv. Scammon. ʒvj, affunde in mortario paulatìm Aq. Cinnam. hordeat. frigid. ℥viij, inter affundendum diu agitando. Liquor lacteſcens ſeparetur à piceâ ſubſtantiâ, & ſervetur ad uſum. Vocatur & Liquor acuens.

Suaviter purgat. Doſ. cochl. j.

Lac. Virginale.

℞ Alum. rup. pulv. ℥ij, Aq. font. ℔j, coq. ad ℥xij, deinde

℞ Litharg. aur. pulv. ℥iv, Aceti ℥xij, coq. ad ℥viij.

Reponantur ambæ Aquæ ad diem unum; deinde utrique Liquores clari ſimul commit-

committantur, & diligentèr agitentur, donec uniformiter coaleſcentes albeſcant.

Cutim perpolit, Lentigines, Serpigines, & Lichenes perſanat.

Lamellæ Stomaticæ.

℞ Gum. Lac. Sang. Drac. ana ℥ij, Nuc. Cupreſ. Caſſ. lign. ana ℥iß, Spodii, CCC, Coral. rub. Ocul. Cancr. ana ℥j, Alum. ℈iv, Ambr. griſ. ℈ß, Moſc. gr. v. f. Pulv. ſubtil. qui Maſtich. emollitæ q. ſ. exceptus reducatur in Paſtam; ex quâ cùm cylindro eburneo formentur Lamellæ, juxta debitam formam, & proportionem ſecandæ, & ſiccandæ.

Maſtiche autem emolliatur ſpiritu Vini ſubigendo manibus (oleo Amygdal. levitèr perunctis) & Pulvis paulatìm digitis pinſendo incorporetur. Terebinthinæ interim tantillum (ejus ℈j ſufficiat ad Maſtich. ℥ß) ſubindè inducatur ad majorem lentorem.

Mirum quantum pulveris hauriat Maſtiche, ſuam nihilominùs ſervans tenacitatem.

Antequam uſurpantur, oportet ut macerentur in Aquâ Roſarum calenti, ne frangantur. Hujuſmodi Lamellæ ſunt excogitatæ ad conſervandas noctu Gingivas, & Dentes à Salivâ Rubiginem procreante tenean-

teneantur totam noctem inter Labia & Gingivas; manè verò eximantur.

Lamellæ Stomaticæ Ceratæ.

Quoniam (inquit Author) Spiritus Vini calefaciendo inflammare Labia, & Gingivas atque iis Aphthas excitare poteſt; ſatiùs eſt Maſtichen cùm cæteris reducere in Alcohol, atque omnia excipere Cerâ; & vel Laminulas, vel Telam ceratam parare ad eundem uſum.

℞ Ceræ rub. ℥iv, Pulv. ſubtil. Maſtic. ʒiij, Benzo. ʒij, Rad. Biſtort. ʒiij, Symph. maj. Cinnam. Mac. ana ʒj, CCC ℈viij, Alum. ℈ij, Moſc. gr. ij, miſceantur in mortario tepenti, ad Lamellas conficiendas.

Ex hâc miſtura Telæ tenuiſſimæ Cameracenſi *(Cambrick)* inductâ, Lamellæ leviori negotio concinnabuntur.

Vel Linteola intincta, vitro perpolita, in fruſtula aptè ſciſſa huic uſui accommodentur.

Usûs tempore, antequam uſurpentur, calefiant levitèr, nè diſrumpantur.

Ad hujuſmodi Lamellas Author pulveres ſuos variare ſolet. ſc[t].

℞ Maſtic. ℥ß, Rad. Torment. ʒiij, Sang. Drac. ℈iv, Roſ. rub. Bol. Armen. lotæ, Spodii ana ℈iiß, Dent. Bubuli ad albed. calcin. ʒß, f. omnium pulvis. Itèm

℞ Rad.

℞ Rad. Torment. ʒiß, Sang. Drac. ʒj, Roſ. rub. Bol. Armen. (Aq. Plantag. lot. & in Paſtillos redact.) Spodii ana ℈ij, Dent. Bubuli ad albed. calcin. ℈iiß, m. vel

Hoc modo parari poteſt.

℞ Maſtic. ℥ß, Sang. Drac. Gum. Lac. Balſ. Tólut. CCC. Terr. Japon. Alum. rup. ana ʒj, Balſ. Peruv. ℈j, Ol. Cinnam. gt x. m. f. pulv. ſubtil.

Lapis Contrayervæ.

℞ Magiſt. CC. Coral. alb. rub. Margarit. Succin. alb. Ocul. Cancr. ana ʒij, Rad. Contray. ℥ß, Apic. nig. Chel. Cancr. ℥ij, omnibus rité præp. & commiſtis adde Gelatin. Viperar. q. ſ. f. Globuli foliis Auri obducendi, ac cautè ſiccandi. Sunt qui addunt Ambrægriſ. ʒiß.

Cardiacus, Alexiterius, & Sudorificus inſignis eſt. Valet maximè In Peſte, Febribuſque malignis. Doſ. à ℈ß ad ʒß.

Lap. de Goâ.

℞ Lap. Hyacint. Topaſ. Sapphyr. Rubin. Margarit. ana ℥j, Smaragd. ℥ß, Bezoar. Orient. Coral. alb. rub. ana ℥ij, Moſch. Ambr. griſ. ana ℥ß, Fol. Aur. No 40. f. Pulv. ſubtiliſſ. qui cum Aq. Roſ. in paſtam ſubactus efformetur in Pilas oblongas (Ovulis non abſimiles) in umbrâ probè ſiccandas. Poſtea Dentalio, Entalio, ſeu ullâ aliâ ejuſmodi concha, ac-

curatiſſimè (ut elegantèr niteant) polian-tur ſ. a.

Eaſdem obtinet vires cum priori. Præterea ſpecificus eſt contra Spaſmum; & Contracturas.

Doſ. à ℈j ad ʒß, & ultrà.

Lapis Medicamentoſus.

℞ Vitrioli albi ℥iv, Sal. Armon. ℥ß, Alum. Ceruſſæ, Bol. Arm. ana ℥j, m. f. Pulv. coq. cum Aceti q. ſ. ad Lapidis duri conſiſtentiam.

Vulnera ſanat: Defluxiones tollit; Ulcera inveterata deſiccat: Eryſipelas, Scabiem, Tineam &c. curat modus utendi hujuſmodi eſt. Liqueſcat hujus ℥j, in Aq. Pluvialis ℔j, & filtretur. Deinde utere tùm partem affectam lavando, tum linteolum eâ imbuendo partique imponendo.

Lapis Salutis.

℞ Sal. Armon. ℥j, Alum. Boli Arm. ana ℥ij, Vitrioli virid. ℥vj, Nitri ℥iij, Ceruſſæ ℥ij, m. f. Pulv. coq. lento igne, donec redigantur omnia in Lapidem durum.

Eaſdem cum priori vires habet.

Laudanum Dyſentericum.

℞ Extrac. Opii ʒvj, Extrac. Croci ℥ß, Margar. lævigat. Croc. Mart. aſtring. ana ʒiß, Flor. Benzo. Ambrægriſ. ana ʒß, Moſc. gr. xv, Tinct. Coral. ʒiij, m. f. Maſſa pilul.

Doſ.

Doſ. gr. iij vel iv.

Limacum Liquamen.

Fit ex Limac. rub. conciſ. & Sal. ana in manicam Hippoc. injectis, & in Cellâ ſuſpenſis, ut defluant in liquorem.

Hujus guttulæ aliquot ex hauſtu Cereviſiæ aliquoties ſuſtulere Tuſſim Infantum ſingultuoſam. Externé Dolores Podagricos mitigat; Verrucas tollit; in membrorum Atrophiâ optimè valet.

Linimentum Arthriticum.

℞ Ol. Cheirini (per multiplicem florum infuſionem parati) ℔j, Sal. decrepit. & in Alcohol. redacti, Saponis, Vini albi ana ℥iv, longâ, & laborioſâ atritione in mortario f. Linimentum.

Articuli omnes (præ cæteris vero, Pedum & Manuum) veſperi eo inungantur: poſtea in introitu in lectum, Tibialia, & Chirothecæ laneæ inducantur.

Linim. Hæmorrhoidale.

℞ Succi Millefol. (vel Linariæ) ℥iv; Axung. Porc. ℥iij, Sacch. Saturn. ʒiij, m. f. Linim. quo calefacto partes illinantur; & calidè foveantur.

Linim. Herpeticum.

℞ Lact. Virgin. ℥j, Ol. Tart. per deliqu. ℥ß, Spir. Vini ℥iiß, m.

Veſperi pars affecta illinatur hoc linimento, manè verò Oleo Amydalarum.

Linim. Melluminatum.

℞ Pulv. Aquileg. Salv. Ment. Nuc. Moſch. ana ℥ß, Alum. uſti ℥j, Mell. ℥iv, m.

Ad Gingivarum Laxitatem, Inflammationes, Ulcera.

Linim. Paralyticum.

℞ Ol. Exceſtrenſ. ℥iij, Ol. Cinnam. Caryoph. Nuc. Moſc. ana ʒß, Ol. Succini ſuaveolent. Salv. Roriſm. ana ℈j, m.

Cum hoc illinatur locus obtuſi ſensûs tepido, horâ ſomni, adverſus ignem luculentum, manu multùm demulcendo.

Linim. Saturninum.

℞ Ol. Roſ. (vel è florib. Samb.) ℥iß, Aq. Calc. ℥j, Sacch. Saturni ʒj, m. ut artis eſt.

Contra Inflammationes, Eryſipelas, Ambuſta, Calculum.

Linim. Simplex.

℞ Succi Solani, Ol. Roſ. ana ℥xx, coq. ad Succi conſumptionem: col. adde pul. Ceruſſæ, Litharg. ana ℔j, m. Scultet. Obſ. 52. p. 285.

Valet in Mammarum Cancro, Roſâ, Eryſipelate, &c.

Liquor Stypticus la Vigue.

℞ Alum. Vitrioli ana ʒj, Aq. font. ℥iß, coq. ad contentorum diſſolutionem: liquor filtratus Spiritu Vitrioli aciduletur.

Litus

Litus Dorſalis.

℞ Sacch. Saturni ʒiij, diſſolv. in Aq. Sperm. Ranar. ℥iß, miſce cum Ung. Roſ. ℥iv, adde Ol. Nuc. Moſc. gt iv, m.

Iſto illinatur Dorſi regio quando maximús calor ſentitur, & commotio, ſepoſito pro eo tempore Emplaſtro vel quandocunque depoſitum fuerit Emplaſtrum pruritûs vel puſtularum causâ.

Lit. ad Gingivas.

℞ Rad. Biſtort. Malicor. Boli Arm. Alum. uſti ana ʒj, Mell. Roſ. q. ſ. Ol. Vitrioli ad Aciditatem moderatam m.

Lit. ad Tonſillas.

℞ Succ. Caprifol. ℥ij, Mel. Roſ. ℥j, Alum. rup. pulv. ʒj, coq. ſimul continuò agitando ramuſculo Roriſmar. donec inſpiſſetur; deinde add. Pulv. Alb. Græc. ʒj, Ung. Ægypt. ʒij, m. f. Spiſſamentum.

Tonſillæ tumefactæ ac fiſſæ ſubindè tangantur penicillo (è Spongiâ molli) huic litui intincto.

Lit. Vitriolicus.

℞ Pulv. Vitrioli Camphorati (vel Pulv. Capitan. *Green*) C C C, ana ʒj, Nuc. Moſc. ʒß, Mel. Roſ. col. q. ſ. m.

Ad Gingivas ulceratas.

Lohoch Album.

℞ Ol. Amygdal. dulc. rec. & Sacch.

Penid. ana exactè ita miſceantur, ut in maſſam unam homogeneam conſpirent albiſſimam: quod fieri nequit ſine arte Pharmacopæi.

Lohoch. de Albuminibus.

℞ Album. Ovor. (in Aqueam ſubſtantiam conquaſſat) ℥iij, Sacch. cand. alb. pulv. & creti ℥iß, m.

Ad Oris calorem, eroſionem, fiſſuras.

Loh. Amylatum.

℞ Pulv. Amyli ʒvj, Sacch. Roſ. ſubtil. pulv. & creti ʒij, Album. Ovor. fortitèr agitat. & col. q. ſ. m. ſ. a.

Loh. Anginoſum.

℞ Spong. Sambuc. N° xij, Cynocopr. ℥j, Miv. fruct. Rubi Idæi ℥j, coq. in Aq. font. ℔j, donec tertia ſolùm pars ſupererit. col. per expreſſion. add. Syr. de Moris, Rub. Idæi ana ℥j, f. Lambativum.

Loh. Benedictum.

℞ Sapon. Venet. Vin. Benedict. ana ʒij, Loh. San. ℥ij, Syr. Jujub. Tuſſilag. Capil. Ven. ana ℥j, m. ſ. artem Pharmacopœticam.

Dicitur & Loboch Potentiale: Expectorationem promovet: Detur cochl. j, quartâ quâque horâ.

Loh. Domeſticum.

℞ Ol. Amygd. dulc. rec. ℥iv, Syr. Jujub.

jub. Capil. Ven. ana ℥ij, Sacch. alb. ʒij, m. exactiſſ. in Mortar. Marmor. ſ. a.

Confici poteſt multò elegantiùs, ac inſeparabiliùs (ſi ars non deſit Pharmacopœo) ſine ullâ Sacchari additione hujus ſingulis unciis addi poſſit Sapon. Caſtil. ℈j.

Gutturis Muſculos arefactos emollit, & fovet; Expectationemque promovet.

Loh. Expectorans.

℞ Sapon. Caſtil. ʒiiß, Ol. Amygd. dulc. Syr. Viol. ana ℥iiß, Sacch. alb. q. ſ. m. ſ. a.

Loh. de Hæmatite.

℞ Lap. Hæmat. Gum. Arab. Succin. alb. ana ℈ij, Amyli ℥ß, Glycyrrh. ℈j, Album. Ovor. q. ſ. m. f. Lohoch.

Subinde lambatur cum bacillo Glycyrrh.

Loh. Hæmoptoicum.

℞ Conſ. Roſ. rub. veter. ℥iij, Syr. de Nymph. Portul. ana ℥iß, Syr. de Symph. ℥ij, Pulv. Sem. Hyoſcy. ʒiiß, Papav. alb. Coral. rub. ana ʒiß, Ol. Sulph. per Camp. g^t vj, m.

Sumatur cochleatìm.

Loh. Incraſſans.

℞ Pulv. Rad. Alth. ℥ß, Spec. Diatragac. frig, ʒj, pulv. Glycyrrh. ʒiß, Ol. Amygd. dulc. ʒx, Sacch. Penid. ℥j, Syr. Jujub. ℥iv, vel q. ſ. m. f. Lambativum.

Loh.

Loh. Iſchæmum.

℞ Sem. Hyoſcy. Papav. alb. ana ʒij, Sang. Drac. Ter. Japan. Lap. Hæmat. ana ʒj, Gum. Arab. ʒß, Sacch. Saturni ℈j, Alum. rup. ℈ß, Conſ. Roſ. rub. & fruct. Cynosb. ana ℥ß, Syr. è Succo Plantag. q. ſ. m. f. Loh.

Loh. Mucilaginoſum.

℞ Mucilag. Cydon. (Aq. Prunellæ extract.) ℥iv, Syr. de Moris, Viol. ana ℥j, m.

Ad Oris inflammationem, ariditatem, eroſionem.

Loh. Saponaceum.

℞ Rad. Enulæ recent. ℥ij, R. Alth. ℥iv, Paſſul. ſol. exarillat. ℥iij, coq. ad putrilaginem in Hydromel. q. ſ. piſtentur, trajicianturque per ſetaceum.

℞ Hujus Pulpæ ℥ij, Succ. Glycyrrh. ℥ß, Pulv. Rad. Ireos Florent. ʒij, Sem. Aniſi Fænic. dulc. ana ʒiß, Sem. Angel. Cardamom. ana ʒß, Maſtich. Olib. ana ʒj, Cinnam. ʒij, Croci ℈ij, terenda terantur in Alcohol, iiſque addatur duplum Sapon. Venet. deinde cum Syr. Pect. q. ſ. f. Lohoch. addendo Ol. Aniſi ʒß, m.

Loh. Synanchicum.

℞ Pulp. Conſerv. Roſ. rub. ℥ij, Rob. Granor. Actes ℥j, Rhodomel ℥iß, Cynocopr. pulv. ʒvj, m. ſ. a.

In Anginâ ſæpè detur cochl. j.

Loh. de Thure.

℞ Thur. maſc. ʒij, Sacch. cryſtall. ℥ij, f. Pulv. qui includatur cavitate majoris Pomi dulcis, quod proprio operculo tectum torreatur, & pulpæ benè coctæ, à ſuperfluitatibus ſeparatæ adde Pulp. Rad. Enulæ (in Hydromel. ad putrilag. coct. & per ſetaceum traject.) ℥j, Pulp. Paſſular. ℥ij, Pulv. Herb. Hyſſop. & Tuſſilag. ana ʒiij, Rad. Ireos Florent. ʒij, Flor. Sulph. Succ. Glycyrrh. ana ℥ß, Syr. de Eryſimo q. ſ. m. f. Lohoch. ſ. a.

Lotio de Lithargyro.

℞ Litharg. Auri pulv. Succi Limon. depur. ana ℥iv, Aceti ℥viij, f. ebullitio in ollâ novâ vitreatâ ad medietatis Liquoris conſumptionem poſt reſidentiam unius horæ, f. per chartam colatura.

℞ Aq. Roſar. Sperm. Ranar. ana ℥iij, Sal. alb. ℥ß, Sacch. candi albi ʒvj, Alum. rup. ʒij, f. diſſolutio, & filtratio.

Duo iſti Liquores ſeorsìm reſerventur usûs autem tempore commiſceantur, & f. Lac.

Applicetur paulò ante ingreſſum in lectum, & facies per ſe ſiccari ſinatur.

Lotio Sulphurata.

℞ Sulph. viv. ſubtil. pulv. ℥j, Sapon. nig.

nig. ℥ij, miſta & ligata in peciâ ſuſpende in Aceti ℔j, per novem dies.

Hoc liquore loca affecta bis in die abluantur.

Maſticatoria.

℞ Maſtich. ʒiij, Rad. Angel. ʒß, R. Pyreth. Sem. Staphiſagr. ana ʒij, Cubeb. Nuc. Moſc. ana ʒj, Euphorb. ℈ß, Ceræ q. ſ. f. Maſſa ex quâ f. Maſticatoria ſ. a. globularia.

Sputationem promovent. Cerebrum purgant; valent in Auditu depravato, Paralyſi, Morbis capitis frigidis Odontalgiam ſedant.

Mel Medicatum.

℞ Mell. albiſſ. ℔ij, Vin. Hiſpan. ℔ij, coq. lentiſſimo igne. ſedulò deſpumando, ad Syrupi conſiſtent: eximantur ab igne, & dum adhuc calent injice Flor. Roriſm. p. vj, Summit. ejuſd. p. iij, Summit. Meliſſæ p. ij, Ment. p. j, manere ſinantur per biduum in vaſe lapideo: tandem Mel ab ingredientibus effundatur.

Mel Moſchatum.

℞ Nuc. Moſch. contuſ. ℥iv, Mac. ℥ij, Cort. Citri, & Aurant. cond. ſicc. ana ℥ß, Mell. Medic. Sacch. Aniſati ana ℥vj, Aq. Cinnam. Aq. Regin. Hungar. ana ℥iv, Aq. Naphæ ℥ij, Ambr. griſ. ʒß, Moſch. ℈j, m.

℈j, m. & digere in Balneo per quatriduum f. Expreſ. ſervanda ad uſum.

Mel Myriſticum.

℞ Nuc. Moſc. ℥iv, Mel. Roſ. ℥vj, Spir. Vin. (vel Aq. Cinnam.) ℥ij, bulliant ad conſumpt. Spir. & col.

Magmati reſiduo affundi poſſit Spir. Vini, vel Aq. Cinnam. pro Tincturâ eliciendâ.

Stomachum valdè roborat: ſuavem habitum conciliat. Doſ. ʒj vel ʒij, è cochleari Vini horâ j ante paſtus.

Mel Saponis.

℞ Sapon. commun. Mell. ana ℥iv, Sal. Tart. ℥ß, Aq. fumar. ʒij, (vel q. ſ.) f. Pilæ ſ. a.

Coſmeticum eſt, inſerviens apprimè manibus & faciei lavandis, ac dealbandis. Valet etiam in Ambuſtis, Inflammationibus, Podagrâ.

Mellago ad Gingivas.

℞ Mell. Roſ. ℥ij, Succi depur. Plantag. Naſturt. aq. Cydonior. Omphacii ex Uvis expreſſ. ana ʒvj, Alum. rup. ʒß, coq. ſimul lentiſſimo igne in ſcutellâ argenteâ, continuò movendo ramulo Roriſmar. donec f. Mellago.

Huic intinctum linteolum applicetur Gingivis manè poſt detractas (ſupra dictas) Lamellas. Continuatur aliquandiu

deſuper:

deſuper: tandem Lotione appropriatâ os colluatnr.

Mellago Magiſtralis.

℞ Lig. Breſil. Sant. rub. ana ʒij, Balauſt. ℥ß, Alum. ʒij, coq. in Aq. ℥xiv, & Aceti ℥ij ad ℥viij, col. add. Mell. Roſ. col. ℥iv, coq. lento igne (continuò agitando, & ſub finem Succi Cydon. ℥ij, addendo) ad Mellaginem, deinde admiſce Pul. Sang. Drac. ʒij, Ambr. griſ. ℈ß, Moſch. gr. iv, Tinct. Benzo. ℥ß, m.

Pro Gingivis.

Miſtura Catarrhalis.

℞ Sem. Papav. alb. (Syr. Capil. Vener. irrorat) ʒv, contuſ. adde Succi Aurant. ʒiij, Syr. de Mecon. ʒx, m.

Horâ 8 veſp. ſumatur cochl. j, poſt ſemihoram cochl. j, horâ nonâ aliud, & poſtea mediâ nocte, ſi Tuſſis, adhuc urgeat.

Miſt. Colica.

℞ Mannæ ℥ij, Crem. Tart. Sperm. Ceti ana ʒij, m.

Detur in hauſtu Juſculi Pulli. Remed. probatiſſimum.

Miſt. Laxans Hæmoptoica.

℞ Album. Ovor. N° vj, diligentèr conquaſſatis adde Syr. de Pomis purg. ℥iij, m. ſumatur pars dimidia in hauſtu Cereviſiæ omni mane.

Miſt.

Miſt. Pectoralis.

℞ Syr. de Mecon. ℥iij, Aq. Lumbric. Magiſt. ℥j, Pulv. Olib. (vel Lactis Sulphur. pro Medici intentione) ʒj, his addi poſſit Laud. liqu. pro re natâ.

Doſ. cochl. j vel ij veſperi.

Miſt. Phthiſica.

℞ Paſſul. exacin. & conciſ. ℥ij, Glycyrrh. ℥ß, coq. in Aq. ℔j ad ℥viij, col. admiſce Mellis, Balſ. Capiv. ana ℥ß, Ol. Nuc. Moſc. g^t xij, Vitel. Ov. N° j. m ſ. a. & col.

Doſ. cochl. j vel ij. veſperi.

Miſt. Pleuritica.

℞ Ol. Lini recent. (ſine igne extract.) ℥iij, Syr. Viol. ℥ij, Aq. Hyſſopi ℥viij, m.

Doſ. cochl. vj, ſæpiùs in die, ſingulis doſibus addi poſſint Ol. Aniſi g^t iij, & Sp. Sal. Armon. g^t xv.

Miſt. Sulphurata.

℞ Tinct. Sulph. (Terebinthinaceæ) Laud. liq. Tartariſat. ana ʒij, Aq. Cinnam. ℥ß, Syr. è Succo Hed. terreſt. ℥ij, m.

Contra Tuſſim, & Catarrhum, Doſ. cochl. j veſp.

Miſtura Tubularis.

℞ Cort. extern. Piſtach. ℥ij, Herb. Tuſſilag. Beton. Roriſmar. ſiccat ana ℥iij, incidantur & add. Xylagii præp. ℥iij, Succini albi, Olib. craſsè contuſ. ana ℥iß,

Gum. Lentiſc. ℥j, Ol. Nuc. Moſc. ſtill. ʒj, f. Miſt. inſtar Nicotianæ haurienda.

2. *Miſt. Tubularis.*

℞ Cort. Piſtach. extern. Flor. Anthûs ana ℥j, Herb. Beton. Tuſſilag. ana ℥ij, Sem. Cardamom. min. ℥iß, inciſ. & contuſ. add. Ol. Aniſi g^t xvj, Ol. Cinnam. g^t viij, m. Aliqui addunt Nicot. ℥j.

Utiles ſunt hæ miſturæ præcipuè ad Catarrhos exiccandos, & Defluxiones ſiſtendas.

Miſt. Tubularis Succinata.

℞ Herb. Beton. Roriſmar. ſiccat. & inciſ. ana ℥ß, Ol. Succini ʒß, m.

Convenit Cephalicè & Hyſtericè affectis.

Miva Altheæ.

Coque Radices Alth. recent. in Aquâ ad mollitiem; contuſas trajice per ſetaceum: hujus Pulpæ ℔j, adde Sacch. opt. ℔j, coq. ad Mivæ conſiſtentiam juſtam.

Eodem modo Miva Boraginis, Conſolidæ, & Satyrii conficiantur; ſingulis verò libris illius Conſolidæ, & Satyrii addendo Nuc. Moſc. ℥j.

Miva Mucilaginoſa.

℞ Rad. recent. Alth. Conſolid. maj. Cort. med. Ulmi (vel Tiliæ) ana ℥ii, coq. in Aq. Hord. ℔viij ad ℔iv, col. add. Sem. Pſyll. ℥j, tepidâ ſex horarum factâ mace-

ratione

ratione exprimatur Mucago, in quâ diſſolv. Gum. Arab. ℥iß, Tragac. ℥ß, col. adde Sacch. ad pondus æquale, & lento igne coq. (continuò agitando) ad Mivæ conſiſtentiam.

Morſelli Stomachici.

℞ Cort. Aurant. cond. ſicc. ℥iß, Pulv. Cinnam. ʒiij, Mac. ʒß, Caryoph. ʒiß, R. Galangæ ʒj, Sem. Aniſi ʒij, Ambræ griſ. ℈j, Moſch. ℈ß, Sacch. ℥vj, f. omnium Pulv. qui Mucagine Gum. Tragac. exceptus formetur in Morſellos.

Horum uſus eſt manè; etiam ante & poſt paſtus, ad Ventriculum roborandum, & Coctionem juvandum.

Mucilago Nephritica.

℞ Gum. Tragac. ℥iß, Gum. Arab. ʒiij, G. Ceraſor. ℥ß, Aq. Roſ. rub. ℥xx, Aq. Plantag. Portul. ana ℔iß, Macer. in frigido hor. 48, col. adde Sacch. cand. alb. ℥iv, m.

Doſ. ℥iv, bis in die cum hauſtu Aquæ Lactis, præmiſſis Pilulis ex Balſ. Peruv. ℈j, & Pulv. Glycyrrh. q. ſ. confectis.

Nodulus Facialis.

℞ Hordei toſti q. v. redige in pollien, fiatque cum ſindone rarâ Nodulus.

In Variolis optimè defendit à foveis ſi facies circa diem undecimum cum eo conſpergatur.

Nodulus Hyſtericus.

℞ Caſtor. pulv. ʒß, Aſæ fæt. ℈j, Ol. Succini ℈ß, m. & in Serico involve, ut fiat Nodulus naribus ſæpè admovendus in paroxyſmo Hyſterico.

Oleum Balſamicum.

℞ Rad. Anchuſæ ℥ij, Ol. Oliv. ℔ij, coq. ad colorem rubicundum, col. adde Terebint. Cypr. (in Aq. Viol. lot.) ℔ß, Bac. Laur. Ol. Hyper. ana ℥j, Ol. Junip. & Petræ ana ℥ß, Ol. Rhod. & Spicæ ana ʒij, Ol. ſtil. è Sem. Angel. Aniſi ana ʒj, m. ſ. a.

Omnibus affectibus frigidis ſubvenit; Flatus diſſipat. In Paralyſi, Surditate, Otalgiâ, &c. multum facit. In Spaſmo, Colicâ, Hydrope, &c. internè & externè uſurpatum præſtans eſt Remedium. Doſ. à ℈j and ʒj, in vehiculo idoneo.

Ol. Bufonum.

Coque Bufones 4 vivos in Ol. Oliv. ℔ij, per horam, vel ad crepaturam; colatumque ſerva.

Confert in Puſtulis Labiorum, Cancroque Mammarum. Renibus in unctum in Hydrope valet ad Urinam ciendam.

Ol. Chartæ.

Accende Chartam, inter duas Laminas Stanneas, ut combure. Ita adhæreſcet Stanno Oleum colligendum.

In Alopeciâ, Herpete, Impetigine, &c. mira præſtat. Anodynum eſt; & Odontalgiam ſedat.

Ol. Coſmeticum.

℞ Ol. Amygd. amar. ℥iv, Ol. Tartar. per deliqu. ℥ij, Ol. Rhod. g^t iv, m. ſ. a.

Ad detergendam & erugandam Cutim.

Ol. Cremoris.

℞ Crem. Lact. opt. ℔ij, Cort. intern. virid. recent. Sambuci Miij, coq. benè, donec in Oleum liquetur Cremor. f. Expreſſ. add. Cort. recent. alior. Samb. Miv, coq. iterùm ad Cortic. ſiccitatem f. Expreſſio.

In Hæmorrhoidibus, Combuſtionibus, Eryſipelate, &c. optatiſſ. Remedium.

Ol. Juniperi Comp.

℞ Bac. Junip. contuſ. ℥iij, Succ. Cochl. mar. Becab. Naſturt. aq. ana ℥iv, Ol. Lumbric. ℥viij, coq. ad conſump. ſuccorum: col. adde Ol. Rhodii ℈j, m.

Ad Dolores Scorbuticos.

Ol. Linteorum.

Fit ex Linteis accenſis, & ſuffocatis inter duas Laminas Stanneas ſ. a.

Optimè valet ad Ophthalmiam curandam cum guttâ unâ Salivæ mixtum.

Ol. Milvium.

℞ Milvum è nido, vel antiquiorem: exenteretur deplumatus, cum Picis N° iv,

coq. in Aq. Ceraſor. nig. q. ſ. (adjectis Rad. Pæon. ℥iij, Caſtor. ℥j, Herb. Rutæ Miij, Flor. Roriſmar. Lavend. ana Mij, Hyper. ℥j, Rad. Valerian. ℥ij) ad putrilaginem cum Ol. Oliv. ℔ij, f. Expreſſio. Oleum innatans auferatur pro uſu.

Inſtante paroxyſmo Epileptico, inungantur plantæ Pedum, Nares, & Nucha cum ſequenti.

℞ Ol. Milvin. dict. ℥j, Ol. ſtill. Rutæ, & Succini ana ℈j, m.

Ol. Paralyticum.

℞ Sem. Sinap. ℔iij Caſtor. ℥ß, Caryophyll. ℥ij, Nuc. Moſch. ℥iij, Spir. Vini ℥iv, contuſa optimè macer. in Baln. mar. hor. 24, deinde valentèr prelo éxprime Oleum.

Spina, Nucha, cum Partibus affectis ſæpè inungantur.

Ol. Pomoſum.

℞ Fol. Strammonii rec. ℔j, contuſ. adde Ol. Oliv. ℔iiß, coq. ad Succi conſumpt. expreſſ. adde Fol. recent. ℔ß, inſolenter dies 14, poſtea coq. ad ſucci conſumpt. & exprime.

Ad miraculum omnes Inflammationes, omneſque Combuſtiones, ſive ab igne, ſive ab Aquâ fervidâ, Plumbo fuſo, Pulvere Bombardico, vel à Fulgetris contractas, ſubitò ſumat.

Ol. Ranarum.

Coq. Ranas vivas N° xij, in Ol. Oliv. ℔iß, per horam, & exprime.

Faciei Ruborem, & Impetigines curat. Eryſipelati, & Gangrænis ſubvenit. In Cancro eſt ſpecificum.

Ol. Sacchari.

℞ Sacch. candi pulv. & per incerniculum tranſmiſſi, Spir. Vini Gall. ana ℔j, adurantur, & continuò agitentur ad Syrupi conſiſtentiam.

Ol. Sacchari Ambaratum.

℞ Sacch. optimè depur. ℔j, Ambræ griſ. ʒij, Moſch. ʒj, terantur ſimul ſubtiliſſimè: mox iſto pulvere impleantur Ovorum Albumina coctione indurata, & Vitellis caſſa: hæc vaſis vitreis idoneis (ita tectis ut Aer ſubeat, nullæ tamen ſordes incidant) repoſita in Cellâ relinquantur donec Saccharum diſſolvatur.

Liquor cum reſidentiâ Moſchi, & Ambræ in Phialam effundatur: eique affundatur æquale pondus hujus miſturæ.

℞ Vin. Canar. p. ij, Aq. Cinnam. p. j, Aq. Hungar. Spir. Lavend. comp. ana p. ſ. m. Fiat Circulatio in Balneo vaporis per octiduum ità ut nihil planè exſpiret, fæces autem ſubſidant, à quibus limpidum ſeparetur per inclinationem, & diligentiſſimè reſervetur ad uſum.

Craſſior

Craſſior pars, & Viſcidior inſtar Mellaginis uſus erit ad formandas Pilulas Stomachicas, &c.

Ol. Sacchari Comp.

℞ Dactyl. inciſ. ℥ij, Fic. ℥iij Rad. Irid. Florent. ℥j, Glycyrrh. Sem. Aniſi, Bombac. ana ʒvj, Herb. Hyſſop. Mj, Spir. Vini ℔ij, coq. adurendo ad conſumpt. dimid. f. col. per Manic. Hippocr. add. Sacch. cand. q. ſ.

Ad Aſthma, Tuſſim, &c.

Ol. Sacchari Juniperinum.

℞ Baccar. Junip. (contuſ. & in nodulo raro laxè ligat.) ℥j, Rad. Enulæ ʒiij, Herb. ſicc. Hyſſopi Marrub. alb. ana ʒiiß, Croci ʒj, Spir. Vini Gall. ℥xvj, f. Infuſio biduana; deinde colatura, cui add. Sacch. alb. ℥viij, incendatur, fiatque ſ. a. Ol. Sacchari; cujus ſingulis unciis addi poſſit Ol. Myrrhæ per deliqu. ʒj.

Balſamicum Pectorale eſt; capiatur cochleatim.

Ol. Sacchari Sulphuratum.

℞ Rad. Enulæ ℥j, Glycyrrh. ℥ß, Summit. Marrub. alb. & Hyſſop. ſicc. ana ʒij, Sem. Aniſi ʒv, Flor. Sulph. ℥ß, hiſce omnibus in Paropſide Stanneâ affunde Spir. Vini Gall. ℔ij, debitâ factâ maceratione; adde Sacch. alb. ℔j, Mellis ℔ß.

Incen-

Incendantur ſuper lento igne, & perpetim agitentur, donec Liquor fuerit redactus ad Syrupi conſiſtentiam: f. col. cujus portio reddatur acidula paucis Ol. Sulphuris guttis inſtillatis.

Potentér expectorat: contra ſpirandi difficultatem valet. Sumatur cochleatim.

Ol. Scorbuticum.

℞ Rad. Raph. ruſt. ℥vj, Herb. Cochl. Miv, Flor. Lavend. Mij, Ol. ex Pedib. Bov. ℔j, coq. lento igne ad ſucci conſump. expreſſ. adde Spir. Salis ʒiij, Sp. Cochl. ʒj, Ol. Cinnam. & Caryoph. ana ʒß, Ol. Orig. ℈iv, m.

Cum hoc calefacto inungantur partes affectæ, per horam ſemis, ſemel in die.

Ol. τειχοφύες

℞ Summit. Abrotani recent. contuſ. ℔ß, Ol. veteris ℔iß, Vin. rub. ℔ß, coq. ad ſiccit. herbæ, f. Expreſſ. Repet. hoc opus ter cum novo Abrotano. Col. add. Axung. Urſin. ℥ii, m. exactiſſime.

Ad Alopeciam curandam maximè commendatur.

Ol. Tritici.

Fit valentèr exprimendo Triticum contuſum inter laminas candentes, ut Oleum effluat. In Rimis Manuum, Fiſſuris Labiorum, Ulceribus Pedum, Herpete, Cutis ſcabritie, &c. mirificè proficit.

Ol.

Ol. Viperarum.

℞ Viperas viventes largas & pingues N° iij, Vin. Hiſpan. ℥ij, Ol. Hyper. ℥viij, coq. in Baln. Mar. vaſe anguſti orificii, ad conſumpt. humiditatis, fiatque expreſſio.

Cutim extergit: Impetigines ſanat; Lepram curat; Podagræ tophos tollit.

Orvietanum.

℞ Rad. Fraxinel. Biſtort. Tormentil. Imperator: Gent. Carlin. Ariſtoloch. utriuſque Pentaphyl. Zedoar. Valerian. maj. Contray. Angel. Enulæ, Serp. Virgin. Summit. Card. bened. Succiſ. Ulmar. Rutæ, Sabin. Puleg. Scord. Hyper. Cort. Citr. Aurant. Cinnam. Bac. Lauri Junip. Carnis Bufon. ana ℥ij, Carnis Viper. ℥iv, Croci ℥ß, f. omnium pulv. cui add. extrac. Bac. Junip. (Vino alb. extrac. & ad mellaginem evaporat) q. ſ. ut f. Confectio. Huic adde Elæoſaccharorum Rutæ, Succini, Caryoph. Junip. ana ℈ij, m. ſ. a. Deinde adde unicuique libræ hujus Confect. Theriac. Androm. & Mithrid. ana ℥ij, m.

Hoc communicavit Rob. Talbor. Eq. Aurat. In Peſte, omnibuſque Febribus malignis, præſtantiſſimum Remedium. Doſ. à ʒß, ad ʒij.

Oxymel Hæmoptoicum.

℞ Rad. Alth. Conſolid. maj. Urticæ

ana

ana ℥j, Herb. Pimpinel. Pulmon. macul. Hed. terreſtr. ana Miß, Dactyl. N° vj, Sebeſt. N° xx, coq. in Poſcæ q. ſ. ad ℔iij, col. adde Mellis ℥iv, clarif.

Bibantur ℥iij ter indies, & aliàs pitiſſetur.

Panis Catharticus.

℞ Reſin. Jalap. Vitel. Ov. ana ʒij, Ol. Carui g^{t} ij, Amygd. dulc. excortic. Sacchar. alb. creti ana ℥j, cum paucâ Aq. Roſ. & tantillo Album. Ovi f. Paſta dividenda in viij Placentulas (quarum ſingulæ continent Reſinæ gr. xv) in Hypocauſto ſiccandas.

Panis Diaſarſæ.

℞ Pulv. Sarſaparil. ℥iij, R. Chinæ ℥j, Sem. Carui integr. ʒi, Pollin. Tritici puriſſ. ℥xvj, Vitel. Ov. N° ij Barmii aliquantulum, cum Lactis q. ſ. f. Paſta, ex quâ fiant Panes in clibano coquendi.

In Lue Venereâ pro Pane ordinario.

Panis de Viperâ.

℞ Carn. Viperar. pulv. ℥j, Sarſaparil. ℥iij, Farin. Tritici opt. ℔j, Vitel. Ov. j, cum Flor. Cereviſ. (illupulat.) & Lact. q. ſ. f. Panes N° iv, coq. in clibano ſ. a.

In Cachexia, Scorbuto, Leprâ, Lue Venereà pro Pane communi.

Paſſulæ Laxativæ.

℞ Sennæ ℥j, Zinzib. Cinnam. ana ℈j,

Spir.

Spir. Vini ℔ß, maceratio fiat tepida horas vj, col. add. Sacch. alb. ℥j, Paſſul. minor. (vel major.) mundatarum ℥iv, coq. lentiſſimo igne ad Paſſular. mollitiem, & ſimul conſerventur.

Vel lento igne demptæ Paſſulæ è Syrupo exſiccentur, eas aſpergendo Sacch. alb. q. ſ.

Eodem modo parari poſſint Pruna laxativa.

Paſſulæ Sennatæ.

℞ Pul. Crem. Tart. ℈iv, diſſolv. in Aq. font. ſuper cineres ℥iv, deinde adde Paſſul. Corinth. (à ſtipitibus fæcibuſque purgat:) ℥iv, atque Sacculum ex Sennæ ℥ß, Zinzib. ℈ij, Caryoph. ℈j, f. Infuſio calida donec Paſſulæ molles reddantur & turgidæ: tunc Sacculo ſæplùs in liquorem immerſo & expreſſo, ac tandem abjecto: diſſolvatur Mannæ ℥j, in parte Liquoris: col. cæteris reaffundatur: atque Syr. Roſ. ſol. ℥ij, & Aq. Cinnam. ℥ß, addantur.

Doſ. cochl. j, & Paſſular. & Syrupi ſimul ſumptorum veſperi.

Paſta Hypoglottida.

℞ Sacch. cand. alb. ſubtil. pulv. ℥iv, Ol. Amygdal. dulc. recent. ℥j, vel q. ſ. contunde optimè in Paſtam. ſ. a.

Teneatur ſæpè in ore.

Paſta

Paſta Regalis pro Emulſionibus.

℞ Sem. Papav. alb. ℥j, Amygd. dulc. excort. ℥iv. Rad. Eryng. cond. ℥ij, Sem. 4. frig. maj. ana ℥ß, Sacch. cryſtal. ℥ij contunde in Paſtam. ſ. a.

Usûs tempore ℞ hujus Paſtæ ℥j, & cum Aq. Hord. ℔j, f. Emulſ. ſ. a.

Pedilavium Cephalicum.

℞ Herb. Puleg. Roriſm. Salv. ana Miv, Angel. Miij, Bac. Junip. ℥iv, coq. in Aq. ℔x ad ℔viij.

Ad Cephalalgiam & Vigilias Febricitantium. Nec non ad Menſes excitandos.

Pedilavium Emmenagogum.

℞ Artemiſ. Puleg. Calamint. Chamædr. ana Miv, coq. in Aq. ℔x, ad Cong. j.

Pedilav. Hypnoticum.

℞ Capit. Papav. alb. tranſverſìm conciſ. N° xx, Sem. Papav. alb. ℥j, Herb. Lactucæ Miv, Flor. Nymph. Mvj, Viol. Miß, bulliant in Aq. q. ſ.

Pedilav. Podagricum.

℞ Roriſmar. Hyper. Puleg. Artemiſ. Fol. Lauri ana Miij, Sal. nig. ℥xij, Sal. Armon. ℥ij, Furfur. macri ℥vj, coq. in Aq. cong. ij, col. adde Sapon. Caſtil. ℥ij, Spir. Vini ℔ij, M.

Pedilav. Scorbuticum.

℞ Roriſmar. Puleg. Hyper. Naſturt. aq. Fol. Lauri ana Miij, Sal. marin. ℔j, coq. in Aq. font. q. ſ.

Periapton Epilepticum.

℞ Rad. & Sem. Pæon. mar. ana ℥ij, Viſci arbor. Ungul. Alc. ana ℥j, inciſa & contuſa in ſindonem raram inſuantur; & f. Sacculus, qui è Collo ſuper Ventriculi ſcrobem geſtetur.

Peſſaria.

℞ Cort. extern. Aurant. Rad. Angel. ana ℥iß, Croci ℥ß, Flor. Calend. Fol. Dictam. Cret. ana ℥ij, f. Pulv. craſſius floccis ſcarlatis, & Panno Sericeo excipiendus pro iv Peſſariis.

Subinde uſui fuerit Peſſorum apices Moſcho, Zibetho, aut Balſamo Apoplectico imbuere.

Peſſus tres uncias longus, & unam craſſus, penitiſſimè immittatur; ſed filo conus alligetur ut extrahi poſſit poſt 4 aut 6 horas, quo ſordes eluantur, & poſtea alius intrudatur.

Peſſaria Emmenagoga.

Fiant Sacculi juſtæ figuræ & magnitudinis ex Sindone; inferciantur vel Cotone, vel Lana carminatâ; & usûs tempore intingantnr ſequenti decocto, & exprimantur.

℞ Rad.

℞ Rad. Helleb. nig. Agar. ana ʒj, Summit. Sabinæ ʒvj, f. decoct. in Aq. ℔j, ad ℥x, col. add. Sem. Cymini ℥ß, f. Infuſ. cal. per horam: col. adde Ol. Aniſi g^t xxxij, Vitel. Ov. ℥ß, Spir. Sal. Armon. q. ſ. ad acorem.

Peſſaria Styptica.

Ejuſmodi Sacculi intingantur Solutioni ſequ. deinde exprimantur, & pulvere Boli obvolvantur.

℞ Sal. Chalyb. Sacch. Saturni ana gr. xxxij, Aq. Regin. Hungar. ℥j, in Mortario vitreo optimè tritis, & ſolutis, ſensìm affunde Aq. Plantag. (vel Sperm. Ranar. in quâ Gum. Arab. ʒij, ſolutæ fuerint) ℥vj, Succi Urticæ ℥j, m.

Ad hanc normam parari poſſint Peſſi varii, ſc. ex Aromaticis ad conſortandum; Traumaticis ad ſânandum &c. pro Præſcribentis intentione.

Petum Phthiſicum.

℞ Rad. Enulæ, Herb. Marrub. alb. Hyſſopi ana ʒij, Peti Indici ʒiij Cinnam. ℥ß, f. omnium pulvis ſubtilis, qui excipiatur Vitello Ovi, & lævigetur in Porphyrite (inſtar pigmenti Pictoris) atque extendatur penicillo ſuper folia Tuſſilaginis; & ſinantur omnia ſiccari perfectè.

Uſûs tempore, incidantur Folia, inſtar Tabaci; & Fumus excipiatur ex tubulâ manè jejuno Ventriculo, & paulo ante ingreſſum in lectum, validè extuſſiendo.

Vel excipiatur tèr in die, paulo ante aſſumptionem Apozematis Phthiſici.

Pilæ and Dentes confirmendos.

℞ Thur. maſc. ℨij, Euphorb. ℨj, Myrrh. Caryoph. Rad. Pencedani ana ℨß, f. Pulv. ſubtil. cum Oleo Caryoph. in Pilas cogendus.

Pilæ Hæmoptoicæ.

℞ Pul. Alum. rup. ℥ß, Lap. Hæmatit. CCC. ana ℨij, Sacch. Roſ. ℥j, cum Gelat. Gum. Tragac. f. Pilæ Ore ſensìm diſſolvendæ & deglutiendæ.

Pilæ Odontalgicæ.

℞ Maſtic. ℨij, G. Elemi ℨj, affusâ paucâ Aquâ frigidâ reducantur in Pulverem mox: in Mortario calido cum Opii concif. ℨj, triturentur, & optimè miſceantur: deinde adde Croci ℈ß, & omnium ultimò Camph. ℈j, quæ Maſſam aliàs valdè tenacem, emollit, & optimæ reddit conſiſtentiæ. Tandem ducatur digitis Oleo Caryoph. perunctis, & f. Magdaleon.

Uſûs tempore formetur Pila ad proportionem cavitatis Dentis, quæ foramini indatur, & in eâ contineatur.

Pilæ Odoratæ.

℞ Sapon. Venet. ℥vj, Styrac. col. Benzo. ana ℥ß, Herb. Majoran. ℈iv, Caryoph. ana N° xij, Moſch. gr. ij, Aq. Roſar. Damaſc. q. ſ. f. Globuli ſ. a.

Manibus lavandis inſerviunt. vim habent Abſtergendi, gratum Odorem conciliandi, ſimulque Nervos confortandi.

Pilæ Variguanæ.

℞ Sem. Apii gr. ij, Hyoſcy. Opii ana gr. iv, Syr. de Mecon. q. ſ. m. pro Dente excavato.

Pileolus.

℞ Rad. Cyperi, Galang. Irid. Florent. ana ʒiij, Flor. Lil. Convall. Anthûs, Stæch. Arab. ana Mj, Spic. Celt. Labd. Benzo. Succini, Balſ. Tolut. ana ʒij, Nuc. Moſc. Mac. Caryoph. Cinnam. ana ʒiß, m. f. Pulv. ſubtil. Pileo cum Bombace inter paſſatìm inſuendus.

Pilulæ Æthiopicæ.

℞ Æthiop. mineral. ℥ij, Ceruſ. Antimon. ℥j, Gum. Guai. ℥ß, Extract. Sarſæ comp. q. ſ. f. Maſſa Pilul.

In Hydrope, Scorbuto, Lue Venereâ Doſ. ad ℈ij, bis indiès per dies 40 vel 50 continuos.

Pil. de Ammoniaco Magiſtrales.

℞ Gum. Ammon. (Aceto Scillit. præp.) ℥ij, Aloes ʒiß, Myrrh. Maſtic. Benzo.

ana ℥ß, Croci, Sal. Abſint. ana ʒij, Syr. de Abſinth. q. ſ. f. Maſſa.

Inſigniter expurgant Tartareas corporis fæculentias. Magnoperè conferunt adverſus Defluxiones, Cachexias, Lenis Oppilationes, Duritiem, & Scirrhum; Febres quartanas inveteratas &c. Doſ. ℈j, ʒß, &c.

Pil, Angelicæ.

℞ Sennæ ℥vj, Rhab. Agar. Myrrh. ana ʒiij, Benzo. ʒiß, Croci ʒij, Flor. Viol. Borag. ana Mj, Succor. depur. Cichor. ℔iß, Fumar. Borag. ana ℔iiß, Macer. in Baln. Mar. ad horas 48, f. Expreſſ. col. adde Aloes ℥xij, Exhal. ad pilularem conſiſtentiam addendo Balſ. Peruv. ℈ij, Ol. Nuc. Moſc. g^{t} xx, Sal. Abſint. ʒij, M.

Eximii usûs ſunt ad viſcerum nobiliorum roborationem; & pravorum humorum correctionem blandiſſimé evacuationem promovent. Doſ. ʒß, & ultrà.

Pil. de Anime Gummi.

℞ Gum. Anime, Maſtic. ana ʒvj, Styrac. calam. ℥ß, Spec. Aromat. Roſ. Spec. Diatr. Santal. Balſ. Peruv. ana ʒj, Tereb. Cypr. ℥j, Syr. de Corall. comp. q. ſ. m. f. Pil. N° xij, è ſingulis Drachmis.

Pil. Antimoniales.

℞ Vitri Antimonii (cum Spir. Vitrioli præp.

præp. & albificati) ſubtil. pulv. ℥ß, Sacch. cand. alb. ℥iij, Amyli ℥iv, Croci ℈j, coq. in Aq. f. ad ſpiſſitud. (cavendo tamen ne aduratur) inſtar Paſtæ, ex quâ f. Pilulæ:

Verum hoc cenſetur Febrium, Remedium curativum. Doſ. à ℈ß ad ʒj, in ipſo Paroxyſmi frigidi initio.

Pil. Aphrodiſiacæ.

℞ Xyloaloes ʒj, Caud. Scinc. marin. Sem. Erucæ ana ℈iv, Sem. Angel. ℈ij, Balſ. de Tolu ʒij, Balſ. Oriental. veri ʒiiß, Ambræ griſ. ℈ß, Tereb. Cypr. ʒiij, Ol. ſtill. Nuc. Moſc. ℈j, Syr. de Nuce Moſc. q. ſ. m. f. Maſſa Pil.

Pil. ad Ardorem.

℞ Cret. alb. præp. ʒiij, Sal. Tart. Pul. Glycyrrh, ana ʒß, Ol. Caryoph. g^t viij, omnia exquiſitè trita, creta, & miſta cum Butyri inſulſi q. ſ. reducantur in Pilulas.

Ad Ventriculi ardorem, & Cardialgiam.

Pil. de Ariſtolochiâ Fernelii.

℞ Rad. Ariſtoloch. rot. ℥j, Gent. Myrrh. ana ʒiij, Aloes, Cinnam. ana ℥ß, Zinzib. ʒj, Ol. Amyd. dulc. q. ſ. f. Maſſa Pilul.

Menſes ſuppreſſos concitant. Doſ. à ʒß ad ʒiß.

Pil. Arthriticæ.

℞ Pul. Rad. Ari. ℥ß, Herb. Beton. Chamæpit. ana ʒiij Terebint. Cypr. ℥j, Ol. Terebint. ʒij, Ol. ſtill. Majoran. ℈j, m. f. Pil. N° ix, é ʒj, ſumantur vi manè & quartâ pomerid.

Pil. de Aſâ.

℞ Aſæ fæt. ʒj, Galb. col. ʒij, Ol. Succini g^t xviij, Pul. Caſtor. q. ſ. m. f. Maſſa è cujus ſingulis ſcrup, form. Pil. N° iv.

Pil. Aſthmaticæ.

℞ Millep. præp. ʒij, Sal. Succin. Sal. volat. Sal. Armon. Croci ana ℈j, Flor. Benzo. Caſtor. Extrac. Enulæ ana ʒß, Theriac. Androm. q. ſ. f. pil. v, è ſingulis ſcrupulis veſp. & mane ſumendæ.

Pil. Balſamicæ.

℞ Extrac. Euſtach. ʒv, Troch. Alhand. ʒij, Croci ℈j, Argent. viv. (per Alutam tranſcol.) ℥j, Terebint. Vin. q. ſ. ut f. Maſſa ſ. a.

In Podagrâ, Leprâ, Lue Venereâ &c.

Pil. Benzoinatæ.

℞ Pil. Ruffi, Flor. Sulph. ana ʒiß, Flor. Benzo. ʒß, Succ. Glycyrrh. (Aq. Hyſſop. ſolut. & ad Mellaginem evaporat.) q. ſ. f. Maſſa Pilul.

Ad Laticem Seroſam eliciendam dentur omni nocte.

Pil.

Pil. de Calomelano.

℞ Pil. è duob. Calomel. ana ℈j, Balſ. Peruv. q. ſ. m. f. Pil. N° v.

Pil. Camphoratæ.

℞ Camph. ℈ij, Caſtor. ʒj, Aſ. fæt. ℈iij, Sem. Dauci Sylv. ʒiß, Syr. de Artemiſ. q. ſ. f. Pil. ix è ʒj.

Ad Affectus Hyſtericos.

Pil. Caſtitatis.

℞ Rad. Nymph. ℥ß, Salis Saturni ʒij, Oſſ. Sepiæ ʒvi, Camph. ʒix, Syr. de Nymph. q. ſ. ut f. Maſſa.

Optimè valent in Gonorrhea, Priapiſmo, &c. curandis; præmiſſis præmittendis. Doſ. ʒß, bis in dies per dies aliquot.

Pil. Catarrhales.

℞ Aloes Roſat. ℥ß, Pil. de Cynogl. ʒiij, Succ. Glycyrrh. ℥j. m.

In Catarrho, Tuſſi, &c. Doſ. ℈j, ad ij. horâ ſomni per dies 4 vel 5.

Pil. Chalybeatæ amaræ.

℞ Tinct. Mart. Mynſicht. ʒij, Pul. Rad. Gent. q. ſ. optimè contundendo reducantur in maſſam; exindeque formentur Pil. N° 72. Doſ. vi. omni veſp. & mane.

Pil. Chalybeatæ Crocatæ.

℞ Ferruginis optimè lævig. ʒij, Spec. Aromat. Roſ. Jalap. ana ʒj, extr. Croci gr. xij, Syr. de Succo Citri, q. ſ. f. Pil. N° xij, è ʒj.

Sumantur iiij omni mane, ſuperbib. Aq. Lumbric. Magiſtr. ℥j, ex hauſta Alæ Maciatæ.

Pil. Chalyb. cum Hierâ.

℞ Chalyb. cum Sulph. præp. ʒiij, Spec. Hieræ ſimpl. ʒij, Fæcul. Bryon. ℈j, Syr. Zinzib. q. ſ. f. Pil. è ʒj, N° ix. ſum. N° iij, horâ ſomni, & vi mane.

Pil. Chalyb. Magiſtrales.

℞ Succi Oxalidis (vel Pomorum. depurat. ℔iiij. Tamarind. ℥j, coq. parum, & clarifica in iſto macera tepide Limat. Chalyb. ℥v. dies iiij, ſæpè agitando Col. inſpiſſa in M Balneo ad debitam conſiſtentiam.

Doſ. à ʒß ad ʒj.

Pil. Colicæ.

℞ Pulv. Rutæ, Sal. Gem. ana ʒij, Mell q. ſ. ut f. maſſa.

Probatiſſimæ ſunt ad Colicam curandam.

Doſ. ʒß veſp. & mane per iiij dies in ſingulo menſe.

Pil. Crapulariæ.

℞ Diagryd. Spec. Hieræ ſimpl. ana ʒvj, Aloes ℥iß, Ol. Caryoph. ʒß, Sp. Vini (vel Sp. Lavend. comp.) q. ſ. ut f. Maſſa.

Poſt Crapulas horâ ſomni cap. ℈j.

Pil.

Pil. Cretaceæ.

℞ Cretæ albiſs. & leviſs. Lig. Sant. alb. Nuc. Moſc. ana ℈iiij cum Terebint. Chienſ. q. ſ. f. Maſſa.

Proficuæ ſunt in Profluvio albo. capiantur ad ʒj, bis in die ſuperbib. Serum Cereviſiale Herbâ Conſolidæ maj. alteratum.

Pil. de Cretâ Mayernii.

℞ Cretæ alb. (per lotionem præp.) ℥j Boli Arm. ʒij Terr. Lemn. ʒiij Nuc. Moſch. ℈iiij Glycyrrh. ℈v Gum. Arab. & Tragac. ana ʒß Sacch. Roſ. ℥ß m. f. Pulv. qui additâ paucâ Aquâ Naphæ, reducatur in Maſſam; ex quâ formentur Pilulæ exiguæ.

Pil. de Cretâ Palmarii.

℞ Cretæ albiſs. Succini alb. Rad. Gentian. Fraxinel. Myrrh. ana ʒj, Aloes ℥j, Mithrid. ℈iiij, Tereb. lotæ ʒij, Syr. de Alth. q. ſ. ut f. Maſſa.

Sunt qui addant Calomel. ℥ß vel ʒvi.

Ad Gonorrhæam curandum, & Profluvium album dentur per dies xv omni nocte ad ℈ij, vel ʒj.

Pil. de Croco Martis.

℞ Croci Mart. Aſtring. ʒiij, Colcoth. Vitrioli (ab omni acrimoniâ frequenti ablutione vindicati) ʒijß Maſtich. Olib. ana ʒiijß, Boli, Cupul. Gland. Flor. Balauſt.

ana

ana ʒij, Oſſ. ſepiæ ʒiij, Gum. Arab. Tragac. ana ʒiß, f. omn. Pulvis, & cum Terebint. Cypr. ℥ij, Syr. Nymph. ℥iß, (vel q. ſ.) Ol. Cinnam. & Ol. Ment. ana ℈ß, f. Pil. vi è ʒj.

Sumantur iij ter in die ſuperbibaturq; hauſtus Emulſ. Dactylorum.

Pil. Diureticæ.

℞ Ocul. Cancr. ℈iiij, Sal Succini ℈ij, Sem. Geniſtæ ʒß, Ol. Nuc. Moſc. ℈ß, Terebint. Ven. (lotæ & coct. in Aq. Saxifrag.) ʒiijß, f. Pil.

Doſ. ʒß.

Pil. Dyſentericæ.

℞ Rhabarb. (non toſti, ſed radulâ raſi, levitèr ſiccat. & pulv.) ℥j Croc. Mart. aſtring. Sang. Drac. ana ʒij, Ol. Cinnam. gt. viij, Balſ. Lucatel. q. ſ. ut f. Maſſa Pilul. quarum Doſis ſit ℈j ter in die.

Pil. Emmenagogæ.

℞ Aloes Roſ. ʒiß Myrrh. gr. xv. Bdellij (Tinct. Caſt. præp.) ℈j Ammon. (item Tinct. Caſt. præp.) ʒß Sal. Abſint ℈ß, m. f. Pil. vi è ʒj.

Sumantur ij mane & ſero per dies duos ter quatervè in menſe.

Pil. Enulatæ.

℞ Rad. Allij (à pelliculis denudat.) ʒij optimè in mortario contuſ. affund. Aq. Hyſſop, (in quâ Gum Ammon. ʒß, ſolut. fuerit)

fuerit) ʒij, f. Expreſs. fortis cui adde Pul. R Enulæ q. ſ. laborioſè contundendo f. Maſſa; ex quâ formantur Pil. N° 64. Cap. vi ſingulis in diebus.

Pil. pro Gravidis Riverii.

℞ Aloes (cùm Lacte nutrit.) ʒvj. Gum Ammon. (ſucco Cydon. ſolut.) ℥j, Maſtich. Labdan. Benzo. ana ʒij, Sal Abſint. ℈ij, cum Mivâ Cydon. f. Maſſa.

Mayerne aſſerit ſe haſce Pilulas Gravidis, ſine ullâ unquàm noxâ, immo ſummo cum levamine, millies exhibuiſſe.

Detur ℈j immediatè ante levem cænam.

Pil. Guaiacinæ.

℞ Reſin. Guaiac. ʒij, Gum Guaiac. Bezoar. mineral. ana ʒiß, Ol. Guaiac. ℈j, Balſ. Peruv. q. ſ. m. f. Pil.

Ad ſanguinem defæcandum; & ſudores provocandos dentur ad ℈j, vel ʒß.

Pil. Gummoſæ.

℞ Maſtich. Succini ana ʒiß, Gum. Anime ʒij, Benzo. alb. ʒj, ex his fiat Alcohol. deinde ℞ Terebint. Cypr. ℥j, Liquidamb. ʒvj, liquentur lento igne.

Liquatis adde illud Alcohol, & poſtea Aq. Plantag. Roſ. rub. ana ℥iiij coque lentè agitando, donec Maſſa lenteſcat, & cogi poſſit in Pilulas, N° vi è ʒj.

Ad Lumbaginem, Dorſi debilitatem,&c. dentur ij veſp. & mane.

Pil. Helleboratæ.

℞ Extract. Rud. ℈j, Extrac. Helleb. nig. Calomel. ana ℈ß, Ol. Nuc. Moſc. g^t^. ij, Syr. Roſ. Sol. q. ſ. m. f. Pil. N° vi.

Pil. Hydropicæ.

℞ Rhabarb Guttæ Gamb. Scammon. Reſin. Jalap. Calomel. ana ℥ß, Ammon. (Succo Irid. noſtrat. præp.) ʒiij, Tart. Vitriolat. ʒij Maſtich. ʒj, Croci ℈j, Spir. Terebint. g^t^. 40 cum Syr. de Spin. Cerv. q. ſ. f. Maſſa.

Doſ. ad ℈ij, vel ultra fortioribus.

Pil. Hypochondriacæ.

℞ Pil. Stom. cum Gum. ʒvj, Pul. Sennæ Fol. Helleb. nig. præp. ana ℥ß, Crem. Tartari Martialis ʒiij, Syr. de Fumar. q. ſ. f. Maſſa.

℞ Hujus Maſſæ ʒß, Croci Martis aperit ℈j. f. Doſis mane ſumenda per vi dies.

Deinde ℞ hujus Maſſæ ℈ij, Croci Mart. ʒß, m. cap. talem doſin per vi dies.

Hinc ℞ hujus Maſſæ & Croci Mart. ana ℈ij, m. cap. per viij dies.

Pil. Hyſtericæ.

℞ Pul. Sem. Viticis ℥j, Herb. Rutæ, Aſæ fæt. Camph: ana ʒij, Caſtor. ℥ß, Ol. Succini g^t^. 40 Syr. de Artemiſ. q. ſ. ut f. Maſſa.

Doſ.

Doſ. ℈ß, ad gr. xv in Paroxyſmo, atque etiam horâ ſomni ſingulis noctibus, extra Paroxyſmum.

Pil. Ictericæ.

℞ Sterc. Ovil. rec. ℥iiij, Rad. Cheledon. maj. ʒx, curcum. ℥iß, Lumbric. præp. ʒvi, Centaur. min. M ij, Chalyb. præp. ℥ij, Succi Lim. ℥vi, Aq. Cichor. ℔iiij, Infunde horas 48, f. Expreſ. quæ exhal. ad Pilul. Conſiſtent. addendo Lumbric. præp. ʒiß, Coral. rub. Ebor. Succini ana ʒij m. Doſ. ʒß ter in die cum Decoct. Icter. ℥iiij.

Pil. Lithontripticæ.

℞ Sem. Geniſt. Bardan. Lap. Judaic. ana ʒij, Tereb. è Chio ʒvj. m. f. Maſſa, Doſ. à ℈ij. ad ʒj per dies 20, 30, *&c.*

Pil. Marocoſtinæ.

℞ Gum Ammon. (in Aceti Scillit. ℥iiij ſolut.) ℥iß Myrrh. (Aceti Rut. ℥ij, præp.) ʒvj. Aloes, (Succ. Roſ. Damaſc. ℔ij, Succ. Limon. ℔j ſolut.) ℔j Agaric. (cum Aq. Cinnam. ʒij, Succor Apii, Fænic. Abſint. ana ℥iij contuſ.) ʒvj Rhabarb. (cum Aq. Cinnam. ʒvj, Succ. Cichor. Pimpinel. Fumar. ana ℥viij contuſ.) ℥iij, Croci ℥ß, Coſti ʒvj, Lig. Aloes ʒij, Mari veri (cum Succ. Citri ℥iiij, Aq. Roſ. Dam. q. ſ. præp.) ℥ß. Miſcè omnia diligentiſſimè. ultimò adde Aq. Pæon. Paralyſ. Borag. Beton. Card. Agrimon. Ivæ, Centaur. min.

Roriſm. Ceraſ. nig. ana ℔j, vel q. ſ. macer. in Baln. per triduum. Col. exhal. ad Conſiſt. debitam.

Mucilaginem Tartaream in Ventriculo, Meſenterio, Liene. Hepate collectam incidunt, & paulatìm educunt. Viſcera eadem ut & Caput ſimul roborant; adeoque morbis quàmplurimis inde natalia trahentibus ſuccurrunt. Doſ. ℈j ad ʒj.

Pil. Maſticatoriæ.

℞ Sem. Sinap. Staphid. agr. Pyrethr. ana ℥ß, Maſtich. ʒvj. m. f. Pulv. cui adde Mell. & Ceræ q. ſ. ut f. Maſſa Maſticanda.

Pil. Matthæi, aliàs Starkii.

℞ Opii à ſordibus purgat. Pulv. Rad. Helleb. alb. nig. Glycyrrh. ana ℥ij, Saponis Tartarei ℥vj, m exactiſſimè. Addendo Ol. Terebint. q. ſ. ut Maſſa Pilul. quæ toties humectetur Oleo Terebinth. quoties ſicceſcit. Aliqui nolunt Helleborum nigrum.

Diaphoreticæ, Diureticæ, Nephriticæ, Lithontripticæ, Hydropicæ, Colicæ, Bechicæ, Anodynæ, & Paregoricæ habentur in ſignes. Felici eum ſucceſſu dantur in Febribus præcipuè tertianis & quartanis, in Catarrho, Tuſſi, Cephalalgiâ, Odontalgiâ, Doloribus Ventriculi, Crapulâ, Arthritide, Diarrhæâ, Dyſenteriâ, Ul-

ceribus

ceribus internis & mirificè ſubveniunt. Doſ. ℈ß ad ℈j, ſuperbib. hauſtum appropriatum.

Pil. Melanagogæ.

℞ Fibrar Rad. Helleb. nig. ℥ij, Pulp. Colocynth ℥iij, coq. in Phlegm. Vitrioli ℔v, ad conſumpt. dimidii. f. Expreſſ. quæ evaporetur ad Mellaginem lento igne. Tunc adde Reſin. Scammon ℥j, ut f. Maſſa Pilul.

Doſ. ℈ß ad ℈j, &c.

Pil. de Mercurio crudo.

℞ Argent. viv. (probè extract.) ʒij, Extract. Euſtach. ʒiß, Scammon. (Aceto præp.) ʒiß, f. Pil vi è ʒj.

Ad Dolores Nocturnos, & Vagos Scorbuticos. Item ad Strumas. Sumantur iiij omni mane, & intra horæ ſpatium, ſugatur Caſſiæ ex Cannâ ℥iß.

Pil. è Millepedibus.

℞ Millep. præp. ʒij, Flor. Sal. Armon. (vel ejus defectu, Sal. Armon. crud.) ʒj, Ol. Nuc. Moſch. ℈ß, Terebinth. venet. q. ſ. m. f. Pil. ſ. a.

Pil. Nitroſæ.

℞ Cryſtal. Mineral. ℥ß, Sal. Succini ʒij, Sal. CC, Pul. Sem. Dauci Sylv. ʒj, Tereb. Venet. q. ſ. m. f. Maſſa Pilul.

Pil. Pacificæ.

℞ Opii (ſupra laminam ferri exiccati & pulv.) ℥ij, Benzo. albiſs. ʒij, Nuc. Moſc. Croci ana ʒiij, Ol. Chym. Aneth. & Nuc. Moſc. ana ℈j, Sapon. Tartarei, q. ſ. ut f. Maſſa Pil. ſ. a.

Virtutes æmulatur Pil. Matthæi.

Pil. Pavii.

℞ Spec. Hier. ſimpl. ℥ß, Diacurcum, (quidam Diacinnam) ℈iiij, Chalyb. præp. ʒiij Galban. (Tinct. Caſtor. præp.) ʒij Syr. de Stœchad. q. ſ. f. Pil. N° xx ex ſingulis Drachmis.

Ad Melancholiam Hypochondr. cap. x vel xx manè, & ſerò per dies 40.

Pil. Pectorales.

℞ Pul. Rad. Enulæ, Glycyrrh. Flor. Sulph. ana ʒj, Flor. Benzo. ʒß, Pic. liqu. q. ſ. f. Pil. Doſ. ℈j veſp. & manè.

Pil. de Pice.

℞ Pulv. Rad. Irid. Florent. Glycyrrh. ana ʒiij, Pic. liqu. Balſ. Peruv. ana ℥ß, vel q. ſ. ut f. Maſſa Pil.

Efficaciſſimæ habentur Tuſſi, Phthiſi, Purulentâ Excretione, Suſpiriis, & Pectoris humoribus qui difficilè extuſſiantur.

Doſ. ʒß bis in die cum hauſtu Pectorali.

Pil.

Pil. Podagricæ.

℞ Rad. Petaſit. ℥iij, Summit. Chamædr. Chamæpit. Succini albi ana ʒvj, Caſtor. ʒß, Ceruſſæ Antimon. Sal. Succini Balſ. Tolut. Opopanac. ana ℥j, Terebint. Chienſ. ℥ij, Balſ. Sulph. Terebinthinat. q. ſ. ut f. Maſſa Pilul.

Doſ. ʒß bis in dies per menſes ij vel iij. Bibatur interim pro Potu communi Dec. Rad. Petaſit. Sarſæ, Chinæ, Uvar. Paſſar. &c.

Pil. de Prunellâ.

℞ Lap. Prunel. pulv. ℥ß, Nuc. Moſc. ʒij, Terebint. Chienſ. ℥iß, vel q. ſ. f. Maſſa.

Sunt Diureticæ.

Pil. Reſinoſæ.

℞ Reſin Jalap. ʒß, Spir. Vini g^t. aliquot f. Pil. ix.

Doſ. N° iij manè.

Pil. Reſtringentes.

℞ Boli, Coral. rub. Maſtich. ana ʒiiß, Oſſ. Sepiæ ʒiß, Gum. Guaiac. ℥ß, Croc. Mart. Aſtring. ʒiijß, Terebint. Cypr. ℥iß, Syr. de Nymph. q. ſ. ut f. Maſſa Pil.

Ad Gonorrhæam detur ʒß vel ℈ij bis in dies.

Pil. Roborantes.

℞ Trochiſc. Gordon. ʒij, Troch. de Terr. Lemn. ʒiiß, Coral. rub. Succini albi

ana ʒiij, Priapi Tauri ʒx, Cinnam. ʒij, Gum Anime ʒvi, Terebint. Cypr. ℥j, Syr. de Symph. q. ſ. f. Pil. N° vi è ʒj.

Ad Dorſi debilitatem, & dolorem, ad Gonorrhæam & Fluorem album, ſumantur iij manè, & ſerò.

Pil. Ruffi cum Gummi.

℞ Pil. Ruffi ℥iß, Sennæ ʒiij, Crem. Tart. Sal. Tart. ana ʒiß, Gum. Ammon. col. ʒvj, Ol. Caryoph. g^t. xij cum Syr. Roſ. f. Maſſa.

Singulis Doſibus addi poſſint ubi opus fuerit, Troch. Alhand. grana aliquot. Doſis ſit ℈j ſingulis matutinis ante prandium.

Pil. de Sabinâ.

℞ Summit. Sabinæ pulv. ʒß, Croci, Caſtor. ana gr. xv, Troch. de Myrr. ʒj, Syr. de Artemiſ. q. ſ. m. f. Pil. N° xxiiij pro iiij Doſib. Ad Menſes provocandos, & Vermes necandos.

Pil. de Sagapeno.

℞ Sagap. pellucid ℥ß, Troch. Alhand. Agar. ana ʒiiß, Diagryd. ʒij, Sal. Gem. ʒß, Ol. Chym. Fænic. ℈j, Syr. de Eupator. q. ſ. ut f. Maſſa.

Proficuæ in Iliacâ & Colicâ paſſione ad ʒß. admirandæ in Febrib. quartanis. Doſ. ℈ß, initio paroxyſmi, continuando aliquot dies.

Pil.

Pil. Sinapinæ.

℞ Sem. Sinap. pulv. ʒiij, Succ. Glycyrrh ʒij, Syr. Capilſ. Vener. q. ſ. f. Pil. Hypogloſſidæ.

Magnoperè valent in Tuſſi, Aſthmate, Linguæ Paralyſi. frequentèr in ore teneantur.

Pil. Spleneticæ.

℞ Troch. de Myrrh. ℈ij, Caſtor. ℈ß, Fæc. Bryon. ℈j, Rhabarb. ℈iiij, Spec. Hieræ ſimpl. ℈ij, Sal. Chalyb. ʒj, Tereb. Ven. q. ſ. f. Pil. vi è ʒj, ſumantur iij horâ ſomni. Manè bibantur Aquæ Tunbrigenſes.

Spleneticis, & Hyſtericis ſuccurrunt.

Pil. Styracinæ.

℞ Styrac. Calam. ℥ij, Flor. Sulph. ℥j, Benzo. alb. ʒij, Syr. de Mecon. q. ſ. ut f. Maſſa. Dr. *Prujean.*

Efficacitèr ſuccurrunt in Aſthmate, Dyſpnæâ, Catarrho Suffocativo, &c. Doſ. à ℈j ad ʒj ſemel, aut bis in die.

Pil. Tartareæ Bontii.

℞ Aloes ʒiij, Gum Ammon. (cum Aceto Scill. depur.) ℥iß, Tart. Vitriolat. ʒß M.

Tantæ ſunt apud Hollandos Æſtimationis, ut piaculum habeant communes eas reddere. Doſ. ℈j, ʒß, &c.

Pil.

Pil. Vaticanæ.

℞ Rad. Calam. arom. Zinzib. Zedoar. Turpet. Lign. Aloes, Myrobal. omn. Cinnam. Caſſ. lign. Mac. Nuc. Moſc. Caryoph. Cardamom. Cubeb. Sem. Aniſi, Croci, Maſtich, Sennæ, Mannæ, ana ℈j, Summit. Card. bened. Scord. ana ʒß, Rhabarb. ℥j, & ℈ij, Aloes ℥ij, & ℈iiij, Syr. Roſ. Solut. & Viol. ana q. ſ. ut f. Maſſa.

Cephalicæ ſunt, ac Stomachicæ, omnia Viſcera farctu liberant, purgant, roborant; & humores quoſvis noxios, & obvios educunt. omniumque partium nutritiarum æconomiam juvant. Doſ. ℈j, ʒß, &c.

Pil. Vermifugæ.

℞ Pil. Ruffi ℥ß, Ol. Chym. Sabinæ (vel Tanaceti) gt. xxiiij M.

Formentur Pil. N° x ex ℈ß, vel gr. xij, & ſumantur per iij dies ſucceſſivos, juxta Plenilunium, & Novilunium, cum Syr. Limon.

Pil. Vomitoriæ.

℞ Gillæ Theophraſti pulv. ℥j, Butyri inſulſi ʒj, vel q. ſ. contunde optimè in Maſſam Pilul.

Doſ. ℈iiij vel ℈v.

Piſa Lutea.

℞ Ochræ Flavæ ℥ß Rad. Irid. Florent. ʒij, Ceræ ℥j, Terebint. q. ſ. ut formentur Piſa diverſæ magnitudinis.

Pro Fontanellis apertis ſervandis.

Piſa Rubra.

℞ Cinnaber. Fact. ℥ß, Hermodact. ʒij, Ceræ ʒvj, Terebint. q. ſ. ut f. Piſa.

1 *Piſa Viridia.*

℞ Cantharid. ʒj, Virid. Æris, Rad. Helleb. alb. ana ʒij, R. Irid. Florent. ʒiß, Ceræ ʒvj. Terebint. Venet. q. ſ. f. Piſa.

2 *Piſa Viridia.*

℞ Canthard. Ærugin. ana ʒij, Auripigm. ℈ß, Ceræ ʒvj, Terebint. Ven. q. ſ. m. f. Piſa.

Pomatum Labiale.

℞ Pomati ℥iij, Ceræ ʒvj, Rad. Anchuſ. (trit. & Aq. Hungar. irrorat.) ℥ß ponantur in vaſe vitreo; atque liquata ſtent in Balneo horam unam, aut alteram, continuâ cum agitatione. Poſtquam colorem contraxerunt idoneum, f. Col. per pannum linteum in cophinam quadratam chartaceam. cumque refrixerit maſſa, ſcindatur in Teſſeras Rhomboides.

Pomatum Pulchrum.

℞ Ol. Balanin. ℥xij, Ceræ alb. ℥iij, Sperm. Ceti ℥j, liquefactione f. Unguentum; quod Aqu. Roſar. redolent. part. ij, &

& Aq. Naph. part. j, probè lavetur. Deinde adde Magiſt. Biſmuth. ℥j, Borac. Ven. Sach. cand. alb. lævig. ana ℥ß, & fiat ad ſummam albedinem agitatio.

Pomum Ambræ.

℞ Styrac. cal. ʒvj. Benzo. ℥j, Labd. ʒij, Lig. Sant. alb. Caryoph. ana ʒiß, Summit. Majoran. Flor. Roſ. Damaſc. ana ℈iiij, Moſch. Ambr. griſ. ana ℈ß, Mucilag. Gum Tragac. (Aq. Roſ. extract.) q. ſ. f. Pila, ſeu Pomum ſ. a.

Adhibitum naribus odore ſuo grato Sanguinem movet, & Cor ſupra modum refocillat. in Apoplexiâ, Epilepſiâ, Peſtilentiali aurâ, &c.

Poſſetum Aſtringens.

℞ Vin. rub. Aſtring. ℔ij,. Alum. rup. pulv. ʒij, Sacch. alb. ℥iiij, bulliant ad diſſolutionem; deinde adde Lactis ℔j, Cinnam. ʒij, poſt aliquot ebullitiones, pars ſeroſa colando ſeparetur à caſeosâ.

Poſſetum Catharticum.

℞ Sennæ ʒiij, Crem. Tart. ℈ij, Vin. alb. ℥iiij macerentur per noctem; deinde infundantur in Lact. ebullient. ℥iiij in col. diſſolv. Mannæ, Syr. Roſ. Sol. ana ʒvi. M.

Potio Alba.

℞ Terebinth. Venet. ℥ß, Ol. Still. Nuc. Moſc. g^t. j, Vitel. Ovi j, Syr. de Alth. ℥j, Vin. alb. ℥iiij, m. f. hauſt.

Ad Gonorrhæam, purgat ſat benè ἄνω ἢ κάτω.

Potio Febrifuga.

℞ Sal. Abſint. ℈ij, Ol. Sulph. ℈j, Aq. Cichor. ℥iiij, M.

Bibatur ante Paroxyſmum, ſuperſudando.

Potio Hydropica.

℞ Vin. alb. generoſ. ℥iiij, Sal. Prunel. ʒj, Syr. de Spin. Cerv. ℥ij, m. f. Potio.

Potio Pleuritica.

℞ Succi è Fimo Equino Expreſſ. Vini alb. ana ℥ij, Syr. Papav. errat. ℥j, Pulv. Olib. ℈ß, Ol. Nuc. Moſc. gt. iij, M.

Sumatur tèr vel quatér in die poſt Phlebotomiam.

Ptiſana Cathartica.

℞ Sennæ, Glycyrrh. Sem. Coriand. ana ℈j, Aq. font. calentis ℥vi vel viij, maccerentur horas iij, f. Col. clara.

Mirum eſt quàm delicatulè operabitur. Quinquies, aut ſexies movere raro fallit.

Ptiſana Sicca.

℞ Pulv. Glycyrrh. ℥ß, Sem. Aniſi, Coriand. Contuſ. ana ʒij, Cinnam. ʒj, Sacch. Candi alb. ʒvi, m. f. Pulv.

Usûs tempore Aquæ ℔ij per manicam ſuper pulverem hunc totiès trajiciantur, donec virtutem ejus imbiberint.

Pulvis contra Abortum.

℞ Coral. rub. Margarit. præp. ana ʒj, Sant. Citr. Ebor. præp. ana ʒiij, Bacc. Kermes ʒij, Sacchar. perl. ℥ß, f. Pulv. dividend. in doſes 42.

Sumatur omni mane ex Ovi recentis tepefacto Vitello.

Pulv. Æthiopicus.

℞ Bufones viventes N° 30, vel 40, comburantur in Ollâ novâ ad cineres nigros, & f. Pulv. ſubtilis.

In Variolis, vel moribundis auxilio certé fuit. Mirè commendatur ad Hydropem. Doſ. ʒß vel ultra.

Pulv. Albus.

℞ Bezoar. Orient. Succini alb. Coral. alb. Margarit. ana ʒj, Ocul. & Chel. Cancr. ana ℥ij, m. f. pulv. ſubtil.

Vires æmulatur pulv. è Chel. comp.

Pulv. Arthriticus Turneri.

℞ Turpet. Hermodact. Sennæ, Scammon. Sem. Ebuli ana ʒij, m. f. pulv.

Doſ. à ℈j ad ʒj.

Pulv. Aſthmaticus.

℞ Cartham. Rad. Ari, Fol. Card. ben. Sennæ ana ʒij, Sem. Aniſi ʒß, Piper. long. ʒj, Diagryd. ℈ß m. f. Pulv.

Doſ. ʒj bis in die per dies vi.

Pulv.

Pulv. Baſilicus.

℞ Diagryd. Ceruſ. Antimon. Crem. Tart. Mercur. Dulc. ana q. v. m. f. Pulv.

Eaſdem vires obtinet quas Pulv. Cornachini. Doſ. ℈ij in Juſculo.

Pulv. ad Calculum.

℞ Flor. Cardui Stellati ℥j, Rad. & Sem. Petroſel. ana ʒiij, ſeparatìm ſiccentur, & pulverentur. Deinde miſc. Doſ. ℈ij in Vino albo, vel Juſculo.

Pulv. Cantianus.

℞ Apic. nigr. Chelar. Cancror. (Juniò menſe captor. in pollinem redact.) Ceruſſæ Antimon. Rad. Contray. ana ℥ij, Ocul. Cancr. Margarit. Coral. rub. & alb. (cum ſucco Limon. ſupra Marmor. ſimul lævigat. & ſiccat.) Succini alb. & Cryſtal. (cum Aq. Roſar. ſubtiliſſ. tritor. & ſiccat.) CC ad ſummam albed. calcin. & lævig. cum ſucco citri ſiccati (Spiritu Vitrioli probè acuato) ana ℥j, Bezo. occid. Terr. Lemn. ana ℥ß, Ambræ griſ. ʒiß, Moſc. ℈ß, miſceantur omnia exactiſſ. & cum Gelatinâ è Spoliis Viperarum, & CC in Aq. Card. factâ, & Croco levitèr tinctâ f. Globuli diverſæ magnitudinis cautè ſiccandi.

Si prædictis addas Coccinel. ℥ß, dicitur Pulv. Cantianus Ruber.

Si vero Pulv. Æthiop. ℥ij, vocatur niger. Usûs eſt egregii in morbis con-

 tagioſis,

tagioſis, Variolis, Peſte, &c. Doſ. ℈ß, ʒß, &c.

Pulv. Capillaris.

℞ Succini ℥ß, Flor. Roſ. rub. ʒiij, Orizæ ℥iß, f. Pulv. inter Capillos inſpergendus.

Pulv. Cardiacus Corallatus.

℞ Coral. rub. præp. Sacch. opt. ana ℥iij, Ol. Cinnam. gt. vi M.

Pulv. Card. Eboratus.

℞ Magiſt. Eboris, Cinnam. ana ℥j, Sacch. opt. ℥iß m. f. Pulv.

Pulv. Card. Perlatus.

℞ Pulv. Rad. Chinæ ℥iij, Margarit. ℥ij, Amyli ℥viij, Sacch. opt. ℥vi. coq. in Clibano vaſe terreo. Deinde de novo f. Pulv. Magnum Reſtaurativum habetur in Tabe. inſpergatur omnibus Cibis, Juſculis, Panatellis.

Pulv. Card. Rubens.

℞ Cretæ albiſſ. ℥viij, Ocul. Cancr. ℥ij, Boli ℥j, Nuc. Moſch. ℥ß m. f. Pulv.

In Cardialgia, &c. dentur ʒij, pro vice.

Pulv. Cardialgicus.

℞ Cretæ albiſſ. ℥vi, ocul. & chel. cancr. ana ℥iß, Sacch. albiſſ. ℥ß, Ol. Nuc. Moſch. gt. vi. Addi poſſint Boli ʒvi.

Doſ. ʒj in hauſtu frigidæ largo.

Pulv.

Pulv. ad Caſum.

℞ Terr. Sigill. Sangu. Drac. Mumiæ ana ℥j, Sperm. Ceti ℥ß, Rhabarb. ʒiij m. f. Pulv.

Doſ. ʒj pro vice poſt Phlebotomiam.

Pulv. Chalybeatus.

℞ Sem. Fænic. dulc. ℥ß, Sem. Aniſi ʒij, Nuc. Moſch. ℈iiij, Caryoph.. Sal. Chalyb. ana ℈j, Rubig. Chalyb. ʒij, m. f. Pulv.

Pro xx Doſibus.

Pulv. Cibarius.

℞ Summit. Euphrag. ℥iij, Sem. Fænic. d. Cinnam. Mac. ana ʒj, m. f. Pulv. cui adde Sal. alb. ℥viij, M.

Ad Viſum præſervandum & acuendum; ad Oculorum Suffuſiones & Caliginem. ad Memoriam roborandam, &c. apprimè utilis, ſumatur cum omni cibo.

Pulv. Cinnabaris comp.

℞ Cinnaber. nativ. ℥ij, Succini alb. ℥j, Rad. Pæon. mar. Corall. rub. ana ʒx m. f. Pulv. ſ a.

Ad Epilepſiam detur ʒß quotidiè manè.

Pulv. Cinnamomi comp.

℞ Cinnam. Nuc. Moſc. ana ℥ß, Mac. Caryoph. Coral. rub. ana ʒij, Zinzib Galang. ana ʒj, m. f. Pulv.

Pepſiis adjuvat.

Pulv. Colicus.

℞ Cretæ alb. ſubtil. Pulv. ℔j, humecta cum Succo Rutæ, & Chamæmel. ut f. inſtar Pulmenti, exſicca lento calore & f. Pulv. Repete hoc opus cum Succis rec. ad quartam vicem; ultim. f. Pulv. ſubtil.

Doſ. ℈j ad ʒj quartâ quâq; horâ.

Pulv. Corallii comp.

℞ Corall. rub. lævigat. ʒvi, Nuc. Moſc. ʒiij, Cinnam. ʒiß, Mac. Caryoph. ana ℈ij, Pip. long. ℈ß, Panis Neapolit. (toſti, Spir. Lavend. comp. ʒj, irrorat. & ſiccat.) ſubtil pulv. Sacch. cand. alb. (per incerniculum creti) ana ʒvi, m. f. Pulv.

Digeſtioni opitulatur. Doſ. cochl. j poſt Paſtus cum Vini hauſtulo.

Pulv. Cornachini.

℞ Diagryd. Sulphurati ʒx, Antimon. Diaphor. ʒvj, Crem. Tart. ℥iiß, f. Pulv.

Ad omnes ferè Morbos (qui purgatione opus habent) curandos, commendatur. Doſ. ʒß. ℈ij, &c.

Pulv. Coronatus.

℞ Epithym. ℥ß, Agar. Lap. Lazul. præp. ana ʒij, Scammon. ʒj, Caryoph. N° xx. m. f. Pulv.

Mirè laudatur in Melancholiâ ad Dementiam uſque curandâ. Doſ. ad ℈iiij.

Pulv.

Pulv. de Creta comp.

℞ Cretæ alb. (Aquâ Violar. quater lot.) ℥j, Glycyrrh. Sem. Cydon. Ocul. Cancr. ana ℥ß, Nuc. Moſc. Lap. Carpion. ana ʒij, Margarit. Coral. rub. ana ʒß, Macis (parùm torrefact.) Croci ana ℈ß, m. f. Pulv. ſubtil.

In ardore Stomachi mirè dolorem ſiſtit; & mali cauſam tollit. Doſ. ʒj.

Pulv. Crinalis.

℞ Rad. Cyperi longi, Cal. Arom. Roſ. rub. ana ℥iß, Rad. Irid. Florent. ℥viij, Farin. Fabar. ℥iiij Lign. Aloes, ʒvi Coral. rub. Succini ana ℥ß, Benzo. ℥j, m. f. Pulv. ſubtil. cui add. Moſch. Zibeth. ana gr. v.

Cerebrum, & Memoriam recreat, confortatque. Capiti inſpergatur.

Pulv. Croci comp.

℞ Croci ℈iiij, Ebor. ℥ß, Sacch. candi alb. ℥j, m. f. pulv. in partes viij divid.

Ad Icterum ſumatur ℔x bis in die.

Pulv. Cucuphalis.

℞ Piper. long. Majoran. Succini ana ʒiij, Nuc. Moſch. Mac. ana ʒj, m. f. pulv.

Qui Goſſypio ſuſceptus inſuatur Pileolo Serico interpaſſando.

Inſignis eſt ad Dolores Capitis frigidos diuturnos, & Catarrhos.

Pulv.

Pulv. Epidemius aureus.

℞ Sacch. cand. alb. ℥iiij, Balſ. Sulph. ʒiß, Croci gr. vi m. f. pulv. Dr. *Gibſon.*

Doſ. ʒj manè, & horâ ſomni, ex hauſtu Poſſeti Vinoſi.

Pulv. Epilepticus.

℞ Rad. Valerian. Sylv. ℥j, R Fraxinel. Contray. Serpent. Virgin. Pæon. mar. (debito tempore collect.) Fol. Viſc. querc. Sem. Pæon. mar. Magiſt. CC. Magiſter. Ungul. Alc. ana ʒij, Cran. hum. Coral. rub. ana ʒiij, Lap. Hyacinth. ʒj, Bezo. oriental. ℈j, Bez. occid. ʒiß, m. f. pulv. ſubtil. cui add. Moſch. gr. v. Fol. Auri N° xxx. M.

Pulv. Euphragii comp.

℞ Herb. Euphrag. ℥j, Sem. Fænic. dulc. ʒiij, Mac. ʒj, Sacch. opt. ℥j, f. pulv.

Ad Cephalalgiam, & Visûs debilitatem, ſumatur cochl. j. poſt Paſtus.

Pulv. Fæminarum.

℞ Maſtich. ℥ß, Sang. Drac. Croci Martis aſtring. CCC ana ʒj, Gran. Kerm. recent. ſicc. Roſ. rub. ana ʒß, f. omn. Pulvis.

Contra Abortum hujus ʒß, ex Ovo ſorbili detur. Vel in mortario cum Germinibus Ovorum recens poſitorum ſubactus, & in Maſſam Pilularem redactus exhibeatur.

Pulv.

Pulv. Febrifugus certus.

℞ Rad. Serpent. Virgin. ʒij, Contray. Gent. Zedoar. Sem. Citri, Card. ben. Bezo. occid. ana ʒj, Cort. Peruv. ℥iiij, m. f. Pulv.

Doſ. ʒj quartâ quâque horâ ſpatiis intermediis Paroxyſmi, cum Vino.

Pulv. è Ferri Squamâ.

℞ Squamar. Ferri (quæ juxta Fabrorum incudem reperiuntur) ℔j terantur quam ſubtiliſſimè. Pulvis agitetur in Mortario cum Aceti acidiſſimi ℔j ad imbibitionem Aceti; deinde ſiccetur in Umbrâ. Atq; hic proceſſus ter repetatur.

Ventriculum roborat; Appetitum reſtituit; Humorem crudum conſumit. Colorem rectificat. Hæmorrhoides reſtringit. Doſis ſit ʒß.

Pulv. Fœniculi comp.

℞ Sem. Fænic. dulc. Aniſi ana ℥ß, Coriand. ʒij, Cort. Citri cond. ſicc. ʒv, Cinnam. gr. 45, Coral. rub. Margar. ana ʒj, Ambr. griſ. gr. xv, Sacch. quadruplum pondus, f. Pulv.

Ad Digeſtionem juvandam detur cochl. j. poſt Paſtus.

Pulv. Griſeus.

℞ Cretæ alb. ℥j, Ocul. Cancr. Salviæ ana ℥ij, Nuc. Moſc. ʒj, f. Pulv.

Inſignis

Inſignis in Diarrhæâ, Palpitatione Cordis, Humorum Aciditate, Calculo, &c. Doſ. ℈j, ʒj.

Pulv. Hæmoptoicus.

℞ Boli ℥iß, Amyli ʒiij, Sacch. Roſ. ℥ß, Ol. Aniſi g^t. ij, m. f. Pulv.

Nil æquale. Detur ʒiß ter in die, vel ſæpiùs.

Pulv. Hermodactylorum comp.

℞ Hermodact. Sennæ, Scammon. Turpet. Oſſium Human. Calcin. Sacch. alb. ana q. v. f. Pulv.

Lentam Pituitam, ac alios Humores Viſcidos, etiam ab Articulis, efficacitèr trahit. Podagræ, Chiragræ, ac omnibus Juncturarum doloribus, ab iiſdem humoribus natis, conducit. Doſ. ʒj.

Pulv. Hyſtericus.

℞ Pellic. interior. Ventric. Caponis ℥iiij, Flaved. Cort. Aurant. ʒj, m. f. Pulv.

Optimum Remedium. Ejus detur ʒj in Paroxyſmo, & quartâ quâque horâ.

Pulv. Ictericus.

℞ Stercor. Anſer. (verno tempore collect. in ſole ſiccat. & pulv.) Sacch. candi albi, ana ℥ij Croci ʒj, m. f. Pulv.

Dentur hujus ʒij bis quotidie per vi dies, in Vino Rhenano.

Pulv. de Laccâ comp.

℞ Gum. Lacc. ℥ß, Croc. Mart. aſtring. Lap. Hæmatit. ana ʒiij, Lig. Sant. rub. ʒiß, Alum. rup. ʒß m. f. Pulv.

Sanguinem ſiſtit. Doſ. ʒß.

Pulv. Lateralis.

℞ Gland. Quercin. Decort. ℥vj, Nuc. Moſch. ℥j, Sacch. alb. ℥ij, m. f. Pulv.

Vocatur & Pulv. Iliacus, & Colicus.

In Dolore Lateris Ventriculi, Inteſtinorum flatuoſo in Podagrâ &c. Doſ. ʒj bis vel tèr in die.

Pulv. Liliaceus.

℞ Rad. Lilior. alb. ſiccat. ℥iiß, Ceruſſæ Antimon. ʒiij, Nuc. Moſch. Terebint. Ven. ad friabilitatem coctæ ana ʒij, Sacch. Roſ. ℥j, m. f. Pulv.

Ad Urinæ acredinem in Lue Venerea, &c. Detur ad ʒiß bis in die cum Syr. de Nymph.

Pulv. Lumbricorum comp.

℞ Lumbricor. terreſtr. Rhabarb. ana ʒij, Rad. Curcumæ, Tart. alb. Chalyb. præp. ana ℥ß, m. f. Pulv.

Contra Icterum detur ʒj in hauſtulo Vini albi manè.

Pulv. ad Manus.

℞ Rad. Alth. Farin. Orizæ, Aven. CCC ana ℥iiij, Raſ. CC, Amygd. amar. (non excort.) ana ℥vj, Rad. Irid. Florent.

Sem. Papav. alb. ana ℥ij, m. f. pulv. Quid ſi addatur Sal Tartari?

Uſurpetur mane cum Lacte. vel cum Urinâ & ſero Lactis comiſtis.

Pulv. Martialis comp.

℞ Chalyb. præp. ʒvj, Caſſiæ lign. Nuc. Moſc. ana ℥ß, Caryoph. Mac. ana ʒij, Sacch. alb. ℥ij, m. f. Pulv.

Ad Cachexias tàm Mulierum, Virorum, Juvenum, ac Senum; quàm Virginum, Remedium præſtantiſſimum. Doſ. ʒj ad ʒij.

Pulv. Odoratus.

℞ Rad. Irid. Florent. ℥xiiij, Cal. arom. ʒvj, R. Cyperi, Caryophyl. aromat. ana ℥j, Lign. Rhod. Flor. Roſ. rub. ana ℥ij, Flor. Roſ. Damaſc. ℥iiij, Flaved. Cort. Limon. ʒv, ſummit. Marjoran. ʒiij, Benzo. Styrac. Calam. ana ℥j, Labd. ℥ß, m. f. Pulv. craſſus.

Veſtimentis inſpergatur ut à Tineis præſerventur.

Si prædicta omnia cum Cereviſiâ fortiſſ. in Organis Roſaceis deſtillaveris (ſuſpendendo in Recipiente Moſch. gr. vj in Sindone ligata) habebis Aquam Odoratiſſimam Funeralibus apprimè inſervientem.

Pulv.

Pulv. Ophthalmicus.

℞ Summit. Euphrag. ℥iij, Sem. Fœnic. vulg. ℥ij, Sem. Rutæ, ℥ß, Mac. ʒij, Sacch. opt. ℥vj, m. f. Pulv.

Vires habet Pulv. Cibarii. Doſ. Cochl. j tèr in die.

Pulv. Oxytocius.

℞ Croci, Caſſ. lign. Myrrh. Succini albi, ana ʒij, Borac. Venet. ℥j, m. f. Pulv.

Ad Partum accelerandum, Menſes provocandos, &c. Detur ad ℈iiij cum Aq. Artemiſ. vel Sabinæ.

Pulv. Pannonicus rubens.

℞ Boli Armon. (cum Aq. Roſar. & Aceto præp.) ℥iij, Ter. Lemn. ℥ij, Lapid. Smaragd. Rubin. Sapphir. Hyacint. Oſſ. de Corde Cerv. Coral. rub. ana ℥ß, Coral. alb. ʒvj, Spodii Margarit. ana ʒv, Sant. rub. Cinnam. Sem. Acetoſ. ana ʒij, Caryoph. Croci, ana ʒj, Cort. Citri, Sant. alb. ana ʒiß, Ebor. ʒiij, m. f. Pulv. ſubtil. cui adde Fol. Auri, N° 50, M.

In Febribus Peſtilentialibus ac Venenatis optimè conducit. Doſ. à ℈j and ʒj.

Pulv. Papaveris comp.

℞ Sem. Papav. alb. Hyoſcyam. ana ℈iiij, Sang. Drac. Croc. Mart. aſtring. ana ℈ij, f. Pulv.

Sanguinem ſiſtit. Doſ. ʒß, ʒj.

Pulv. Pectoralis.

℞ Partium albar. Benzo. ℥iß, Sulph. viv. ℥iij, Sem. Aniſi ℥j, Sacch. Roſ. ℥ij, m. f. Pulv.

Doſ. ad ʒiß bis in die cum Ovo tremulo.

Pulv. Pepticus.

℞ Flaved. Cort. Aurant. (candefact. & minutiſſ. inciſ.) ℥iiij, Confect. Sem. Coriand. ℥iiij, Aniſi, Carui, Fænic. ana ʒij, Aromat. Roſat. ℥ß, Sal. Abſint. ʒj, Menth. Pulv. ℈ij, Sacch. Cand. ad pondus omnium, f. Pulv. craſſus.

Doſ. ʒj poſt ſingulos Paſtus.

Pulv. Pept. Cephalicus.

℞ Sem. Coriand. ʒvj, Carui, Fænic. dulc. ana ʒiij, Aniſi ʒij, Rad. Pæon. mar. ʒiß, Sem. ejuſd. ℈ij, Cran. Hum. ℈iiij, Cort extern. Citri, Aurant. Limon. candefact. ana ʒiij, Flor. Roriſmar. candefact. Sacch. Roſat. ana ℥iß, f. Pulv.

Sumatur ʒj poſt Paſtus.

Pulv. Peti comp.

℞ Nicotian. Hiſpan. Summit. Majoran. ana ʒj, Rad. Helleb. alb. ℈ij, Euphorb. ℈j, Elater. ℈ß, Moſch. gr. iiij, m. f. Pulv.

In Apoplexiâ Sternutationem potentèr excitat.

Pulv.

Pulv. Pleres Archonticon.

℞ Rad. Galang. Cyperi, Zinzib. Lig. Aloes, Cinnam. Caryoph. Nuc. Moſc. Spic. Indic. Schænant. Flor. Roſ. rub. Violar. Spodii, ana ʒj, Glycyrrh. Mac. Piper. long. & alb. Cardamom. Cort. Citri, Bacc. Myrt. Ocymi, Majoran. Balſamit. Maſtic. Styrac. Calam. ana gr. xxxvi, Been utriuſque, Coral. rub. Seric. toſt. ana gr. xviij, Camph. gr. iiij, f. Pulv. ſubtil.

Ex hujus ℥ß, & Sacch. alb. in Aq. Ment. ad Tabulat. coct. ℥viij, fieri ſolent Tabulæ Stomachicæ. *Micklethwait.*

Pulv. Pleuriticus.

℞ Flor. Sulph. ℥ij, Dent. Apri, Mandib. Piſcis Lucii, ana ℥j, Flor. Papav. Rhæad. ℥ß, m. f. Pulv.

Stupendum habetur Pleuriticum cum Sacch. Roſ. Doſ. ʒj.

Pulv. Purpureus.

℞ CCC, Succin. alb. Coral. rub. Margar. præp. ana ʒj, Ocul. & Chel. Cancror. ana ʒij, Croci ℈ß, Coccinel. ℈ij, m. f. Pulv. ex quo & Gelatin. CC & Ebor. (in Aq. Aniſi fact.) f. Globuli ſ. a.

In Febribus Malignis. Doſ. à ℈j ad ℈ij.

Pulv. Pyreticus.

℞ Lap. Manat. ℥ij, Sang. Drac. ʒj, m. f. Pulv. Tertianam Vernalem curare rariſ-

ſimè fallit. Doſ. ʒj, horâ ante Paroxyſmum (ſuperbib. Aq. Roſar. rub. ℥iij, Succ. Aurant. ʒvj, cum Sacch. alb. ℥ß) ad tres vices.

Pulv. ad Rachitidem.

℞ Pulv. Rad. Oſmund. Regal. ℥iiij, Sacch. ℥ij, M.

Inſperge hujus aliquantum pulti, cibiſque omnibus liquidis; adeò ut, ad minimum, ʒij, vel ʒiij in dies abſumantur.

Pulv. Serpentariæ comp.

℞ Rad. Serpentar. Virgin. Contray. Angel. Hiſpan. ana ʒj, Croci, Coccinel. ana ʒß, Lap. de Goâ ℥ß, m. f. Pulv.

Summè eſt Alexipharmacus.

Pulv. ſine pari.

℞ Auripigm. Virid. Æris ana ʒij, Alum. uſt. ℥j, Colcothar. ℥ß, m. f. Pulv.

Inſperge hujus parum ſuper loca ulcerata; applica deſuper Ungu. de Minio ſuper Linteum, & ibi circum circa maneat, donec ſponte Eſchara decidat, vel ſeparari poteſt. Bibatur interim Decoct. Guaiaci cum Glycyrrh. & Paſſulis, pro Potu ordinario.

Pulv. Solearis.

℞ Sem. Cymini ℥iij, Caryoph. ℥j, Sal. decrepit. ℥iiij, m. f. Pul.

Pro Soccis interbaſtandis Podagricorum, ſemper ad Pedum plantas geſtandis.

Pulv.

1 *Pulv. Sternutatorius.*

℞ Majoran. Roriſmar. Beton. Flor. Lil. Conval. ana ʒiij, Nuc. Moſch. ʒij, Sal. volat. Sal. Armon. ℈j, m. f. Pulv.

Valet in omnibus Capitis Doloribus, Lethargo, Podagrâ, &c.

2 *Pulv. Sternutatorius.*

℞ Majoran. ʒiß, Nicot. Hiſpan. ʒß, Nuc. Moſch. ʒj, Ol. Still. Majoran. gt. iij, m. f. Pulv.

Pul. Stomachicus.

℞ Pellic. interior. Ventric. Capon. ℥iiij, Nuc. Moſch. Mac. Sem. Coriand. Aniſi, Fænic. ana ʒiij, Ment. ʒj, Glycyrrh. ʒij, Sacchar. Roſ. ℥ij, m. f. Pulv.

Ad Tormina Ventris. Doſ. à ʒj ad ʒij.

Pulv. ad Strumas.

℞ Lap. Spongiæ ʒiij, Sal. Gem. ʒij, Tart. Vitriolat. ʒj, m. f. Pulv.

Doſ. ℈ij bis in die per dies xij.

Pulv. Stypticus.

℞ Croc. Mart. aſtring. ʒij, Oſſ. Bubuli (ad albed. calcin.) ʒiij, Boli, Lap. Hæmatit. ana ʒiß, Sang. Drac. ℈iiij, m. f. Pulv.

Excipiatur Albumine Ovi, & cum Turundâ ex Bombace Nari indatur ſanguinem profundenti.

Pulv. ad Suffitum.

℞ Myrrh. Succini ana ℥ß, Sulph. viv. Cinnam. ana ʒij, Cort. Nuc. Piſtach. ʒiß, Balſ. Peruv. ʒß, m. f. Pulv.

Uſurpetur manè, cum Infundibulo Chartaceo inverſo.

Pulv. Tartari comp.

℞ Tart. Vitriol. Reſin. Scammon. ana ℥j, Turpet. Hermodact. ana ℥ß, Ol. Cinnam. & Caryoph. ana gt. xij, m. f. Pulv.

Doſ. à ℈j ad ℈iiij.

Pulv. ad Tormina.

℞ Rad. Conſolid. maj. ʒj, Nucleor. Perſicor. Nuc. Moſ. ana ℈ij, Succini ʒß, Ambræ griſ. ℈ß, m. f. Pulv.

Si (inquit Mayerne) hujus ʒj, exhibeatur Mulieri à primo partu, nunquam patietur Tormina in partibus ſequentibus.

Pulv. Trachæorum comp.

℞ Arteriar. aſper. Ovium (mundat. & in clibano ſiccat.) ℥iiij, Arter. aſper. Caponum (ſimilitèr præp.) ℥iij, Raſ. Ebor. Priapi Tauri, Cervi, & Hippopotami ana ℥ij, Dent. Hippopot. ℥iß, m. f. Pulv. cui adde Sacch. Roſ. ℥viij, m.

Ad Urinæ incontinnentiam maximè valet. Doſ. ʒj ter in die cum Syr. de Symphyto.

Pulv. Vermifugus.

℞ CCC, Corallin. Sem. Santon. Rhabarb. ana p. æ. m. f. Pulv.

Doſ. ℈j ad ʒß per dies 3 circa Novilunium, & Plenilunium.

Pulv. ad Ulcera.

℞ Mercur. præcip. rub. ʒj, Vitrioli alb. Alum. uſti ana ʒß, m. f. Pulv.

Eſcharam facit profundam.

Pulv. Uvularis.

℞ Balauſt. Rad. Biſtort. Tormentil. ana ℥ß, Alum. ʒij. m. f. Pulv.

Hoc ſuper digitum vel linteum excepto tangantur Uvula & Palatum.

Ranarum Hepata.

Præparantur exiccando ſupra Folia Caulium in vaſe clauſo, & pulveriſando.

In Epilepſiâ, Quartanâ, &c. Doſ. ʒß.

Roſa Solis.

℞ Herb. Roris Solis recent. Miij, Nuc. Moſch. Sem. Aniſi, Coriand. Flor. Roſ. rub. ſicc. ana ℥ß, Galang. Zinzib. Caryoph. ana ʒij, Glycyrrh. ℥j, Cardamom. Zedoar. Gran. Parad. Cal. Arom. ana ʒß, Sant. citr. ʒj, Sant. rub. Cinnam. ana ʒvi, Spir. Vini Gallic. ℔vi, infunde aliquot dies; f. Col. per Manicam addendo Sacch. opt. ℥xij.

Confert ad Phthiſin, &c. Confortat. Ventriculum & Cor. Capitis Dolorem & Ventris

Ventris Tormina ſedat. Peſtem præcavet, &c.

Saccharum Amburatum.

℞ Sacch. opt. pulv. & per Cribrum miſſi ℔j, vel q. v. repone in vaſe Stanneo, indendo medio Sacchari Ambræ griſ. fruſtulum, ad ℈j, vel q. v. Stent ſimul perpetuò (vaſe clauſo) in loco tepidiuſculo Camini juxta angulum. Sic Ambræ Fragrantia, ſimul cum Viribus, toto Saccharo communicabitur, ſine ullo Ambræ detrimento, ant perditione.

Sacculus Aromaticus.

℞ Nuc. Moſc. Cinnam. ana ʒiij, Mac. Caryoph. ana ʒiß, m. f. Pulv. pro Sacculo interbaſtato rotundo, qui Regioni Ventriculi, vel Umbilici (inſperſo Vino Hiſpanico) calidus adhibeatur.

Ad Nauſeam, Vomitum, Ventriculi imbecilitatem, Dolores Colicos, Diarrhæam, &c.

Sacculus Cephalicus.

℞ Sem. Carui ℥ß, Pæon. ʒiij, Mac. Nuc. Moſch. ana ʒiiß, Herb. Verben. Primuli Veris, Beton. ana Miij, Flor. Roriſm. Paralyſ. ana Mj, Bac. Junip. ℥iß, m. f. Pulv. craſſus; unde Sacculi fiant duo interpuncti.

Coq. in Aq. font. q. ſ. f. Expreſſ. adhibeantur alternatim (calidi) capiti, per horæ ſpatium manè.

Sacculi Colici.

℞ Fol. Lauri, ſummit. Abſint. Puleg. Calamint. Origani, Centaur. min. Flor. Chamæm. ana Miij, Sem. Anethi, Fænic. dulc. Aniſi, ana ℥ij, m. f. Sacculi duo pro Abdomine.

Valet etiam ad menſes evocandos.

Sacculus Nuchalis.

℞ Sem. Cymin. ℥ij, Piper. long. ʒvi, m. f. pulv. qui interbaſtatus inter duo linteola irrigetur Aquâ Anthûs, exiccetur, & calidè Nuchæ admoveatur.

Ad Catarrhum, & Defluxiones.

Sacculus Roſatus.

℞ Flor. Roſ. rub. ſiccat. ℥iiij, Rad. Ireos Florent. ℥viij, Cal. Arom. Cyperi, ana ʒvj, ſummit. Majoran. ℥j, Flor. Lavend. ℥ß, Sem. Coriand. ʒx, Lig. Rhod. Succini, ana ℥ij, Caryoph. ʒij, præp. miſceantur omnia; atque in Vaporatorio extenſa ſuper telâ rarâ ſuffiantur decies pulv. Styrac. Calam. & Benzo. f. pulv. craſſus includendus Sacculis ad uſum.

Contra Cephalalgiam, cum his Caput ſedulò fricetur, ad calorem uſque, & cutis ruborem.

Sacculus

Sacculus Stomachicus.

℞ Summit. Abſint. ſicc. & Ment. ana M ij, Macis ʒiij ex contuſis f. Sacculus, Aceto, Roſaceo, calefacto immergendus; exprimendus; Ventriculo adhibendus; & quartâ quâque horâ renovandus.

Ad vomitum ſiſtendum.

Savanetta Coſmetica.

℞ Sapon. Venet. raſ. ℥j, ſolve in Succi Limon. ℥ij, adde Ol. Amygd. amar. Ol. Tart. per deliqu. ana ℥j, m. & tamdiu inſolentur donec in Unguenti ſpiſſitudinem pervenerint, ſingulis diebus probè agitando. Tum adde Ol. Rhodii g^t. vj, vel q. ſ. f. Ungu.

Secundinæ Præparatæ.

Abluantur Secundinæ Fæminæ, aut ſuis primiparæ cum Vino albo; exiccentur citò, & pulver. ſ. a.

In Epilepſiâ, Utero Strangulato, Partu difficili, &c. Doſ. ad ʒj.

Serum Aluminatum.

℞ Alum. rup. ʒiij, Lact. ℔iiij, coq. parùm ut ſeparetur Serum; adde Sácch. ℥iiij, clarific. cum Album. Ov. ſ. a. col.

Si vis Emeticum, Coq. Alum. ʒiij in Lactis ℥viij.

Ante Paroxyſmum Febrilem ſumatur.

Serum Canarinum.

℞ Lact. & Aq. Hord. limpidæ (vel Decoct. Raſ. CC & Eboris) ana ℔j ſuper prunas ebullientibus affunde Vini Canarini ℔ß, parùm coque, & Serum à Coagulo per Cribrum ſepara.

Ad Potum ordinarium in Febribus non Inflammatoriis.

Serum Hepaticum

℞ Herb. Hepaticæ Mij, Fumar. Cichor. Endiv. ana Miij, Agrimon. Acetoſæ, Ling. Cerv. Borag. Bugloſ. ana Mj, Sem. Carui ʒj, contuſis affunde Seri Lactis ℔iij, f. Expreſſ. adde Sacch. alb. ℥iij, clarific. ſ. a.

Doſ. ℔j bis in die.

Serum Nephriticum.

℞ Lactis ℔ij, Vin. Rhen. ℔j, f. Poſſetum clarum ad ℔ij, cui adde Syr. Roſ. Sol. ℥ij, Syr. Alth. ℥j, Lap. Prunel. ʒj, m. bibatur manè.

Ser. Pſoricum.

℞ Herb. Agrimon. ſcabioſ. ana Mj, Hepat. Miß, Fumar. Tarax. Argentinæ ana Mij, contuſ. infunde in Seri Lact. ℔ijß, coque parùm; exprime, Sacch. ℥iß, adde & clarifica.

Ser. Scorbuticum.

℞ Summit. Abiet. Mvj, Herb. Cichor. Acetoſæ ana Mxij, Cochl. Naſturt. Aq. ana

ana Miiij, Sem. Coriand. ℥ij, contuſis ad-de Succi Aurant. ℥iiij, Seri Lact. ℔iiij, Sacch. alb. ℥ij, clarif. ſ. a.

Doſ. ℔j bis in dies.

Serum de Sedo.

℞ Succi Sedi maj ℔j, Lact. ℔ij, coq. ut f. Serum ſ. a.

Sedat ſitim, compoſcit Ardorem. Uſui eſt præcipuè in Febribus Bilioſis, & Ophthalmiâ. Doſ. ℔j, vel ℔ij in dies.

Ser. Sinapinum.

℞ Lact. ℔ij, calefact. adde Muſtardæ rec. (cum Aceto fact.) cochl. iij, f. Serum clarum, quod coletur pro unâ doſi.

Remedium eſt ſingulare in Tuſſi, Aſthmate, &c. calidum bibatur horâ ſomni, & mane in lecto.

Succi Scorbutici.

℞ Succ. Cochlear. utriuſque Becabung. Naſturt. Aq. ana ℥xvj, Aurant. ℥xx m. trajiciantur per manicam ad claritatem rubicundam, Vini inſtar rubelli.

Gratiſſimi ſaporis ſunt; atque in lagenis vitreis diu ſervari poſſint. Doſ. Cochl. ij in omni hauſtu Cereviſiæ. vel ℥iiij ad ℥viij in die.

Suffimentum Hyſtericum.

℞ Aſæ fœt. ℥j, diſſolv. in Aceti ℔j, adde Rutæ Mj, coq. in Lagenâ ſtricti orificii.

Calidus

Calidus Vapor. hiante ore, & naribus excipiatur ſæpiùs in die.

Suffimentum Pectorale.

℞ Cinnam. (ex cineribus vitis, vel cum Florib. Sulph. ſublimati) ℥ß, Tabaci Indici ʒiij, Tuſſilag. Rad. Enulæ, Cal. Arom. ana ℈iiij, Lig. Aloes, Benzo. Gum. Guaiac. ana ʒiß, f. pulv. ſubtil. & cum Balſ. Peruv. (vel Tereb. Venet.) f. Trochiſci. N° xii.

In Empyema horum accenſorum fumus excipiatur ope infundibuli.

Suffim. Peſtilentiale.

℞ Aceti acidiſſ. ℔j, Rad. Zedoar. ℥j, Summit. Rutæ ℥ß, M.

Cum hâc miſtura ſuffumigetur perpetuò Cubiculum.

Suffim. ad Ulcera.

℞ Hydrag. ℥j, Lap. Pyrit. ʒvj, Maſtic. Thur. Gum. Junip. ana ʒiij, Labd. ʒiijß, Styrac. Calam. Benzo. ana ʒij, Gum. Guai. ʒß, f. omn. Pulv. cum Terebint. Ven. q. ſ. f. Trochiſc. pendentes ʒij.

Ad Ani Ulcera recipiat Patiens fumum in ſellâ perforatâ. Deinde per Embolium in Anum, ſemel in die, & pro Euphoriâ continuatur.

Sulphuris Liquamen.

℞ Flor. Sulph. Sacch. Cand. pulv. ana ℥j, f. pulv. induratis 4 Ovis (exemptis vitellis)

tellis) include, & probè ligata ſuſpende ſuper prunas, ut Liquamen exudet.

Pectorale eſt. Doſ. gr. xx. xxx.

Suppoſitoria Aluminoſa.

℞ Alum. pulv. q. v. Album Ovor. agitat. q. ſ. ut f. Paſta, & exinde Suppoſitoria diverſæ magnitudinis, & longitudinis, ſiccanda ad uſum.

Suppoſ. Hæmorrhoïdalia.

Fiunt ex Cretâ & Ung. popul. ſ. a.

Refrigerant, Sanguinem ſiſtunt.

Syrupus Lujulæ.

℞ Succ. Lujul. ℔ijß, Aq. Roſ. rub. ℔ß, Sacch. opt. ℔iß, (potius ℔iij) digere in Balneo, dum fæces ſubſederint, toties quotiès.

Syr. Balſamicus.

℞ Balſ. de Tolu ℥ij, Aq. Fl. Tuſſilag. ℥xij, coq. in vitro circulatorio exactiſſimè lutato in arenâ poſito horas tres. Col. frigidæ admiſce Sacch. opt. ℔xx ut f. Syr. ſine ope caloris.

Eodem modo paretur Syr. Benzo. Styr. cal. &c.

Syr. Benedictus.

℞ Infuſ. Benedict. ℥xij, Sacch. alb. ℥iiij, exhala in Balneo ad Syrupi conſiſt. ſ. a.

Pro Infantibus. Doſ. cochl. j, ij, &c.

Syr.

Syr. Cardiacus auratus.

℞ Aq. Chelidon. comp. (vel Mirabil.) ℔j, Sacch. opt. ℔ij, diſſolve ad lentum Balnei calorem, & adde Succ. Chermes, col. Syr. de Coral. comp. ana ℥ij, fol. Auri N° xx. m. ſ. a.

1 *Syr. Chalybeatus.*

℞ Sal. Chalyb. ʒij ſolve in Aq. Gent. comp. ℥j, adde Syr. de Pomis alter. ℥ix, m. ſ. a.

Doſ. ℥ß ad ℥iß.

2 *Syr. Chalybeatus.*

℞ Vin. Chalyb. (infrà deſcribend.) ℔ii, Sacchar. opt. ℔j, exhala lento igne ad Syrupi coſiſt.

Syr. Chalyb. Corallatus.

℞ Raſ. Lig. Sant. rub. ℥iiij, Sant. alb. Cinnam. Coral. rub. ana ℥j, Vini imbellis ℔iß, macerentur ad Cineres obſignato vaſe horas xxiv, Col. Claræ adde Sacch. opt. ℔j, f. Syr. ſ. a. Tum adde Sal. Chalyb. ad rubedinem calcin (in Aq. Cydon. ſolut.) ℥ß, m.

Valdè aſtringit, & roborat. In omnibus Fluxibus (præſertìm Hepaticis) usûs eſt inſignis. Doſ. ℥ß ad ℥j, &c.

Syr. de Croco.

℞ Croci ʒij, Opii (ſupra Caminam Ferri ſiccat. & pulv.) ℥ß, Spir. Vitrioli g^t. xxx, Aq. Citri totius ℥viij. Digere in

Balneo ut extrahatur Tinctura, quæ filtretur. Tum ℞ Sacch. opt. ℥xviij, Aq. Citri totius ℥vj, Coq. deſpumando ad Syrupi craſſioris conſiſtiam. Cui adde Tinct. prædictam, ut f. Syr. conſiſtentiæ debitæ ſine coctione.

Doſ. ʒj ad ʒiij, &c.

Syr. ad Fiſſuras.

℞ Gum. Arab. ʒij, Sacch. Cryſtal. ℥ß, Aq. Roſ. rub. ℥ij, coq. in Syrup. liquidiorem.

Remed. optatiſſ. in Fiſſuris Mammarum.

Syr. è Floribus.

℞ Flor. Roſ. rub. ℥j, Viol. Caryoph. Summit. Serpylli citrati ana ℥ß, Aq. Roſ. Dam. & Pomor. redolent. ana ℥xx, Ol. Vitrioli q. ſ. ad Aciditatem paulò ſupra mediocrem. f. Maceratio in Balneo xxiv horas. Col. clar. (ſine expreſſ.) adde Sacch. opt. (ad Tabulat. coct.) pondus æquale m. f. Syr. ſ. a. ſine coctione.

Pro condiendis Julapiis contra æſtum, & ſitim.

Syr. Hæmoptoicus.

℞ Succor. Heder. terreſt. Plantag. Agrim. Sedi maj. Portul. depuratorum ana ℔ß, Sacch. Roſ. duplum f. Syr. ſ. a.

Doſ.

Doſ. ℥ij cum Aq. Lact: ℥vj ſingulis auroris. & eadem quantitas horâ ſomni, cum Aq. Rhæad. ℥iiij.

Syr. Jovialis.

℞ Limat. Stann ℥vj, Chalyb. ℥ij, infund. in Aq. font. ℔vj horas 48. Tum adde ſummit. Tamariſ. Mij, Cort. Cappar. ℥iß, Paſſul. ℥iiij, Sem. Aniſi ℥j, coq. donec libræ iiij abſumptæ fuerint. f. Col. add. Sacch alb. ℔j clarifica, & coq. ad Syrupi conſiſt. Optimè valet ad Melancholiam Hypochond. Cachexiam, Chloroſin, Icterum. Doſ. ℥j quotidiè mane cum Aq. Lumbric. Magiſtr. ℥ij.

Syr. Limacum.

℞ Limac. hortenſ. (ante ortum ſolis collect. è teſtis ſuis exempt. & conciſ.) ℔j, Sacch. candi ſubtil. pulv. ℔ß m. & conjiciantur in Manicam, ut in Cella defluant in Syrupum.

Fieri etiàm poteſt ex Limacib. perforatis cum Teſtis, & Saccharo cando.

In Phthiſi, Tabe, &c. Doſ. cochl. j. frequentèr.

Syr. Lumbricorum.

℞ Lumbric. terreſt. recent. (opt. mundat.) ℔j, indantur vitro orificii anguſtioris (benè operculo munito) & obvolvatur vitrum totum paſtâ. Coquatur in Clibano cum Panibus Piſtoris. Poſteà coletur li-

quor, cui addetur Sacch. opt. q. ſ. ut f. Syr.

Doſ. ℥j cum Chalybeatis, &c.

Syr. de Myrrhâ.

℞ Myrrh. ʒvj, Croci ℈iiij, Hyſſop. Tuſſilag. ana Miij, Capil. Vener. Mj, Sem. Bombac. ℥j, Paſſular. exacinat. ℥iij, Coq. in Vin. alb. ℔iß ad ℥xij, col. add. Sacch. opt. ℥viij, coq. in Syr. conſiſtent. ſ. a.

Pectoralis eſt, Aſthmaticus, Aperitivus, Emmenagogus, &c. Doſ. ℥j, ℥ij, &c.

Syr. Peponicus.

℞ Carnis Pepon. matur. & recent. ℔iiß inciſ. minutiſſimè adde Sacch. opt. pulv. ℔j, f. SSS in Ollâ vitreatâ. Stet ſuper Peponis carnem pondus ℔j, vel ℔ij (horas aliquot) ut fiat Syrupus in loco frigido, ſ. a.

In Phthiſi, Tabe, &c. dentur cochl. iij bis in die cum Pulv. Haly ʒj.

Syr. de Peto.

℞ Succi Peti Anglici ℔j, Oxym. ſimpl. ℥iiij, Hydrom ℔j, digere dies 4 ut optimè defæcetur. Hinc decanta, iterumque digere ut ſupra, donec materia ob omni fæculentiâ depurata fuerit adde poſtea Sacchari ℔ij, & coq. in Syrup. ſ. a.

Mira præſtat in Epilepſiâ, Tuſſi, Aſthmate, Catarrho Suffocativo, Phthiſi, Ventriculi

triculi dolore, viſu recuperando. Doſ. cochl. ß ad ij.

Syr. de Rapis.

℞ Rapar. excortic. in laminas tenues inciſ. ℔iij, Sacch. opt. pulv. ℔j, f. SSS in vaſe fictili. Stent in frigido ſimul cum pondere ſuperpoſitò, per horas xij f. Col.

Lenit acrimoniam Bilis, ac aſperitatem Bronchiorum, Aſperæque Arteriæ.

Syr. Sambucinus comp.

℞ Bacc. Sambuc. à ſtipitib. liberat. ℔ij, Uvar. Corinth. mundat. inciſ. ℔j, Flor. ſicc. Borag. Bugloſ. Viol. Roſ. rub. ana ℥ß, Vin. rubelli ℔j, coq. in Clibano. Col. claræ adde Sacch. opt. ana & coq. in Syrup. ſ. a. *Micklethwait.*

Alexipharmacus, Cardiacus, Uterinus, Sudorificus eſt, &c.

Syr. de Scammoneo.

℞ Diagryd. ʒvj Paſſular. exacinat. Sacch. alb. ana ℥viij, Spir. Vini ℔ij, coq. lento igne aduſtulando ad conſumptionem dimidii f. Col.

Catharticus eſt Doſ. ℥ß ad ℥iß.

Syr. Sidereus.

℞ Tinct. Ferri (quam vide ſuo loco) exactiſſ. filtrat. ℔ij, Sacch. opt. ℔j, exhala in Balneo ad conſiſt. Syrupi ſ. a.

Longè

Longè efficacior eſt, quàm Syr. Chalybeatus in obſtructionibus, &c. Doſ. ʒij ad ʒvj.

Syr. Scorbuticus.

℞ Summit. Pini recent. Herb. Cochlear. marin. Naſturt. Aq. Becabung. ana q. v. contunde, & exprime Succos. Horum ℞ ℔iij, Succ. Aurant. ℥vi, clarifica exactiſſ. cum Album. Ovor. adde Sacch. opt. ℔ij, coq. ad conſiſt. Syrupi. ſ. a. cui refrigerato adde Spir. Cochl. ℥ij, m.

Syr. de Sulphure.

℞ Hepat. Sulph. ℥ij, Vini Canar. ℔j, digere dies iij, & Vin. tinctum filtra, tum ℞ Sacch. opt. ℔iij, Aq. Tuſſilag. ℔j, coq. deſpumando ad conſiſt. craſſiorem. Deinde adde Tinct. dictam & f. Syrupus, ſ. a. ſine coctione.

Inſigniter confert in Aſthmate, Tuſſi, Phthiſi, Peſte, &c. Doſ. ℥ß, ℥j, &c.

Syr. Terebinthinæ comp.

℞ Terebinth. ℥xiij, Maſtich. ℥j, Nuc. Moſch. ℥ß, Syr. Roſar. ℔vj, m. coq. leniter ad deſpumationem, & Col.

Syr. Tolutanus Magiſtralis.

℞ Balſ. Tolut. B de Mechâ (vel ejus defectu, Capivii) Styrac. Calam. Benzoin. Olib. Maſtic. Myrrh. G. Ammoniac. Tacamahac. G. Elemi, Terebinth. Chienſ. Rad. Irid. Florent. ana ℥ß, Aq. Bechicæ ℔iß,

℔iß, Coq. in vaſe circulatorio optimè clauſo, in arenâ calidâ poſito horas aliquot, omnibus refrigeratis. f. col. cui adde Sacch. opt. q. ſ. ut f. Sytupus albiſſimus, ſ. a.

Pectoralis eſt Aſthmaticus, Phthiſicus, &c. Doſ. ℥ß ad ℥j, &c.

Syr. Vermifugus.

℞ Herb. Helleboraſtri recent. ℥ij, Sem. Santonic. ℥iß, Rad. Bryon. alb. recent. ℥ß, Summit. Abſint. Rom. Mij, Coq. in Aq. Font. q. ſ. ad ℔j, col. adde Sacch. opt. ℔j, coq. ſ. a. ut f. Syr. & col.

Doſ. cochl. j bis in dies.

Tabulæ Abſinthiacæ.

℞ Sacch. albiſs. ℔j, Aq. Abſint. q. ſ. coq. ſ. a. inſtillando Ol. ſtill. Abſint. gt 60, & effunde in Marmor.

Stomachicæ, Hepaticæ, Spleneticæ, &c.

Tab. de Cardamomo.

℞ Sem. Cardamom. pulv. ℥j, Flaved. Cort. Aurant. minut. conciſ. ℥iiß, Sacch. opt. (in Aq. Roſar. cum tertiâ parte Aq. Thymi ſolut.) ℥xvj, coq. & effunde ſ. a.

In Flatu optimum remedium.

Tab. Carminativæ.

℞ Sem. Dauci Sylv. Pulv. ℥j, Sacch. opt. (in Decoct. Sem. Dauci ſolut.) ℥xii, coq. & effunde ſ. a.

Tab.

Tab. Caryophyllaceæ.

℞ Flor. Caryophyll. hortenſ. pulv. ʒvj, Caryophyll. Aromat. ℈j, Sacch. alb. (in Aq. Roſ. Damaſc. ſolut.) ℥xij, coq. & effunde in Marmor.

Stomachicæ, Cephalicæ, Cardiacæ ſunt Cruditati Ventriculi, Vertigini, &c. obnoxis conferunt.

Tab. Cephalicæ.

℞ Specier. Diambr. ʒij, Rad. Cal. Arom. Angel. Hiſp. Flor. Lavend. ana ʒj, Nuc. Moſch. Mac. ana ℈j, Caryoph. Cinnab. Antimon. ana ℈ß, Ol. Succini ʒß, Sacch. alb. (ad Tabulat. coct.) ℥vj, f. Tabellæ ʒß pondere, quibus æger ſæpè in die veſcatur.

Eodem modo parari poſſint Ex. Pleres Archontic. Stomachicæ, & Cardiacæ.

Tab. Diambræ.

℞ Specier. Diamb. ℥ß, Sacch. alb. ℥viij, Aq. Cinnam. q. ſ. coq. & effunde ſ. a.

Stomachicæ, Cephalicæ, Cardiacæ ſunt, &c.

Tab. Eboratæ.

℞ Ebor. pulv. ℥iß, Ocul. Cancr. Margar. præp. ana ʒj, Ol. Cinnam. g^t. vj, Sacch. opt. (in Aq. Roſ. rub. ſolut.) ℥xvj, Coq. ſ. a.

Tab.

Tab. Ebryonum.

℞ Pulv. Rad. Biſtort. Ebor. Coral. rub. Sem. Coriand. præp. ana ℥ß, Succin. alb. Cryſtal. Bacc. Kerm. ana ʒij, Sacch. alb. ℥xvj, Aq. Cydon. q. ſ. coq. ſ. a. addendo Ol. Cinnam. gt. vj, & effunde.

Virium ſunt magnarum in Abortu præcavendo, Fætu roborando, &c.

Tab. Epilepticæ.

℞ Pul. de Guttetâ ʒij, Sem. Pæon. mar. Cinnab. Antimon. ana ʒj, Ol. Succini gt. xxiiij, Sacch. alb. (ad Tabulat. coct.) ℥iiij, f. Tab. ſ. a.

Tab. Fæniculinæ.

℞ Sacch. opt. ℔j, Aq. Fænic. q. ſ. coq. ſ. a. inſtillando Ol. Fænic. gt. 50 effunde ſ. a.

Ad Flatum, Colicam, &c.

Tab. Paralyticæ.

℞ Spec. Diamb. ʒj, Rad. Galang. Cal. arom. ana ʒiß, Sem. Sinap. ʒij, Ol. Succini ʒß, Sacch. (ad Tabulat. coct.) ℥vj, f. Tab. ſ. a.

Tab. Perſicæ.

℞ Flor. Perſicor. pulv. ℥ij, Sacch. (in Aq. Roſ. coct.) ℔j, f. Tab. ſ. a.

Conducibiles ſunt ad Lumbricos enecandos; & ad alvum laxandam.

Tab.

Tab. Sambucinæ.

Fiant ex Flor. Sambuc. ſicc & pulv. ℥ij, & Sacch. (Aq. Fl. Sambuc. ſolut.) ℔j, ſ. a.

Tab. Tormentillæ.

℞ Rad. Tormentil. pulv. ℥iß, Cinnam. ʒß, Sacch. opt. (Aq. Cinnam. ſolut.) ℔j, coq. & effunde ſ. a.

Eximii usûs ſunt ad abortum prohibendum, & Fætum roborandum.

Tartari Cicera.

℞ Terebint. Chienſ. ℥ij, Crem. Tart. ℥j, Spec. Diaireos ſimpl. Nitri præp. ana ʒij m. f. Maſſa Pilul.

Ad Podagræ præcautionem detur ʒß bis in die per Menſes aliquot. Vide *Mynſicht.*

Tela Cerata ad Furfures.

℞ Ceræ alb. ℥iiij, Reſinæ ℥j, Terebint. Venet. ʒij liquentur ſimul; & ut artis eſt, f. Telæ, lævigandæ vitro in aſſere, inſpersâ Aquâ Roſarum.

Tela ad Herpetem.

℞ Ceræ alb. ℥iiij, Sperm. Ceti recent. ℥ß, Camph. ℈j, Alum. uſti, Borac. Veneti ana ʒß, Mercur. ſublim. exactè lævig. ʒij, f. ut artis eſt in Paropſide fictili.

Teſtes

Teſtes Equi Præparati.

E vivo Equo eximantur, incidantur, Vino albo abluantur, exiccentur citò, & pulverentur. Eodem modo præparantur Teſtes Apri, &c.

Tinctura Florum.

℞ Vin. Rhen. ℔ij, reddatur acidiſſimum cum Spiritu Vitrioli; mox inſtilletur tantum Olei Tartari per deliquium, quantum ſufficiat ad aciditatem omnem adeò tollendam ut demùm dulceſcat liquor. In quo infunde Flor. recent. Borag. Bugloſ. Roſ. rub. Caryoph. ana ℥ij, poſt extractam Tincturam rubicundiſſimam, col. & add. Syr. è Rubo Idæo ℥iij, Syr. Limon. ℥j, m. f. Julap.

Contra ſitim, & Æſtum internum febrilem.

Tinct. Roſarum.

℞ Flor. Roſar. rub. exungulat. ℥ß, Ol. Vitrioli gr. xxx, Aq. font. calent. ℔iiß, macerentur ad horas iij, col. clar. add. Sacch. cand. alb. ℥iij.

In Febribus refrigerat. Hepar. confortat coctionem juvat. Diarrhæam, Menſium Fluxum, &c. patientibus ſuccurrit. Doſ. ℥ij, ℥iij, &c.

Torquis Infantum.

Fit ex Rad. Pæon. mar. & Hyoſcyam. recent. in fruſtula rotunda ſectis, in medio

perforatis, filoque ſeriatìm appenſiſ. qui Sindone circumvolutus circa Collum geſtetur Dentitionis tempore.

Dentitionem facilitat, & Convulſiones præcavet.

Tragæa Granorum Actes.

℞ Succ. Baccar. Sambuc. q. v. Farin. Secalin. q. ſ. ut f. Paſta. Exinde f. panes exigui, quos coque clibano ad duritiem Biſcocti. Hos pulveratos cum recenti Succo iterum impaſta; atque ut priùs coque. Idque tertio repete. Tandem f. Pulvis ſubtilis cujus ſingulis unciis adde Nuc. Moſ. ʒß.

Ad Dyſenteriam. Menſes immodicos, Doſ. ad ʒj in Vitello Ovi.

Trochiſci de Althæâ.

℞ Rad. Alth. pulv. ℥ij, Glycyrrh. ℥j, Flor. Sulph. ʒvj, Gum. Tragac. ʒij, Sacch. opt. ℥xij, Aq. Pectoral. q. ſ. f. Troch. ſ. a.

Troch. Amygdaloides.

℞ Partis albæ Benz. ℥j, Sulph. ℥ij, Rad. Irid. Florent. ℥iß, Sang. Drac. ʒj, Sacch. alb. ℥xij, Mucilag. G. Tragac. (Aq. Roſar. extract.) q. ſ. f. Troch..

In Tuſſi, Aſthmate, Phthiſi præſtantiſſimi.

Troch. de Angelicâ.

℞ Rad. Angel. recent. ad mollitiem coct. & per ſetaceum traject. ℥iß, Sacch.

opt. ℥xij, Mucilag. Tragac. q. ſ. f. Troch. albiſſimi.

Bezoardici ſunt, Cardiaci, Emmenagogi, Traumatici, &c.

Troch. Antimoniales.

℞ Ceruſſæ Antimon. (ex Regulo fact.) ℥vj, Sacch. alb. ℥xij, Mucilag. Tragac. q. ſ. f. Trochiſci ſcrupulares, ſ. a.

Vid. vires Elect albi.

Troch. de Aurantiis.

℞ Cort. extern. Aurant. Limon. Citri candefactor. ana ℥j, Confect. Aniſi & Zinzib. ana ʒiij, Galangæ ℈ß, Caryoph. N° xij, Nuc. Moſc. cond. N° ij, Aromat. Roſ. ℈iiij, Amygdal. dulc. decortic. Rad. Eryng. candefact. ana ℥j, Nuc. Pinear. Piſtach. ana N° x. Moſch. Zibet. ana gr. iiij, Ambr. griſ. ℈j, Sacch. alb. ℔iß, Mucilag. Tragac. (Aq. Roſar. fact.) q. ſ. f. Paſta, & exinde Trochiſci.

Sunt Cardiaci, Carminativi, Antiſcorbutici.

Troch. Burgeſiani.

℞ Glycyrrh. recent. ℔j, Decoct. (Paſſular. Scabioſ. Viol. ana) ℔vj, infunde dies iij, & coq. ad dimid. f. Expreſſ. quæ exhaletur ad Mellaginem, cui adde Sacch. cand. alb. pulv. ℥xij, Gum. Tragac. Pulv. ʒij, Ol. Aniſi, g^t xx. Ambr. griſ. gr. iij,

 con-

contunde optimè, ut f. Maſſa, ex quâ form. Troch..

Bechici ſunt.

Troch. Cardiaci.

℞ Cort. extern. Citri cond. ℥iij, Limon. ℥ß, Aurant. ʒij, Confect. Sem. Fœnic. dulc. ʒiiß, Coriand. ʒiij, Carui ʒj, incidantur omnia ferè in pulverem, & levitèr contundantur. Admiſce Nuc. Moſc. pulv. ʒß, Spec. Aromat. Roſat. ℈iiij, Ambræ griſ. ℈ß, Sacch. opt. ℥vj, Mucilag. Sem. Cydon. (Aq. Meliſſæ extract.) q. ſ. f. Troch.

Troch. Cardialgici.

℞ Cret. candid. ℥ij, Ocul. Cancr. ℥j, Nuc. Moſch. ʒj, Sacch. alb. ℥xij, Mucilag. Sem. Cydon. q. ſ. f. Troch.

Troch. Caſhew, ſive Catechu.

℞ Partis nigræ Terr. Japan. pulv. ℥iiij, Sacch. Cand. alb. ℥ß, Alum. rup. gr. j, Ambræ griſ. gr. iiij, Mucilag. Tragac. (Aq. Roſ. extract.) q. ſ. f. Troch. vel pilulæ oblongæ minutæ inſtar Muſcerdæ.

Ad Catarrhum exiccandum, & Caput roborandum.

Troch. Cathartici.

℞ Diagryd. ʒiß, Crem. Tart. ʒvj, Ol. Caryoph. g^t. vj, Sacch. alb. ℥iij, Mucilag. Tragac. q. ſ. f. Trochiſc.

Troch.

Troch. Diamargariton.

℞ Margarit. præp. ℥ß, Coral. rub. albi ana ʒij, Magiſter. CC, & Ebor. ana ʒiij, Sacch. alb. ℥iiij, Mucilag. Sem. Cydon. q. ſ. f. Troch.

Troch. Diatragacanthi.

℞ Spec. Diatragac. frig. recent. ℥ß, Moſch. Ambræ griſ. ana gr. j, Zibet. gr. ij, Sacch. opt. ℥xij, Aq. Roſ. Damaſc. q. ſ. contunde in Maſſam, & f. Troch. albiſſimi.

Troch. Divini.

℞ Lact. Sulph. ℥ij, Sacch. alb. ℥vj, Mucil. Sem. Cydon. q. ſ. f. Troch. drachmales.

In Hæmorrhoidibus curandis ſunt arcanum. Valent prætereà in Aſthmate, Scabie, &c. Doſ. N° iij vel iiij bis vel ter in die.

Troch. ad Dyſpnæam.

℞ Pulp. Paſſular. & Rad. Alth. (extract. per coctionem in Ptiſanâ) ana ℥ß, Lact. Sulph. (per infuſionem in Sp. Vini præp.) ʒij, Pulv. Glycyrrh. ʒiij, Ireos Florent. ʒiß, Sacch. alb. ℥viij m. & additâ paucâ Aquâ Naphæ f. Paſta, ex quâ conficiantur Trochiſci ore diſſolvendi, ſenſimque deglutiendi.

Troch. Emetici.

℞ Vitri Antimon. ſubtil. lævig. ℥ß, Sacch. opt. ℥iiij, Ol. Aniſi g^t. v. Mucilag. Tragac. q. ſ. f. Troch.

Doſ. à gr. xv. ad 40.

Troch. Exfoliantes.

℞ Pul. Euphorb. ʒiij, Rad. Peucedan. Ireos Florent. Ariſtoloch. rot. ana ʒj, Camph. ℈ij, terantur omnia, excipiantur Micâ Panis alb. (vel Glutine ex Farinâ & Lacte) f. Troch. quorum ſingulis addatur usûs tempore Ol. Caryoph. g^t. j.

Torch. Farſarei.

℞ Herb. Tuſſilag. (ſereno cœlo collect. & abſtersâ mucoſitate aridâ cum linteo madido, irrigati vino Hiſpanico, exiccati & pulv.) Pulv. Glycyrrh. ana ℥ß, Sacch. candi alb. pulv. ℥xij, Gum. Tragac. in Decoct. Pector. ſolut. q. ſ. f. Troch. ſ. a.

Efficaces ſunt contra Tuſſim.

Troch. Griſei.

℞ Ambr. griſ. ʒj, Moſch. gr. vj, Alum. rup. gr. ij, Sacch. Cand. alb. pulv. ℥xij, Mucilag. Tragac. q. ſ. f. Troch. Cerebum, & Cor confortant. Spiritus Naturales, Vitales, Animales mirificè reficiunt. Doſ. ʒj, ij, &c. ter vel quater in die.

Troch. Hæmoptoici.

℞ Terr. Lemn. ʒiij, Boli ʒij, Lap. Hæmatit. Magiſt. Ebor. ana ℈iiij, Rad. Biſtort.

Biſtort. Sem. Hyoſcy. Cort. Limon. recent. minutiſ. inciſ. ana ʒj, Sem. Papav. alb. ℥ß, Sacch. Roſ. ℥viij, Mucilag. Tragac. q. ſ. f. Troch.

Troch. de Helenio.

℞ Pulp. Rad. Helen. recent. coct. ℥iß, Sacch. opt. ℔j, Mûcilag. Tragac. (Aq. Hyſſop. extract.) q. ſ. f. Troch.

Ad Tuſſes, Aſthmatá, &c. validè conducibiles.

Troch. Infantum.

℞ Reſin. Jalap. ʒj, Mercur. dulc. pulv. ʒvj, Sacch. opt. ℥iij, Mucilag. Tragac. q. ſ. f. Troch. pondere ʒß.

Contra Vermes comedantur mane ij, iij, vel iiij.

Troch. Lenthales.

℞ Glycyrrh. recent. ℥viij, Sem. Aniſi ℥iiij, Carui ℥j, Aq. Tuſſilag. Hyſſop. Praſſii ana ℔j, infunde in Balneo tres dies, f. Expreſſ. fortis, quæ ad Mellaginem exhaletur, addendo Gum. Ceraſor. Arab. ana ʒij, Tragac. ℥ß (per dies ij infuſ. in Aq. Roſar. Damaſc. ℔ß) Tùm adde Sacch. opt. ℔ij, Moſch. Ambræ griſ. ana gr. vj, Pulv. Glycyrrh. ℥ß, contunde optimè in Maſſam, & exindè f. Troch. ſ. a.

Pectorales ſunt jucundi.

Troch.

Troch. Odontalgici.

℞ Sem. Apii ʒj, Hyoſcy. ʒij, Styrac. cal. Maſtich. ana ℈ij, Rad. Pyreth. Piper. long. ana ʒß, Croci, Caſtor. ana ℈j, Camph. gr. v. Opii ʒiß m. & cum Balſ. Peruv. f. Troch.

Vel cavitati dentis inditi; linteo ſuperpoſito; vel etiam denti non cavo compreſſi cum linteo, Odontalgicis ſubveniunt.

Troch. Orectici.

℞ Cretæ læviſſimæ (per triturationem cum Aquâ Naphæ, & ſiccationem in chartâ præp.) ℥j, Ocul. Cancr. (eodem ritu præp.) Margar. Coral. rub. ana ʒij, Nuc. Moſch. ʒj, Sacch. alb. ℥j, Gum. Arab. & Tragac. pulv. ana ℈ß m. & cum Aq. Naphæ tantillo f. Paſta, ex quâ Troch.

Ad Stomachi ardorem.

Troch. Pectorales.

℞ Extract. Glycyrrh. ℥ß, Amyli ℥iß, Moſc. Zibet. ana gr. iij, Ol. Aniſi gt. xij, Sacch. alb. ℥xij, Mucilag. Gum. Tragac. q. ſ. f. Troch.

Titulus vires indicat.

Troch. de Pipere.

℞ Cinnam. ℥ß, Zinzib. ʒij, Piper. n. ℈ij, Cal. Arom. Mac. Nuc. Moſc. ana ℈ij, & gr. v. Cubeb. Cardamom. min. ana gr. xv,

Caryoph.

Caryoph. Galang. Flaved. Cort. Aurant. non ſiccat. ana ʒß, Flav. Cort. Citri non ſiccat ʒj, incide omnia craſſo modo, & adde Amygd. dulc. excort. ℥v, Cort. Citri cond. ℥j, Sacch. alb. (in Aq. Ment. ſolut.) ℔j, Coq. & effunde ſ. a.

Cephalici, Stomachici, Carminativi, &c.

Troch. Prunellæ.

℞ Lap. Prunel. ℥ß, Sacch. opt. ℥vj, Mucilag. Tragac. q. ſ. f. Troch.

Ad Sitim in Febribus ſæpè teneantur in ore.

Troch. Roſacei.

℞ Roſ. rub. exungulat. ʒvj, Gum. Arab. G. Tragac. ana ℥ß, Sacch. opt. ℥xvj, Aq. Roſ. q. ſ. ut f. Paſta; indeque fiant Troch. ſ. a. Addi poſſint Ol. Nuc. Moſc. gt. aliquot.

In Catarrhis, Tuſſibus inveteratis, &c. proficui ſunt.

Troch. Saponacei.

℞ Sapon. Venet. ℥iß, Glycyrrh. ℥ij, R. Irid. Florent. ʒvj, Flor. Sulph. ℥ß, Rad. Angel. ʒij, Ol. Aniſi ℈ß, Sacch. opt. ℥viij, Mucilag. Tragac. (Aq. Hyſſop fact.) q. ſ. f. Troch.

In Empyemate, Phthiſi, &c. optimè valent. Expectorationem efficacitèr promovent.

Troch.

Troch. de Styrace.

℞ Styrac. Calam. Col. Pulp. Paſſul. minor. ana ℥j, Pulv. Glycyrrh. ʒvj, Lign. Aloes, Cinnam. ana ʒij, Nuc. Moſc. ℈v, Boli ʒx, Nuc. Moſch. cond. ſiccat ℥iß, Sacch. opt. ℥xx, Mucilag. Tragac. q. ſ. f. Troch. ſ. a.

Pectorales ſunt, Cordiales; Catarrhoſis, & Tabidis mirè conducibiles.

Troch. Synanchici.

℞ Flor. Sulph. ℥j, Alb. Græci ſubtil. pulv. ℥iij, Sang. Drac ʒij, Ol. Aniſi gt. vj, Sacch. alb ℥viij cum Mucilag. Tragac. f. Troch.

In Angina, Ulceribus Oris, Aphthis.

Troch. Tartarei.

℞ Cryſtal. Tart. ſubtil pulv. ℥j, Sacch. opt. ℥viij, Mucilag. Tragac. q. ſ. f. Troch.

Urgente ſiti, frequentèr in ore teneantur.

Troch. Tartarei comp.

℞ Cryſtal. Tart. ſubtil. pulv. ʒij, Lap. Prunel. ʒß, Pulv. Glycyrrh. ʒiij, Sacch. albiſſ. ℥ij, Mucilag. Sem. Cydon. q. ſ. m. f. Troch. ſ. a. pendentes ℈j.

Quando ſitis urget, & quando Phlegma Viſcidius, & Tuſſis ad fuerit, frequentèr in ore liqueſcant.

Troch.

Troch. Vermifugi.

℞ Pulv. CC crudi, Ebor. ana ℥iß, Corallin. ℥ß, Sacch. alb. ℥viij, Mucilag. Tragac. q. ſ. f. Troch. ponderantes ſinguli ʒß.

Doſ. N° iij bis in die.

Turundæ Acouſticæ.

℞ Galb. Pic. naval. ana ʒij, Rad. Helleb. alb. pulv. ℈v, Zibet. gr. vj div. in partes viij vel x formentur inſtar Caryophyllorum. Sindone rariſſimâ involvantur filo ad extremitates (ut ex Aure avelli poſſint) appendantur.

In Surditate optimum Remedium.

Vapor Pectoralis.

℞ Ol. Aniſi ʒij, inſtill. in Lact. fervent. in Lagenâ Vitreâ ℔iß, probè agitatione commiſtis adde Spir. Sal. Armon. ʒj.

Vernix.

℞ Ol. Lini ℥xij, Terebint. Venet. ℥iiij, Gum. Junip. ℥iij, liquentur lento igne.

Ad Hæmorrhoides.

Vinum Arthriticum.

℞ Rad. Sarſæ, Lig. Guaiac. ana ℥j, Viſc. querc. ʒvj, Herb. ſicc. Chamædr. Chamæpit. Salv. ana ℥iij, Flor. Primul. Veris, Roriſmar. Lil. Conval. ana ℥ß, Hyper. ʒvj, Vin. alb. ℔x, Infund. tres dies, f. Col.

Doſ.

Doſ. ℥ij bis in die, per dies 30 vel 40, poſt uſum Vini ſequentis.

Vin. Arthrit. Purgans.

℞ Rad. Chin. Sarſæ ana ℥ij, Polypod. ℥iij, Rhab. Sennæ ana ℥j, Jalap. ʒvj, Caryoph. ʒj, Vin. alb. ℔vj, Infunde ſ. a. & col.

Doſ. ℥iiij quotidie, per dies viij, Vere, & Autumno.

Vin. de Batiturâ.

℞ Batitur. Ferri mundat ℥vj, Summit. Abſint. Rom. Mj, Raſ. Santal. alb. Ebor. ana ʒiß, Vin. rubelli ℔ij, macerentur horas 48, f. Col. quæ filtretur.

Longè efficacius habetur, quam vulgare Vinum Chalybeatum in omnibus obſtructionibus, &c. Doſ. Cochl. ij ad v, &c. omni mane, per longum tempus.

Vin. Catharticum Ridlei.

℞ Sennæ ℥j, Caryoph. ʒiß, Croci ʒj, Vin. Canar. Chalybeati ℔iß, Infunde dies aliquot exprime, & filtra.

In febribus obſtinatis dentur cochl. iij, iiij, &c. quotidie ad longum tempus.

Vin. Chalybeatum Bateanum.

℞ Limat. Ferri ℥viij, Rad. Eryng. Enulæ ana ℥iß, Lig. Santal. citr. ʒj, Raſ. Ebor. Corall. rub. ana ʒvj, Caryoph. Mac. Cinnam. Zinzib. ana ʒiij, Ceterach. Flor. Anthûs, Fl. Geniſt. Epith. ana p: ij,

Vin.

Vin. alb. ℔vj, macera in Balneo dies viiij ſæpè agitando poſt reſidentiam, filtra ad uſum.

In menſibus obſtructis, Cachexiâ Chloroſi, Ictero, Hydrope, Quartanâ, &c. Doſ. Cochl. iij, vj, &c. omni manè, ad dies 20, 30, &c.

Vin. Chalyb. Williſianum.

℞ Limat. Ferri ℥j, ponantur in Vitro cum Succ. Aurant. ℥ij, ſtent per diem; ſubinde agitentur. Deinde affunde Vin. alb. Aq. Pomor. ana ℔j (vel Pomacei tenuioris & mitis ℔ij) cum claruerit Liquor, depromatur, & coletur ad uſum.

Exhibeatur bis in dies ad ℥ij vel ℥iij.

Vin. Cochleariæ comp.

℞ Limat. Ferri ℥iiij, Cochl. Hortenſ. Salv. Agrimon. ana Miij, Cochlear. Batav. ℔ij, Abſinth. Roriſmar. ana Mij, Rad. Raph. Sylv. ℥iiij, inciſis adde Vin. alb. & Xerrenſ. ana ℔iiij, triduanâ perectâ infuſione, f. Col.

Ex deplorato Hydrope, & Scorbuto hujus uſu curati fuerunt multi præter ſpem aliis plurimis fruſtrà tentatis. Doſ. ℥iiij bis in dies, per dies 30 vel 40.

Vin. Diureticum.

℞ Cinerum ſarmentorum Vitis cribrat. ℔ß, Nuc. Moſc. ʒij, Vin. alb. ℔iiß, ſtent calido & clauſo per diem. Col.

Ad Hydropem Doſ. ℥vj bis, tervè quotidiè.

Vin. Ecphracticum.

℞ Chalyb. præp. ʒvj, Rad. Enulæ recent. ℥ij, Summit. Abſinth. utriuſque ana Mij, Uvar. Corinth. ℥vj, Sennæ ℥ij, Vin. alb. ℔iiij. Infunde in frigido 24 horas.

Col. claræ Doſ. ℥iiij omni mane.

Vin. Helleboratum.

℞ Rad. Helleb. nig. ℥iß, Calam. arom. ℥ij, Galang. ℥ß, Croci ʒiß, Cardamom. min. ʒiij, Vin. Canar. ℔iv, macerentur horas xx in loco tepido; poſteà in frigido dies iiij, f. Expreſſ. & filtr.

Usûs eſt inſignis in Capitis intemperie, Cephalalgiâ, Melancholiâ, Aſthmate. Dentur Cochl. ij horâ ſomni; & iij manè, ad dies aliquot.

Vin. Hieræ.

℞ Spec. Hieræ ſimpl. ℥j, Coccinel. ℈j, Vin. Xerrenſ. ℔iiß m. & digere (ſæpè agitando) dies aliquot deinde filtra ad uſum.

Datur in Ventriculi dolore, Cachexiâ, Ructu, Vermibus necandis, &c. Ante Paroxyſmum Tertianæ, nec non Quartanæ exhibitum, ſæpè curat poſt tertiam vicem. Doſ. ℥ij, ℥iiij, &c.

Vin.

Vin. Hippocraticum.

℞ Zinzib: Caryoph. ana ℥j, Cinnam. Nuc Moſch. ana ʒij, contuſis adde Vin. Hiſpan. ℔xij, Sacch. alb. ℔iiiß, miſce cum Lactis recent. ℔iiß, ſtent. horas xxiv, f. Col. ſuper Limon. inciſ. N° j, & Roriſmar. virgultas duas. Sæpè per Manicam. Hippoc. trajiciendo ad claritatem perducatur.

In Languoribus Doſ. ℥iij vel iiij.

Vin. Hydropicum.

℞ Rad. Irid. noſtrat. ℥j, Enulæ, Scill. præp. ana ℥ß, Cort. Rad. Sambuc. Ebuli ana ℥j, Herb. Marrub. alb. Mj, Sennæ ℥iß, Agar. ʒß, Zinz. ʒj, Vin. alb. ℔iiij; f. infuſ. ſ. a. & col.

Vin. Hyſtericum.

℞ Sem. Paſtinac. ſylv. ℥ij, Caſtor. ℥ß, Vin. alb. ℔iiß, f. infuſ. debita, & Col.

Doſ. ℥ij.

Vin. Ictericum.

℞ Rad. Curcum. ℥iß, Croci ʒij, Nuc. Moſch. ʒj, Caryoph. ℈ij, Pip. long. ℈j, Vin: alb. ℔ij, Aq. Lumbric. Magiſtr. ℥iiij, Tinct. Martis Mynſicht. ʒvj, f. infuſ. & Col.

Doſ. Cochl. v.

Vin. Lixivioſum.

℞ Cinerum Geniſtæ, & Junip. ana ℥j, Vin. Rhen. ℔iij, f. Lixivium cui Col.

add. Rad. Ireos noſtr. ℥iß, Cort. intern. Sambuc. & Ebuli ana ℥j, Cort. Dulcamari ℥ß, Cort. Saſſafras, & Winter. ana ℈iiij, Rhabarb. ʒij, Mechoacan. ℥ß, Sennæ ℥j, Sem. Carui ʒvi, infunde in tepido per noctem. Col. adde Sacch. alb. ℥iiij, Flor. Roſar. Damaſc. Mij, ſtent aliquantiſper, & denùo Col.

In Hydrope Doſ. ℥iij, &c. omni mane per dies aliquot.

Vin. Lumbricorum.

℞ Lumbric. terreſtr. vivos, circulis rubris in collo ſignatos N° xxiv, contunde in Mortar. Marmor. cum Uvar. Corinth. mundat. ℥iiij, addendo Vin. Rhen. ℔iij, Cryſtal. mineral. (in Vin. Rhen. ſolut.) ℥ß, f. Col. limpidiſſ. ſæpè trajiciendo per Manicam Hippoc.

Diureticum eſt nobile. Doſ. ℥iij tèr in diè cum Aq. Cinnam. Hord.

Vin. Paſſulatum comp.

℞ Rad. Sarſapar. ℥vj, Chinæ ℥iiij, Lig. Guaiac. Saſſafr. Sant. citrin. & rub. Raſ. CC, Eboris ana ℥j, coq. in Aq. ℔ 64 (ſive Gallonibus viij) ad ℔ 48 (ſive Gallon. vj.)

Col. fervens affundatur ſupra Paſſul. Malacenſ. (à ſtipitibus curiosè mundat. & non nimìs minutìm conciſ.) ℔xij, ſtent iiij dies deinde Liquor per Setaceum trajectus

jectus, & poſtea per ſubſidentiam depurat. in Doliolum reponatur; qui debitâ demùm peractâ fermentatione, depromatur, & in Lagenis probè obturatis ad uſum aſſervetur.

Eodem modo parari poſſit cum Bac. Juniperi, & Paſſulis.

Ad Sanguinem depurandum uſurpetur pro potu ordinario.

Vin. Salutis.

℞ Raſ. Guai. Rad, Enulæ, Glycyrrh. Sem. Coriand. Carui, Aniſi ana ℥ij, Sennæ ℥iiij, Paſſular. exacin. ℥iij, Vin. alb. ℔vj, Spir. Vin. Gall. ℔ß, macerentur in frigido dies iiij, deinde f. Col. per Mànic. Hippoc.

Doſ. cochl iij veſp. & iiij manè.

Vin. Scelotyrbicum.

℞ Rad. Raph. Sylv. Ireos noſtrat. Enulæ ana ℥iß, Herb. Cochl. hort. Naſturt. Aq. Becabung. Acetoſæ ana Miij, Sem. Cochlear. ℨj, Vin. alb. ℔iiij. Macerentur dies ij, & f. Col.

Vin. Sennatum.

℞ Sennæ ℥ij, Crem. Tart. (Aq. font. ℥iiij diſſolut.) ℥ß, Vin. alb. ℔ij, Spir. Cinnam. ℥ij, f. infuſ. frigida triduana. col. add. Syr. Roſ. Sol. ℥iiij.

Doſ. ℥iiij. ſingulis Doſibus diſſolvi poſſunt Scammon. grana aliquot.

Vin. Sidereum.

℞ Limat. Ferri ℥vj igniantur, & extinguantur in Vin. Rhen. ℔iiij, ad ſextam vicem.. Col. adde Cinnam. Cort. Winter. ana ʒij, Cort. extern. Citri, Aurant. Limon. ana ʒj, Caryoph. ℈ij, Croci ℈j, Sacch. alb. ℥iiij, f. infuſ. per triduum deinde Col. clara; cui adde Aq. Mirab. ℔ß, M.

Ad Cachexiam, & Inteſtinorum laxitatem, propin. ℥iij omni mane..

Vin. Viperinum.

℞ Viperas fæmellas vivas, tempore verno collectas N° vj, Vini Hiſpan. ℔vj, macera. (vaſe optimè clauſo) ſine calore, per Menſes ſex deinde cola ad uſum.

Sunt qui macerant Viperas excoriatas (abjectis Interraneis, Caudâ, ac Capite) in Vino Hiſpan. per dies aliquot.

In Leprâ Græcorum, Elephantiaſi, Sterilitate, Peſte, &c. Doſ. ℥iij vel iiij bis in die, ad longum tempus.

Unguentum Æthiopicum.

℞ Empl. de Minio ℥j, Ceræ alb. ℥ß, Ol. Roſ. ℥iß, liquatis add. Æthiop. miner. ʒij, Opii ℥ß, Croci, Nuc. Moſc. Flor. Chamæm. ana ʒj, Syr. Roſar. ℥j, leni calore exhalatur humiditas, & miſc. f. a.

Ad Hæmorrhoides.

Ung. Albuminum.

Fit miſcendo exactiſſimè Ol. Roſar. ℥ij, cum Album. Ovor. ℥iiij, ſ. a.

Ad Ambuſta; Inflammationes &c. optimum Remedium.

Ung. Aurantiorum.

℞ Pom. Aurant. rec. immatura & viridentia, in pulpam cum Cortice, contuſ. N° vj, Fol. Lauri Miiij, Salv. Acetoſ. Calend. ana Mij, Succi Naſturt. Aq. ℔ij, Butyri recent ℔ij, coq. ad Succor. conſump. f. Expreſſ. fortis; cui adde recentia folia Lauri, & Salviæ contuſa, Cinnam. ℥j, Nuc. Moſch. ℥ß, coq. iterùm ad Herbarum putrilaginem & f. Expreſſio.

In Scabie, Pruritu, &c. inſigne.

Ung. Balſamicum.

℞ Balſ. Peruv. ʒx, Balſ. Tolut. ʒij m. f. Ung.

Ad Herpetem.

Ung. de Betonicâ Aquat.

℞ Herb. Beton. Aq. Acetoſ. ana Mvj, contuſis adde Butyri recent. ℔ij, coq. ad Herbar. ſiccitatem f. Expreſſio. Tèr repetatur coctio herbis recentibus. Col. adde Sulph. viv. ſubtil. pulv. ℥iiß, Ol. Still. Cort. Aurant. ʒj, m. f. Ung.

In Scabie, Pſorâ, &c.

Ung. ad Cancrum.

℞ Ung. alb. Camphor. Diapomphol. & Rub. deſiccat. ana ℥ij, Popul. Sevi Cerv. ana ℥j, Tutiæ præp. Antimon. crud. (in Aq. Solani lot.) Plumbi uſti loti) ana ʒij, Litharg. Ceruſſæ (in Aq. Plantag. lot.) Boli Arm. ana ʒj, Succi Elatin. Solani, Semperviv. ana ℥j, agitentur omnia in Mortario Plumbeo, addendo Plumbi (Mercurij tantillo Amalgamati) ℥j, m. & ex arte f. Ung.

Ung. Cephalalgicum.

℞ Ung. Alabaſtr. Roſat. ana ℥ij, Opii ʒj, Croci ℥ß, Ol. Nuc. Moſc. Expreſſ. ʒj, m. f. Ung.

Pro Temporibus, & Fronte.

Ung. Citrinum.

℞ Ol. Oliv. ℥j, Ceræ citr. ℥ß, m. ſ. a. Ad excoriationes, &c.

Ung. Crinificum.

℞ Labd. ʒvj, Axung. Urſin. ℥ij, Mellis ℥ß, Pulv. Abrotani ʒiij, Ciner. Radic. Arundin. ʒiß, Ol. Nuc. Moſc. ʒj, Balſ. Peruan. ʒiij, M.

Ung. Depilatorium.

℞ Calc. viv. ℥iiij, Auripigm. ℥iß, Nitri, Sulphuris ana ℥ß, Rad. Irid. Florent. ℥j, Lixivii fortiſſ. ℔ij, coq. ad conſiſtent. debitam, adde Ol. Caryoph. gt. xx. m. f. Ungent. ſeu Pulmentum.

Ung.

Ung. Digitalis.

℞ Butyri Maial. ℔iij, Flor. Digital. rec. contuſ. quot infarciri poterit. Inſolentur dies xxx deinde coq. ſ. a. & f. Expreſſ.

Pro locis affectis Scrophuloſis inungendis.

Nihil æquale.

Ung. ad Eryſipelas.

℞ Sapon. com. ℥iiij, Ol. Sambuc. ℥j, M.

Pars hujus inducta papyro nigræ adhibeatur locis affectis; & renovetur bis in die.

Ung. Faciale.

℞ Camph. Sulph. viv. ana ʒij, Pomati ℥ij, Diaſinap. fortiſſ. Col. ℥j, Ol. Rhod. g^t. iiij, m. f Ung.

Ad Faciei ruborem curandum, præmiſſis univerſalibus.

Ung. Familiare.

℞ Butyr. Maial ℥vij, Ceræ, Reſinæ ana ℥iv, Mellis crud. ʒx, Amyli ʒvj, m. ſ. a.

Calfacit, humectat, laxat, emollit, diſcutit, abſtergit, lenit, Concoquit, & digerit. Usûs eſt familiaris in Paronychiis, ac Pernionibus ſubitò curandis. Ulceribus Pedum Scorbuticis mirè auxiliatur.

Ung.

Ung. ad Fiſſuras.

℞ Myrr. Zinzib. Lithargyr. ana ℥j, Mellis ℥iiij, Ceræ ℥ij, Ol. Roſar. ℥vj, m. ſ. a. Pro Ditioribus addi poterint Ol. Rhod. gt. xij, Fol. Auri N° x.

Ung. Fuſcum.

℞ Colcoth. & Phlegmat. Vitrioli, ana ℥j, Aceti Cheledoniati ℥iſs, Flor. Æris virid. ʒv, Mel. deſpum. ℥iij, m. f. Ung. ſ. a.

Mundificativum optimum in Vulneribus, & Ulceribus.

Ung. de Hæmatite.

℞ Butyr. inſulſi (Aq. Roſ. lot.) ℥j, Lap. Hæmat. Calaminar. Tutiæ ana ℈j, Camph. gr. xvj, Vitriol. alb. gr. iiij, m. f. Ung. ſ. a.

Ophthalmicum eſt inſigne.

Ung. Hæmorrhoidale.

℞ Butyr. Maial. rec. ℔iij, Flor. Sambuc. & Geniſt. recent. contuſ. quot inferciri poterit. Inſolentur per Menſem. Deindè agitentur, & ſub terrâ defoſſa ſimul putreſcant per alterum Menſem. Poſtea Coq. ſ. a. & Expreſſ.

Ung. Herpeticum.

℞ Calc. viv. Auripigm. ana ʒj, Tartari, Salis nig. Sapon. com. ana ʒij, Ol. Sambuc. q. ſ. m. f. Ung. ſ. a.

In

Inunge locum peroptimè. Maneat de ſuper horas xxiv. ſuperveniet cruſta unguento albo removenda.

Ung. ad Lumbricos.

℞ Rad. Bryon. alb. ℥iiij, Herbar. Helleboraſt. Mvj, Summit. Sabinæ Miiij, Fol. Jugland. Herb. Porri, Abſint. Ment. tanacet. Rutæ ana Miij, Sem. Santon. Colocynth. Aloes ana ℥ij, Fel. Taur. ℔j, Butyri recent. inſulſi ℔v, Vin. alb. ℔ij, præp. Coq. lento igne ad Vini, & Succorum conſumpt. f. Expreſſ.

Ung. de Melle.

℞ Ceræ novæ, Mellis ana ℥iiij, Butyr. rec. inſulſi, Ol. Roſ. ana ℥j, M.

Ad oris & linguæ fiſſuras, manuumque excoriationes.

Ung. Mercuriale.

℞ Ung. è Florib. Aurant. ℥iß, Ol. Amygd. d. ℥ß, Argenti vivi ℥j, m. f. Ung. ſ. a.

Ad Salivationem excitandam.

Ung. Muliebre.

℞ Ung. è Florib. Aurant. ℥ß, Ol. Amygd. d. ℥j, Zibet. Moſch ana ℈ß, M. Pro utero.

Ung. de Myrrhâ.

℞ Myrrh. Boli, Ceruſſæ ana ʒij, Axung. Anatis q. ſ. m. f. Ung.

Ad Fiſſuras.

Ung. Nutritum Mayernii.

℞ Pulv. ſubtil. Litharg. Aur. ℥iiij, Aceti acidiſſimi ℥xij, bulliant leni coctione ſimul continuò agitando, ad medietatis conſumptionem. Sinatur fieri reſidentia. Liquor agatur per chartam emporeticam, & lentâ exhalatione reducatur ad ℥iiij, quibus adde (viciſſim commiſcendo, & nutriendo) Ol. Roſar. ℥ij, Ung. Roſat. ℥j, & Camph. ℈j, f. ut artis eſt Unguent.

Potens eſt ad Inflammationes compeſcendas.

Ung. Ophthalmicum.

℞ Butyr. Mayal. ℥iiij, Ceræ alb. ℥j, liqua, & lav. ſæpiùs cum Aquâ Roſar. deinde (effusâ Aquâ) adde Lap. Tutiæ præp. ℥ß, Camph. ℈ij, m. f. U. ſ. a.

Ung. de Ovo.

℞ Vitel. Ov. N° j, Croci pulv. ℈j, Ung. Popul. ʒvj, m. f. Ung.

Ad Hæmorrhoidum dolorem.

Ung. Paralyticum.

℞ Ung. Martial. ℥iij, Nervin. ℥ij, Ol. Still. Nuc. Moſc. Caryoph. ana ʒiß, Spir. Salis ℈iiij, M.

Cum iſto inungatur pars affecta, & tegatur Panno Scarlato.

Ung. Paregoricum.

℞ Ceræ ℥vj, Terebint ℥iiij, Mellis ℥iij, Amyl. ℥iß, Ol. Roſ. Ung. Hæmorrhoid.

rhoid. ana ℥iiij, liqueſcant, ſ. a. ut f. Ung.

Ad Perniones curandas egregium.

Ung. Pectorale.

℞ Ung. è Florib. Aurant. ℥ij, Ol. Amygd. d. ℥j, Ol. Mac. Expreſſ. ℥ß, Ol. Mac. Still. ʒß, Sperm. Ceti ʒiß, m. f. Ung. ſ. a.

Ung. de Pice.

℞ Pic. liqu. ℥j, Ung. Roſat. ℥v ſimul liquefiant, & rite miſceantur.

Ad Cutis affectus, etiam impetiginoſos.

Ung. Piperinum.

℞ Pulv. Piper. nig. ℥iß, Rad. Eulæ, Flor. Sulph. ana ℥ij, Ung. Roſat. ℥xvj, Ol. Rhad. ℈ij, m. f. Ung.

Ad Scabiem, Pruritum, &c. Elegantiſſimum.

Ung. Pſoricum.

℞ Pulv. Rad. Enulæ, Helleb. alb. ana ʒij, Piper. nig. ℈j, Benzo. ℈ij, Vitel. Ov. ʒij, Ol. Rhod. g^t. iiij, Ol. Caryoph. g^t. ij, Axung. Porc. ℥ij, M.

Ung. Pyreticum.

℞ Sterc. Anſer. recent. Ol. Oliv. ana ℥iiij, Ung. Dialth. Ol. Roſ. ana ℥j, Aq. nivis ℥viij, coq. lento igne ſ. a. col. adde Camph. ʒj, M.

Valet opt. in Ambuſtis, &c.

Ung. Saturninum.

℞ Ol. Roſ. (diu in mortario plumbeo ducti) ℥xij, Ceruſſæ pulv. ℥iiij, Litharg. & plumbi crudi, pulv. ana ℥ij, Tutiæ præp. Ciner. Cancror. Fluviatil. ana ℥j, Succi Cicutæ, Solani, Semperviv. ana ℥iß, m. f. Ung.

Ad Cancrum.

Ung. de Sedo.

℞ Succ. Sedi maj. Butyri Maial. ana ℥iiij, coq. ad Succi conſumpt. adde Zinzib. Pul. ʒij, m. f. Ung.

Ad Scabiem.

Ung. Soleare.

℞ Rad. Allii contuſ. ℥iiij, Axung. ℥viij, coq. ad Succi conſumpt. f. Expreſſio. adde Croci pulv. ʒj, Spir. Sal ℈ij, m. f. Ung.

Pro plantis pedum infantum inungendis, ad Tuſſim, &c.

Ung. de Spermate Ceti.

℞ Ol. Amygd. d. ℥ij, Sperm. Ceti ʒiij, Ol. Rhodii g^t^. iiij, m. f. Ung.

Ad foveas variolarum delendas; ad dolorem leniendum; Acrimoniam tollendam, &c.

Ung. Sympatheticum.

℞ Ol. Roſar. Boli Arm. ana ℥j, Ol. Lini ʒij, Axung. Human. Muſci Cranii Hominis interempti pulv. ana ℥ij, Mumiæ, Sang. Human. ana ℥ß, f. Ung. ſ. a.

Unguento

Unguento hoc ſanantur omnia vulnera, inungendo telum, quo vulnus inflictum fuit, quotidie ſemel, ſi vulnus ſit magnum; alioquin ſecundo, vel tertio quoque die inunxiſſe ſufficiat. Telum ſervetur in linteolo mundo, & loco non nimis calido, ne damnum inferatur patienti.

Unguentum Virilitatis.

℞ Meliis deſpum. Ol. Nuc. Moſc. per Expr. ana ℥ß, R. Pyreth. Piper. nig. Cubeb. ana ℈ß, Zibet. ℈j, Moſc. ℈ß, Balſ. Peruv. q. ſ. m. f. Ung.

Ung. ad Ulcera.

℞ Ung. Pomati ℥j, Mercur. dulc. lævigat. ʒj, m. f. Ung.

FINIS.

INDEX
Morborum, & Remediorum.

A.

ABortum prohibentia. Catapl. Cydon. | Caudel. Nenuph. | Cereviſ. Embryon. | C. Robor. | Decoct. Cydonior | Elect. de Eryng. | Empl. contra Abort | E. de Baulauſt | E. Dorſale | E. Sedativ. | E. Smect. | Epith. contra Abort. | Emulſ. Dactyl. | Julap. Cydon. | J. Gravidar. | J. de Hormino | Pil. Reſtring. | P. Robor. | Pulv. contra Abort. | P. Fœminar. | Tab. Embryon. | T. Tormentil. | Troch. Diamargar.

Alexiteria. Bezo. Anim. | Bol. Alexit. | B. Epidem. | Dec. Scorzon. | Elect. Card. temper. | Emulſ. Expulſ. | Enem. Alexit. | Infuſ. Sanct. | Lap. Contray. | L. de Goâ. | Pulv. alb. | P. Cantian. | P. Pannon. | P. Purpur. | P. Serpent. c. | Troch. de Angel. | v. *Cardiaca Sudorifera.*

Ad Alopeciam. Fot. Crinif. | Ol. Τριχοφύες. | Pulv. Crinal. | Ung. Crinif.

Ad alvi Fluxum. Bezo. Anim. | Catapl. Cydon. | Caudel. Amygdal. | Decoct. alb. | D. Cretac. 2. | D. Cydon. | D. Rubicund. | Empl. de Balauſt.

Balauſt. | Emulſ. Cretac. | Enem. | Conſolid. | E. Sanativ. | Epith. contra Abort. | Julap. Cydon. 2. | Laudan. 3. | Pil. Dyſenter. | Poſſet. Aſtring. | Pulv. Cinnam. c. | Saccul. Aromat. | Tinct. Roſar. | v. *Aſtring. Cardiaca.*

Aluminata. Aluminatum. | Aq. Alum. | Aq. Herpet. | Inject. Alum. | Lac Alum. | Lap. Medicam. | L. Salutis. | Lin. Mellum. | Poſſet. Aſtring. | Pul. ſine pari. | P. Uvular. | Ser. Alum.

Ad Ambuſta. Balſ. Magiſtr. | B. Lucatel. | Cera rub. | Empl. alb. | Linim. Saturni. | Mel Sapon. | Ol. Cremor. | O. Pomoſ. | Ung. Albumin. | U. Citr. | U. ad Eryſip. | U. Pyretic. | v. *Inflammationes.*

Analeptica. v. *Ad Phthiſ. Reſtaurantia.*

In Angina. Catapl. Angin. | C. Cynanch. | C. ad Tonſil. | Empl. Cynanch. | Garg. Angin. | G. Cynanch. | G. ad Inflam. | Loh. Angin. | L. Cynanch. | Troch. Synanch.

Ad Animi Deliquium. Catapl. Cardiac. | Epith. Stomach. | Expr. Citr. | Infuſ. Card. | Julap. Citr. J. de Horm. | J. Perlat. | J. Vitæ. | Saccul. Stomach. | Tab. Diamb. | Troch. Card. | T. Grif. | v. *Cardiaca ad Syncopen.*

Anodyna. Balſ. Anod. | B. Magiſtr. | B. Nuciſt. | B. Sulph. | Butyr. Amygd. | Catapl. de Cicut. | Cerat. alb. | Dec. Pacif. | Empl. Diagalb. | E. Opiat. | E. Sedativ. | E. Smect. | Emulſ. Somnif. | Enem ad Teneſm. | Inject. alb. | J. Bened. | Laudan. 3. | Limac. Liquor. | Mucil. Nephrit. | Pil. Matth. | P. Pacif. | Ung. Paregor.

Aphrodiſiaca. Decoct. Aſtacor. | Elect. de Satyr. Juſc. Gelatinoſ. | Miva de Satyr. | Pil. Aphrodiſ. | v. *Analept.*

Ad Aphthas. Aq. Mellum. | Garg. alb. | G. de Alth. | G. Emoll. | G. de Ficu. | G. ad Inflam.

flam. | G. Synanch. | G. de Ulmo. | Linim. Mellumin. | Troch. Synanch. | Ung. de Melle. v. *Aluminata.*

Apoplectica. Apoz. Cephal. | Balſ. Apopl. | Catapl. Apopl. | Empl. Letharg. | Garg. Apopl. Maſticator. | Pom. Ambr. | Pulv. Sternutat. | Tab. Cephal. | T. Diamb. | Troch. Griſ. | v. *Cardiaca, Cephalica.*

Ad Apoſtemata. Balſ. Sulph. | Infuſ. Balſ. | Miſt. Phthiſ. | v. *Ulcera.*

Ad Appetitum. v. *Stomachica.*

Arthritica Externa. Catapl. Arthrit. | C. de Cicutâ | C. Podagr. | Empl. de Alcal. | E. Arthrit. | E. de Carannâ. | E. Opiat. | E. Podagr. | E. Smect. | E. Soleare. | Fot. Arthrit. | Limac. Liquor. | Linim. Arthrit. | Mel Sapon. | Pedilav. Podag. | Pulv. Solear. |

Arthritica Interna. Allium Cond. | Bochet. | Cerev. Cephal. | Decoct. Ambroſ. | D. Guai. purg. | D. Pacif. | Elect. Duc. Subaud. | Infuſ. Arthrit. | J. Sanct. | Laudana. | Pil. Arthrit. | P. Enulat. | P. Guaiac. | P. Matth. | P. Podagr. | Pulv. Arthrit. | P. Baſil. | P. Hermod. | P. Lateral. | Tartari Cicera. | Vin. Arthrit. | V. Arthr. purg. | v. *Cephalica, Paralytica, Somniſera.*

Aſthmatica. Allium Cond. | Aq. Bened. | Balſ. Sulph. | Cerev. Butleri. | Conſ. Nicot. | Elect. Aſthmat. | Infuſ. Cachect. | Julap. Armoniac. | J. Aſthmat. | Lac Ammon. | Ol. Sacch. | Pil. Aſthm. P. Benzo. | P. Enul. | P. Ruffi c. Gum. | Pul. Aſthmat. | P. Epidem. | Serum Sinap. | Syr. Balſam. S. de Myrrh. | S. de Peto. | S. de Sulph. | S. Terebint. | S. Tolut. | Troch. Divin. | T. ad Dyſpn. | T. de Helen. | T. Sapone. | Vapor Pector. | Vin. Melamp. | Ung. Soleare.

Aſtringentia. v. *Diarrhœa.*

Ad

Ad Auditum. Empl. Catarrh. | Inject. Auricul. | Maſticat. | Ol. Balſ. | Saccul. Cephal. | Turund. Acouſt. | v. *Cephalica.*

Ad Aurium Dolorem & Tinnitum. Balſ. Sulph. | Inj. Auric. | Ol. Balſ. | Saccul. Cephal.

Ad Articulorum dolores. v. *Arthritica.*

B.

Balſamica. Balſ. Sulph. | Bol. è Tereb. | Chocol. Balſam. | Infuſ. Balſam. | Lac Benzo. | Miſt. Phthiſ. | M. Sulph. | Pil. Guaiac. P. Pect. | P. de Pice. | Pul. Epidem. aur. | P. Pect | Syr. Balſ. | S. de Myrrh. | S. Terebinth. | S. Tolut. | Troch. Amygdal.

C.

Cachectica. Decoct. amar. | Cereviſ. Butl. | C. Depur. | Elect. alb. | Infuſ. Aper. | J. Cachect. | Panis de Viper. | Pil. de Ammon. Magiſtr. | P. Guaiac. | P. Ruffi è Gum | Syr. Jovial. | Troch. Antimon. | v. *Chalyb. Diuret. Icterica, Scorbutica.*

Ad Calculum. Alkek. cond. | Balſ. Lucatel. | B. Magiſtr. | Bol. Nephrit. | Cerev. Diuret. | Conſ. Hepat. Coral. | Dec. Diuret. Aug. | D. ad Sitim. | Elect. ad Calcul. | E. Lithontript. | E. è Terebint. | En. Colic. | E. Oleoſ. | E. de Tereb. | Hydrom. Diuret. | Miva Alth. | Mucil. Nephrit. | Pil. Lithontrip. | P. Matth. | P. Pacif. | Pulv. ad Calc. | Sacch. Sambuc. | Ser. Nephrit. | Syr. Terebint. | Teſtes Apri præp. v. *Diuretica, Somnifera.*

Ad Calculum Externa. Catapl. Diuret. | Empl. Opiat. | E. Sedativ. | Fot. ad Calc. | Linim. Saturnin.

Camphorata. Aq. Camph. | Balſ. Anod. | Empl. Camph. | Enem. Hyſter. | Epith. Cephal. | Front. Cephal.

Cephal. | Inject. alba | Julap. Hyſter. Camphor. | Pil. Camph. | P. Caſtit. | P. Hyſter. | Ung. Faciale | U. Pyreticum.

Ad Cancrum. Cerev. Scroph. | Fot. ad Cancr. | Injec. ad Cancr. | Linim. Simpl. | Ol. Bufon. | O. Ranar. | Ung. ad Cancr.

Ad Capitis Dol. v. *Cephalalg.*

Cardiaca. Elæoſacch. Card. | E. Nuciſtæ. | Elec. Cardiac. | E. Caryoph. | E. Lætific. | E. Perlat. | E. de ſaſſafr. | Expr. Citr. | Infuſ. Card. | Julap. Citr. | J. Moſch. | J. Perlat. | J. Vitæ. | Lap. Contray. | L. de Goâ. | Mel Myrtt. | Miva Borag. | Ol. Sacch. Ambarat. | Orvietan. | Pulv. Cantian. | P. Cardiac. | P. Cinnam. | P. Coral. c. | P. Pannon. | P. Pleres Archont. | P. Serp. v. | Roſaſolis. | Sacch. Ambar. | Syr. Cardiac. Aur. | S. de Croco. | Tab. Caryoph. | T. Diamb. | Troch. de Angel. | T. Cardiac. | T. Diamarg. | T. Griſ. | Vin. Hippocrat.

Ad Cardialgiam. Dec. Cretac. 2. | Emulſ. Cretac. | Julap. Cretac. | Pil. ad Ardor. | P. Cretac. 3 | Pulv. Cardialg. | P. de Cretâ | P. Griſ. | Troch. Cardialg. | T. Diamarg. | T. Orectici.

Carminativa. Conſerv. Aurant. | Cortic. Carminat. | Dec. Junip. | Elæoſac. Aniſ. | E. Carminat. | E. Fœnic. | Elect. Junip. | E. Piper. | En. Vinoſ. | Infuſ. Carmin. | Ol. Balſam. | Pulv. Cinnam. | P. Coral. c. | P. Fœnic. | P. Lateral. | P. Pept. 2. | Roſa Solis. | Tab. Carminat. | T. Caryoph. | Troch. de Aurant. | Vin. Hieræ. | V. Hippocrat. v. *Stomachica.*

Catarrhalia. Balſ. Sulph. | Bochet. | Dec. Pect. Incraſ. | D. Rapar. | D. Sarſæ exicc. | D. ad Tuſſin. | Elect. de Alth. | E. Sanans | Extr. Maltæ. | Laudan. Lohoch. Incraſ. | Miſt. Catarrh. | M. Tubul. | M. T. Cephal. | Miva Alth. | Pil. Benzo. | P. Catarrh. | P. Matth. | P. Pacif. | P. Pect. | Pul. Epidem. |

pidem. | Syr. Balſam | S. de Rapis | S. de Sulph. | Troch. de Alth. | T. Amygd. | T. Burgeſ. | T Caſhew. | T. Divini. | T. Lenth. | T. Pect.

Catarrhalia externa. Empl. Burgund. | E. Catarrh. | E. Nuchale. | Miſt. Tubul. | Pileolus. | Pulv. Capillar. | P. Cucuph. | P. ad Suffit. | Saccul. Nuchal. | Suffiment. Pect.

Ad Catarrh. ſuffocativ. Conſ. Nicot. | Pil. de Styr. | Syr. de Peto. v. *Aſthmat.*

Cephalica Externa. Catapl. Cephal. | Empl. è Carannâ. | E. Catarrh. | E. de Labd. | E. Letharg. | E. Nuchale. | Fot. Cephal. | Pedilav. Cephal. | Pileolus. | Pulv. Capillar. | P. Cucuph. | P. Solearis. | P. Sternutat. | Saccul. Cephal. | Ung. Balſam. | U. Cephal.

Cephalica Interna. Apoz. Cephal. | Cerev. Cephal. | Chocol. Cephal. | Dec. Guai. Arom. | D. Pæon. c. | D. Sarſæ Cephal. | Elect. Epilept. | E. Saſſafr. | E. Scorb. Cephal. | Emulſ. Pæon | Enem. Epilept. | Infuſ. Cephal. | Julap. Armon. | J. è Roremar. | Pil. Ruffi. c. G. | P. Vatican | Pulv. Cinnab. c. | P. Epilept. | P. Euphrag. c. | P. Pept. Cephal. | P. Pler. Arch. Sacchar. Ambar. | Tab. Caryoph. | T. Cephal. | T. Epilept. | T. Paralyt. | Troch. Griſ. | Vin. Hieræ | V. Hippocrat.

Cephalagiæ Remedia Catapl. Cephal. | Empl. Burgund. | Epith. Cephal. | Frontale. | Linim Saturnin. | Pulv. Cucuph. | P. Sternutat. | Saccul. Roſ. | Ung. Cephal. v. *Cephalica.*

Chalybeata. Aq. Ferrata. | Cerev. Scorbut. | Elect. Chalyb. | E. C. Aromat. | Julap. Aper. | J. Scorbut. | Pil. Chalyb. 4 | P. Hypochondr. | P. Pavii. | P. Reſtring | P. Splenet. | Pulv. Chalyb. | P. e Ferri Squamâ | P. Icter. | P. Martis. c. | Syr. Chalyb. | S. Ch. Corall. | S. Jov. | S. Sider. | Vin. de Batit.

Batit. | V. Chalyb. B. | V. Ch. Will. | V. Ch. purg. | V. Ecphract. | V. Sidereum.

Ad Chloroſin. Dec. Amar. 2. | D. Guai. 2. | D. Polychreſt. | Infuſ. Cacheſt. | J. Sanct. | Peſſaria. | Pil. de Ammon. magiſtr. | P. de Ariſtoloch. | P. Emmenag. | P. Enulat. | P. Ruffi c. Gum. | P. de Sabinâ | Syr. Myrr. | Vin. Hieræ | v. *Chalybeata.*

Ad Clavos, & Verrucas. Balſ. Magiſtr. | Empl. Diagalb. | Limac. Liqu.

Ad Colicam externa. Emplaſt. Sedativ. | Saccul. Aromat. | S. Colic.

Ad Colicam interna. Allium Cond. | Balſ. Magiſtr. | Conſ. Aurantior. | Elæoſacch. 5. | Elect. Caryoph. | E. Junip. | E. Piperin. | Enem. Colic. | E. Oleoſ. | E. Vinoſ. | Julap. è Roremar. | Miſt. Col. | Pil. Col. | P. Enul. | P. Matth. | P. Pacif. | Pul. Col | P. Coral. | P. Stomac. | Tab. Carminat. | Teſt. Eq. | Vin. Hieræ. | V. Hippocr. | v. *Carminat. Somnifera.*

Ad Contuſionem. Balſ. Magiſtr. | Cerev. Traumat | Dec. Rub. Tinct | D. Sarſæ Traumat. | D. Traumat. | Elect. Traumat. | Empl. Diaſulph. R | E. Laterale | E. Reſtring. | E. Smect. | Fot. Aſtring. | Pil. Diuret. |

Ad Convulſiones. v. *Cephalica, Epileptica.*

Ad Cordis Palpitationem, & Tremorem. Catapl. Card. | Elect. Cardiac. | E. Caryoph. | E. Lætif. | Expr. Citr. | Jul. de Horm. | J. Moſchat. | Tab. Cephal. | T. Paralyt. | Troch. Griſ.

Coſmetica. Aluminat. | Aluta ad F. | Aq. Mellu. | A. Venuſtat. | Baln. Venuſt. | Cerat. alb. | Fel. 2. Lac Mercur. | L. Papav. | L. Virgin. | Lotio de Litharg. | Mel Saponis | Ol. Coſmet. | O. Trit. O. viperar. | Pilæ Odor. | Pulv. ad Manus. | Savanet. Coſmet. | v. *Aluminata, Cutanea.*

Ad

Ad Crapulam. Dec. Amar. purg. | Infuſ. Aneth. | Pil. Crapular. | P. Ruffi. c. G. | Pulv. Cardialg. | P. Coral. c. | P. Fœnic. c. | P. Pept. | Tartari cicera. | Tab. Carminat. | Troch. Oreƈt. | Vin. Hieræ. | V. Hippocrat.

Cutanea. Eleƈt. alb. | Lotio Cutanea | L. Sulph. | Pomata ij. | v. *Coſmetica, Herpetica, Ad Scabiem.*

Ad Cutis Scabritiem. Ol. Trit. | Ol. Viper. | Pil. Odor. | Ung. Mulieb. | U. è Sperm. Ceti.

D.

Ad Dentes detergendos, & firmandos. Bacil. Dentif. | Dentifr. Dominar. | D. Acid. | D. Scorbut. | Dentilav. firm. | v. *ad Gingivas.*

Ad Dentium dolorem. Catapl. Repel. | Empl. Burgund. | E. Catarrh. | E. Nuchal. | E. Podagr. | E. Sedativ. | E. Spaſm. | Garg. de Acac. | G. Aſtring. | Laudana. 3. | Maſticator. | Pedilav. Cephal. | Pilæ Odontalg. | Pil. Maſticator. | P. Matth. | P. Pacif. | P. Pavii. | P. Ruffi. c. G. | P. Varign. | Pulv. Sternutator. | Saccul. Nuchal. | Serum Aluminoſ. | S. Sinapin. (pro Gargar.) Troch. Caſhew | T. Odontalg. | T. de Prunellâ.

Ad Dentes conſumendos. Pilæ Dent. conſum.

Ad Dentitionem facilitandam. Catapl. Cynanch. | Dec. Junip. | Dentifric. Infant. | Elæoſacch. Aniſat. | E. Carminat. | Empl. Mamilar. ad locum dolentem | E. de Hierâ & E. Vermif. Umbilico applic. | Enem. Epilept. | Garg. de Ficub. | G. de Ulmo | Jul. Cretac. | Loh. Amylat. | Periapt. Epilept. | Pulv. Cant. | P. de Cretâ. | P. Epilept. | P. Fœnic. c. | P. Griſ. | P. Pept. Syr. de Croco. | S. Vermif. | Torquis Infant. | Ung. de Melle | U. de Sperm. Ceti.

Ad Diabeten. Aq. Bened. ſimpl. & comp. *Diaphoretica,* v. *Alexiteria, Sudorifica.*

Diuretica.

Diuretica. Alkek. cond. | Cerev. de Cynorrh. | C. Diuret.| Dec. Diuret. Angin. | D. Junip. D. ad Sitim. | Elect. Junip. | E. Lithontript. | Emulſ. Cichor. | Enem. Terebinth. | Expr. Raph. | Fot. ad Calc. | Hauſt. Diuret. | Hydrom. Diuret. | Infuſ. Borag. | I. Pomoſ. | Julap. Diuret. | J. è Florib. | J. Fragar. | J. ad Sitim. | Pil. Diuret. | P. è Milleped. | P. Nitroſæ. | P. de Prunel. | Pot. alba | Pulv. Æthiop. | P. ad Calc. | Serum Nephrit. | Tinct. Flor. | Vin. Diuret.

A Dorſi Dolorem, & Infirmitatem. Caudel. Analept. | C. Nenuph. | Chocol. Balſam. | Dec. Analept. | D. Aſtac. | D. Limac. | D. Phthiſ. | Elect. de Eryng. | E. Nenuphr.| E. de Satyr. | E. de Symph. | Empl. contra Abort. | E. Dorſal. | E. Podagr. E. Sedativ. | E. Smect. | Emul. Analept. | E. Dactyl. | E. Nenuph. | Gelatinæ 4. | Juſcul. 3. | Miſt. Phthiſ. | Miva Conſol | Pil. de Anime G. | P. Gumop. | P. Reſtring. | P. Roborant. | Potio alba | Pulv. Luccæ | P. Limac.

Ad Dyſenteriam. Butyr. Ceræ. | Dec. Alb. | D. Cretac. | D. Dyſenter. | D. Junip. | D. Rubicund.| Emulſ. Cretac. | Enem. Balſam. | E. Butyrac. | E. Conſolid. | E. Dyſenter. | E. ad Eroſion.| E. Opiat. | E. Sanativ. | Pil. de Croco Mart. | P. Dyſenter. | P. Matth. | P. Pacif. | Tinct. Roſac. v. *Ad Alvi fluxum Somnifera.*

Ad Dyſpnœam. v. *Aſthmatica.*

E.

Emmenagoga Externa. Fot. Emmenag. | Pedilav. Emmenag. | Peſſaria 2. | Saccul. Colic. | Suffiment. Hyſter. | v. *Menſ. Moventia.*

Emmenag. Interna. Pil. de Ariſtoloch. | P. Emmenag.| P. Ruffi. c. G. | P. de Sabinâ | Pulv. Croci. C. | P. Oxytoc. | Syr. de Croco. | Vin. Hieræ. v. *Chalyb. Diuret. Hyſter.*

Emollientia. Catapl. Emoll. | Empl. Diagalb. | E. Mamill. | Garg. Emoll. | G. de Ficub. | G. de Ulmo. | Ung. de Sperm. Ceti. |

In Empyemate. Apoz. Expect. potenter. | Aq. Bened. c. | A. Bened. Pect. | Balſ. Lucatel. | Chocol. Balſam. | Dec. Diuret. Aug. | D. Junip. | D. Rapar. | D. Traumat. | D. Sarſæ Traumat. | Elæoſacch. Aniſ. | Elect. Enulat. | Extrac. Petic. | Hydrom. Traumat. | Infuſ. Balſam. | I. Benedict. | Inject. deterg. | Lohoch. Benedict. | L. Expect. | L. Saponac. | Pil. de Ariſtoloch. | P. Aſthmat. | P. Benzoin. | P. Enulat. | P. Guaiac. | P. è Millep. | P. Pect. | P. de Pice. | Pul. Epidem. aur. | P. Oxytoc. | Suffiment. Pector. | Troch. divin. | T. Saponac. | Vin. Hieræ.

Epileptica. Balſ. Succini | Corvus Epilept. | Decoct. Digital. | D. Pæon. | Elect. Epilept. | Emulſ. Pæon. | E. Epilept. | Infuſ. Cephal. | Julap. Armon. | J. Hyſter. Fætid. | Periapt. Epilept. | Pil. de Asâ. | P. Camphor. | P. Matth. | Pulv. Epilept. | Suffiment. Hyſter. | Tab. Epilept. v. *Cephalica.*

Ad Eryſipelas. Aq. Camphor. | Lac Virgin. | Lap. Medicament. | L. Salutis. | Linim. Saturni. | L. Simplex. | Mel Saponis. | Ol. Cremor. | O. Ranar. | Ung. ad Eryſip. | U. Hæmorrhoid. | U. Nutrit.

Expectorantia. v. *Pectoralia.*

F.

Ad Faciem. Aluminat. | Aq. Bened. | A. Mercur. | Cerev. Catapſor. | Dec. Rubiæ. | Lac Alum. | L. Benzo. | Lotio de Litharg. | Pomata 2. | Ser. Pſor. | Ung. Fac. | U. Nutrit. | U. de Sperm. Ceti. v. *Coſmetica, Cutanea, Furfures, Herpetica.*

Febrifuga Externa. Catapl. Solear. | Empl. Febrif. | Epicarpia.

Febrifuga Interna. Decoc. Ambroſ. | D. Amar. | D. Antimon. | Febrif. Crollii. | Hauſt. de Arnogl. | Julap. Diateſſ. | Lac Alum. | Pil. Antimon. P. Vomitor. | Potio Febrif. | Pulv. Cornach. | P. Febrif. | P. Pyret. | Ser. Alum. | S. Sinapin. | Vin. Hieræ.

Ad Fiſſuras. Ol. Tritici. | Syr. ad Fiſſur. | Ung. Citrin. | U. ad Fiſſur. | U. de Myrrh. | U. de Sperm. Ceti.

Flatus Diſcutientia. v. *Carminativa.*

Ad Fluorem Album. Caud. Nenuph. | Cerev. Traumat. | Chocol. Balſam. | Emulſ. de Avellan. | E. Dactylor. | E. de Sarsâ. | Gelat. Ichthyo. | Iufuſ. Balſam. | Juſcul. Gelatinoſ. | Lac Alum. | Miſt. Phthiſ. | Miva Alth. | M. Mucilagin. | Pil. Camph. | P. Cretac. | P. Cretac. May. | P. è Croco Mart. | P. Gummoſ. | P. Reſtring. | Pul. de Laccâ c. | P. Liliac. | Ser. Alum.

Ad Fluor. Alb. Externa. Empl. de Balauſt. | E. Reſtring.

Ad Fonticulos. Empl. adhæſiv. | E. Diach. odor. | E. Diapalm. odor. | Piſa 3.

Ad Funeralia. Pul. odor.

Ad Furfures. Aluta ad Furfur. | Tela ad Furfur. v. *Coſmetica, Cutanea. ad Faciem.*

G.

Ad Gingivas. Aq. Ægypt. | A. Alum. | Aq. Camph. | Aq. Mellum. | Dec. Maſtich. | Dentilav. 2. | Gargar. de Balauſt. | G. Bened. | G. ad Gingiv. | Inject. Bened. | Lamel. Stomat. | L. Cerat. | Lap. Salut. | Litus ad Gingiv. | L. Vitriolic. | Linim. Mellumin. | Mellago 2. | Ung. Alumin. | U. de Melle. | U. de Myrrh.

Ad Gonorrhœam. Bol. è Tereb. | Caud. Nenuph. | Chocol. Balſam. | Emulſ. de Avell. | E. Dactyl. | E. Nenuph. | E. de Sarsâ. | Gelat. Ichthyoc.

thyoc. | Inject. alb. | J. Alum. | J. Bened. | Lac Alum. | Miſt. Phthiſ. | Pil. ad Ardor. | P. Balſam. | P. de Calomel. | P. Caſtitat. | P. Cretac. 3. | P. Reſin. | P. Reſtring. | Poſſet. Aſtring. | Potio alb. | Pulv. Liliac. | P. Stypt. | Ser. Alum.

Ad Gravidas purgandas. Pil. pro Gravidis. v. *Purgantia.*

H.

Hæmoptoica. v. *Sanguinem Siſtentia.*

Hæmorrhoidalia. Balſ. Momord. | Bol. Hæmorrhoid. | Catapl. Hæmorrh. | Empl. alb. | E. Hæmorrh. | Enema Hæmorrh. | E. Stypt. | Fot. Hæmorrh. | Linim. Hæmorrh. | Ol. Cremor. | Suppoſit. Hæmorrh. | Troch divir. | Vernix. | Ung. Æthiop. | U. Hæmorrh. | U. de Ovo.

Hectica. v. *Ad Phthiſin.*

Helleborata. Apoz. Helleb. | Bol. Helleb. | Epicarp. Helleb. | Helleb. alb. præp. | Helleb. nig. præp. | Pil. Helleb. | P. Hypochond. | Pulv. Peti comp. | Vin. Hellebor. | Ung. Pſoric.

Hepatica. Apoz. Splanchn. | Balſ. Splenet. | Catapl. Splenet. | Cerev. Butl. | C. Jovial. | Conſerv. Hepat. | Elect. Diarrhod. | E. Junip. | Empl. Splenet. | Extr. Petic. | Fot. Splenet. | Pil. Antimon. | P. Ruffi c. G. | P. Splenet. | P. Tart. Bont. | Serum Hepat. | Tab. Abſinth. | Vin. Ecphract. | V. Hieræ. | v. *Chalybeata Icterica Hydrop.*

Ad Herniam. Catapl. Cydon. | C. Repell. | Cerev. Traumat. | Chocol. Balſam. | Dec. Traumat. | Empl. de Balauſt. | E. Dorſale. | E. Reſtring. | E. Repell. | Gelat. Ichthyoc. | Juſcul. Gelatin. | Miſt. Phthiſ. | Miva Conſol. | Pulv. de Laccâ c. | v. *Carminat. Stomachica. Traumatica.*

Herpetica. Aq. Bened. | A. Herpet. | Lac Papav. | L. Virgin. | Linim. Herpet. | L. Saturn. | Ol. Chartæ. | O. Tritici. | Tela contra Herpet. | Ung. Balſam. | U. Herpet. v. *Coſmetica ad Faciem.*

Hydropica Alterantia. Æthiops min. | Aq. Bened. | Decoct. Ambroſ. | D. Diuret. Aug. | D. Gum. arom. | D. Junip. | Elect. alb. | Infuſ. Ireat. | I Sanct. | Pil. Æthiop. | P. Enul. | Pulv. Æthiop | Sacch. Sambuc. | Ser. Sinap. | Syr. Lumbric. | Troch. Antimon. | Vin. Diuret. | V. Lumbric. | V. Lixiviat. | v. *Chalyb. Diuret. Hepat.*

Hydropica Purgantia. Cerev. Butl. | C. Hydrop. | C. Vern'al. | Enem. Hydrop. | E. Tereb. | E. Urinoſ. | Pil. Guaiac. | P. Hydrop. | Potio Hydrop. | Vin. Hydrop. | v. *Purgantia.*

Hypnotica. v. *Somnifera.*

Hypochondriaca. v. *Chalyb. Hepat. Hyſter. Ad Melanchol.*

Hyſterica. Cerev. Jovial. | Decoct. Fibr | Empl. Camph | E. Diagalb. | E. Mirab. | Emulſ. Pæon | Enem. Hyſter | Jul. Hyſter. | Miſt. Tubular. Succin. | Nodul Hyſter. | Pil. de Asâ. | P. Camph. | P. Hyſter | P. Matth | Pulv. Hyſter. | Secund. præp. | Suffiment. Hyſter. | Syr. Sambuc. comp | Tab. Cephal. | T. Epilept | Vin. Hyſter.

I.

Icterica. Apoz. Icter. | Dec. Icter. | D. Lumbric. | D. Rubiæ Tinct. | Elect. alb. | Emulſ. Cichorac. | E. Icter. | Enem. Hydrop. | Infuſ. Icter. | Julap. Tartariſ. | Pil. Enul. | P. Icter. | P. è Millep. | Pulv. Croci c. | P. Icter. | P. Lumbric. | Syr. de Croco. | S. Lumbric. | S. de Myrt. | Troch. Sapon. | Vin. Hieræ. | V. Icter. | v. *Chalybeata, Hepatica, Purgantia.*

Ad Impetiginem. Ol. Ranar. | Ung. de Pice. | v. *Herpetica.*

Ad Impotentiam. Chocol. Balſ. | Elect. de Eryng. | E. de Satyr. | Empl. è Carannâ. | E. Tolut. | Gelatin. 4. | Jul. Moſch. | J. Vitæ. | Juſcul. Gelatin. | Mel Moſch. | Miſt. Phthiſ. | Miva Satyrii. |

tyrii. | Pil. Aphrodiſ. | P. Emmenag. | Pul. Croci c. | Sacch. Ambar. | Teſt. Apr. præp. | Troch. griſ. | Vin. Viper. | Ung. Viril.

Incraſſantia. v. *Catarrhalia, Pectoralia.*

Ad Inflammationem. v. *Ambuſt. Eryſipel. Pleurit.*

L.

Lac Coagulatum Solventia. Empl. Diagalb. | E. Mamill. | Ung. Famil. | U. Paregor. | U. è Sperm. Ceti.

Ad Lac Reprimendum Empl. alb. | E. de Balauſt. | E. Repell. | E. Reſtring. | Fot. Aſtring. | Limac. Liqu. | Linim. Saturni. | Ung. Nutrit. | U. Saturni. v. *Aluminata.*

Ad Lateris Dolorem. v. *Pleuritica.*

Laxantia. v. *Purgantia.*

Ad Linguæ ardorem, aſperitatem, fiſſuras. v. *In Anginâ, ad Aphthas.*

Ad Luem Veneream. Aq. Salival. | Dec. Sarſæ exicc. | Elec. alb. | E. de Terebint. | Empl. Opiat. | E. Tibiale. | Emulſ. de Avell. | E. Nenuph. | E. de Sarsâ. | Garg. alb. | G. Bened. | G. de Ficub. | G. de Ulmo. | Infuſ. Sanct. | Lin. Mellumin. | Litus ad Tonſill. | Loh. de Album. | L. Mucilagin. | Panis Diaſarſæ. | Pil. Æthiop. | P. ad Ardorem. | P. Balſam. | P. de Calomel. | P. Cretac. 3. | P. Matth. | P. è Mercur. v. | P. Pacif. | P. de Prunel. | P. Reſtring. | Pul. Liliac. | Troch. Antimon. | Ung. Mercur. v. *Somnifera.*

M

Ad Mammas. Aluminat. | Aq. Melſumin. | Balſ. Lucatel. | B. Verum. | Catap. de Cynocop. | C. Repell. | Dec. Sarſæ attemp. | D. S. exiccans | Elect. alb. | Empl. Diach. Ireat. | E. Diagalb. | E. Mamill. | E. Repell. | Fot. Aſtring. | Lac Alum. | L. Virgin. | Limac. Liquam. | Linim. Hæmorrh. | L. Mellu-

L. Mellùmin. | L. Saturni. | L. Simpl. | Liquor Stypt. | Litus Vitriolic. | Ol. Cremor. | Pomat. Labiale | Pulv. ad Caſum. | Vernix. | Ung. Albumin. | U. Balſam. | U. Citr. | U. Famil. | U. ad Fiſſur. | U. de Melle. | U. Ophthalm. | U. de Ovo. | U. Saturni. | U. de Sperm. Ceti. | v. *ad Cancrum.*

Ad Manus. Pulv. ad Manus. v. *Coſmetica.*

Martialia. v. *Chalybeata.*

Ad Melancholiam. Apoz. de Pom. | A. Splanch. | Elect. Cardiac. | Infuſ. Boragin. | Miva Borag. | Pil. Hypochondr. | P. Melanch. | P. Pavii | Pulv. Coronat. | Syr. Jov. v. *Chalybeata, Helleborata.*

Menſes moventia. Dec. Junip. | Elect. Piper. | Enem. Urinoſ. | Infuſ. Carminat. | I. Sanct. | Inject. Deterg. | Julap. Armon. | J. Hyſter. Camph. | J. H. Fœtid. | Mars Fulminans. | Pil. de Asâ. | P. Balſam. | P. de Calomel. | P. Enulatæ. | Syr. de Myrrh. | Vin. Hyſter. | v. *Chalybeata, Emmenagoga.*

Mercurialia. Aq. Mercurial. | A. Salival. | A. Vermif. | Elect. Æthiop. | Empl. Opiat. | E. Reſolv. | E. Saturn. | E. ad Strumas. | E. Tibiale. | Lac. Mercur. | L. Papav. | Pil. Æthiop. | P. Balſam. | P. de Calomel. | P. Helleb. | P. è Merc. crud. | Pulv. Baſil. | P. ad Ulcera. | Troch. Infant. Ung. Æthiop. | U. Mercur. | U. ad Ulcera.

Ad Morbillos. v. *Alexit. Somnif.*

Ad Morſum Canis rabidi. Catapl. Peſtilent. | Dec. ad Morſum. | v. *Alexit.*

N.

Narcotica. v. *Somnifera.*

Nephritica. v. *ad Calculum.*

Neurotica. v. *Cephalica. Paralytica.*

O.

Odontalgica. v. *ad Dentium Dolorem.*

Odorifera. Balſ. Apopl. | B. Nuciſtæ. | Caryoph. odor. | Corpus ſine Animâ. | Dentifric. Domin. | Elect. Card. | E. Caryoph. | Empl. Diach. odor. | E. Diapalm. odor. | Epith. Hypnot. | Julap. Hyſter. Moſch. | J. Moſch. | Lamellæ Stomat. | Lap. de Goâ. | Mel Moſch. | Mellago Magiſtr. | Morſel. Stomac. | Pilæ odor. | Pileol. | Pom. Amb. | Pulv. Crinal. | P. odor. | Sacch. Ambar. | Tab. Cephal. | T. Diamb. | T. Paralyt. Troch. de Aurant. | T. Burgeſ. | T. Card. | T. Diatrag. | T. Griſ. | T. Lenth.

Ophthalmica. Aq. Camphor. | A. Sapphir. | Cerey. Oxydorcic. | Collyr. Metall. | Elect. Oxydorc. | Empl. Burgund. | E. Nuchale. | Julap. è Rorem. | Ol. Linteor. | Pulv. Cibar. | P. Euphrag. c. | P. Fœnic. c. | P. Ophthalm. | Ser. de Sedo. | Syr. de Peto. | Ung. de Hæmat. | U. Ophthalm.

Opiata. v. *Somnifera.*

Ad Oris affectus. v. *In Anginâ. Ad Aphthas. Aluminata. Ad Gingivas. Scorbutica.*

P.

Paralytica Externa. Balſ. Apoplect. | B. Spinale. | Empl. Paralyt. | Galbanet. | Linim. Paralyt. | Maſticator. | Ol. Balſ. | Ol. Junip. | Ol. Paralyt. | Pulv. Sternutat. | Saccul. Cephal. | Ung. Paralyt.

Paralytica Interna. Elect. Paralyt. | E. Succinat. | Tab. Paralyt. | v. *Cephalica. Hyſterica.*

Ad Paronychiam. Catapl. ad Paronych. | Ung. Famil. | U. Paregor.

Ad Partum. Balſ. Fœmin. | B. Nuciſtæ. | Pulv. Oxytoc. | Secund. præp. | Teſt. Eq. præp. | v. *Emmenag. Hyſterica.*

Pectoralia

Pectoralia Externa. Empl. Catarrh. | E. Tolut. | Petum Phthiſ. | Pulv. Cucuph. | P. ad Suffit. | Suffiment. Pect. | Vapor Pect. | Ung. Pect.

Pectoralia Balſamica. v. *Balſamica.*

Pector. Incidentia, ac Attenuantia. Allium cond. | Apoz. expect. potentèr | Conſerv. Nicot. | Dec. Bechic. | Elect. Aſthmat. | E. Enulat. | E. Paralyt. | Extract. Petic. | Julap. Armon. | J. Aſthmat. | Lac Ammon. | Loh. Bened. | L. Domeſt. L. Expect. | Mel Sapon. | Ol. Sacch. Junip. | O. S. Sulphur. | Pil. Aſthmat. | P. Benzo. | P. Enul. P. Pect. | P. de Pice. | P. Sinap. | Pulv. Pect. | Serum Sinap. | Syr. de Myrr. | S. de Peto | S. Terebint. Troch. Amygd. | T. Helen. | T. Sapon. | Vapor. Pect. | Vin. Hellebor.

Pector. Incraſſantia. Dec. Paſſul. | D. Pect. Incraſſ. | D. ad Tuſſim. | Elect. Incraſſ | E. Pect. Incraſſ. | Extr. Maltæ | Loh. Amyl. | L. Incraſſ. | L. de Thure | Miſt. Catarrh | M. Pect. | M. Sulph. | Miva Mucilag. | Ol. Sacch. ſimpl. | Paſta Hypoglott. | Pil. Matth. | P. Pacif. | Sulph. Liquam. | Syr. ad Fiſſur | S. Limac. | Troch. de Alth. | T. Burgeſ. | T. Caſhew | T. Diatragac | T. Roſ.

Pect. Mixta. Apoz Bechic. | Aq. Bened. 2. | A. Bened. Pect. | Decoct. Junip. | D. Paſſul. | D. Rapar. | Elect. Pect. | Extrac. Pect. | Hydrom. Bechic. | Infuſ. Glycyrrh. | Ol. Sacch. Junip. | O. S. Sulphur. | Pil Pect. | P. de Pice. | P. Ruffi cum Gum. | P. Styrac. | Pul. Epidem. aur. | P. Pect. | Sulph. Liquam. | Syr. de Croco | S. de Rapis | Troch. Divini | T. ad Dyſpnœam.

Peptica. v. *Carminativa Stomichica.*

Ad Perniones. Ung. Paregor. | U. Sambuc.

Ad Peſtem. Catapl. Peſtil. v. *Alexiter.*

Phthiſica. Apoz. Phthiſ. | Aq. Bened. 3. | Caudel. Analept. | Dec. Analept. | D. Aſtacor. | D. Chinæ | D. Limac. | D. Lumbric. | D. Phthiſ. | D. Rapar. | D. Sarſæ Traumat. | Elect. de Eryng. | E. Sa-

E. Sa-

E. Sanans. | E. Tolut. | Emulſ. Analept. | E. Phthiſ. | Gelat. 4. | Julap. Vitæ. | Juſcul. 3. | Mel Myriſt. | Miſt. Phthiſ. | Miva Alth. | Ol. Sacch. Ambar. | Pil. è Milleped. | Pulv. Card. perl. | Syr. de Myrrh. | Troch. de Alth. | T. Caſhew | T. Farfar. | T. Oreſt. | T. Roſar. | v. *Balſamica. Catarrhal. Pectoralia. Sanguin. Siſtentia. Traumatica.*

Pili ut decidant. Ung. Depilator.

Pleuritica. Catapl. Emoll. | Dec. Pleurit. | Empl. Later. | Emulſ. Cretac. | Julap. Armon. | J. Pleurit. | Loh. Expect. | L. Sapon. | L. de Thure | Miſt. Pect. | M. Pleurit. Ol. | M. Sulph. | Potio Pleurit. | Pulv. Later. | P. Pleurit. | v. *Diuretica. Pectoralia. Potus.*

Podagrica. v. *Arthritica.*

Potus. Apoz. de Pomis | Dec. alb. | D. Paſſul. | D. Rubicund. | D. Scorzon. | D. ad Sitim | Emulſ. Cretac. | Expreſ. Cydon. | Infuſ. Boragin | I. Glycyrrh. | I. Pomoſ. | Julap. Cretac. | J. Diateſſ. | J. Diuret. | J. è Florib. | J. Fragor. | J. Idæum | J. Purpur. | J. ad Sitim | Ptiſana ſicca | Serum Canar. | S. de Sedo. | Tinct. Flor. | T. Roſar. | Vin. Paſſul.

Ad Puerperarum Tormina. Julap. è Roremar. | Laud. Dyſenter. | Pulv. ad Tormina. v. *Carminativa. ad Colicam. Somnifera.*

Purgantia fortia. Apoz. Hellebor. | Bol. Helleb. | Elect. Cathart. | E. C. Cæſar. | Emulſ. Cathart. | Enem. Colic. | E. Hydrop. | Lac Scammon. | Pil. Balſam. | P. de Calom. | P. Helleb. | P. Hydrop. | P. Melanag. | P. ex Merc. viv. | P. Reſin. | P. de Sagap. | Potio Hydrop. | Pulv. Arthrit. | P. Baſil. | P. Cornach. | P. Tart. c. | Syr. de Scammon. | Vin. Hydrop.

Purgantia Mediocria. Bol. è Terebint. | Cerev. Butl. | C. Catapſor. | C. Purg. | C. Vernal. Dec. Amar. purg. | D. Guai. purg. | D. Polychreſt. |

chreſt. | D. ad Strum. | Elect. Diaſen. | E. Rheumat | Infuſ. Bened. | Panis Cath. | Pil. Crapul. | P. Tart. Bont. | Poſſet. Cathart. | Potio alba | Pulv. Aſtmat. | P. Coronat. | P. Hermod. comp. | Troch. Cathart. | Vin. Arthrit. purg. | V. Cathart. | V. Hellebor. | V. Hieræ | V. Sennatum.

Purgantia Mitia, & Laxantia. Claret. Sennatum | Dec. Laxat. | D. Rhab. | Elect. Laxat. | E. è Terebint | Hauſt. Purg. Antemet. | Julap. Cathart. | Miſt. Colica | M. Purg. Hæmopt. | Paſſulæ Laxat | P. Sennatæ | Pil. de Ammon. May | P. Angel | P de Ariſtoloch. | P. Benzo | P. Catarrh. | P. de Cic â Palm. | P. Chalyb. c. Hierâ | P. pro Gravidis | P Hypochondr. | P. Marocoſt. | P. Ruffi c. Gum. | P. Pavii | P. Splenet | P. Vatic. | P. Vermif. | Ptiſana Cathart. | Pulv. Vermif. | Serum Nephrit. | Syr. Bened.

R.

Contra Rabiem. Catapl. Peſtilent. | Dec. ad Morſum Canis rab. | v. *Alexiter.*

Ad Rachitidem. Balſ. Spinale | Dec. ad Rachit. | Julap ad Rachit | Pulv. ad Rachit.

Ad Raucedinem Empl. Catarrh. | E. Soleare | Pil. Pavii. | P. Styrac. | Pulv. Solear. v. *In Angina Catarrhal. Pector. incraſ.*

Refrigerantia. Pil. Nitroſ. | P. de Prunel. | Syr. Aleluj. | S. Pepon. | Tartari Cicera. | Troch. Tart. | v. *ad Aphth. Potus.*

Reſtaurantia. Caudel. Analept. | Cerev. robor. | Decoct. Analept. | D. Limac. | Elect. de Eryngio. | Emulſ. Analept. | Gelatin. CC. | G. Robor. | G. Ichthyocol. | Juſcul. Galli | J. Gelatin. | Pil. Robor. | Pul. Card. Perl. | Syr. Limac. v. *Phthiſica.*

Reſtringentia. v. *Gonorrh. Sang. Siſtentia.*

Ad Rheumatiſmum. Dec. Rhabarb. | Elect. Rheumat. | Panis Diaſarſæ. | Pil. Guaiac. | Pulv. Hermod.

mod. c. | v. *Arthritica. Catarrhalia. Mercurialia. Purgantia.*
— *Ad Ructus.* v. *Carminativa. Stomachica.*

S.

Salivam moventia. Aq. Salival. | Elect. Paralyt. | Garg. Apoplect. | Maſticator. | Miſt. tubular. | Pili Maſticator. | Pulv. Peti comp. | P. Sternutat. 2. | Ser. Sinapin.

Sanguinem Diſſolventia. Apoz. Icter. | Dec. Guaic. Arom. | Julap. Armon. | J. Aſthmat. | J. Pleurit. | Pil. de Ariſtol. | P. Diuret. | P. Emmenag. | P. Enul. | P. de Sabinâ | Potio Pleur. | Pulv. ad Caſum. | P. Croci c. | P. Oxytoc. Syr. de Croco. | Vin. Hieræ. v. *Diuretica. Pector. Incidentia.*

Sanguinem edulcorantia. Cerev. Catap. | C. Depur. | C. Jovial. | C. Vernal. | Dec. Antimon. | D. Chinæ. | D. Polychreſt. | D. Santal. | D. Sarſæ 3. | Elect. Æthiop. | E. Alb. | Pil. Æthiop. | P. Guaiac. | Pulv. Cardialg. | P. Cinnab. c. P. de Cretâ c. | Ser. Hepat. | Vin. Arthrit. | v. *Diuretica. Icterica. Scorbutica.*

Sanguinem Exaltantia. Dec. Amar. | D. Guai. | Aromat | Elect. Card. | E. Caryoph. v. *Chalybeata. Scorbutica.*

Sang. Incraſſantia. Gelatin. 4. | Juſc. 2. | Miva. Conſol. | v. *Pector. Incraſſantia.*

Sang. Siſtentia externa. A. Camph. | A. Stypt. Epithem. Stypt. | Liquor. Stypt. | Litus Vitriolic. | Peſſaria Stypt. | Pulv. ſine pari | P. Stypt.

Sang. Siſtentia interna. Hydrom. Traumat. | Gelat. Ichthyoc. | Julap. Stypt. | Loh. de Hæmat. | L. Hæmopt. | L. Iſchæm. | Miſt. purg. Hæmopt. | Miva Conſolid. | Pilæ Hæmopt. | Pil. Dyſenter. | Poſſet. Aſtring. | Pulv. Hæmopt. | P. de Laccâ comp. | Ser. Alum. | Syr. Hæmopt. | Tinct. Roſar.

ſar. | Trag. gran. Actes. | Troch. Caſhew. | T. Hæmopt. v. *Potus.*

Ad Scabiem externa. Aq. Camph. | Baln. Pſoric. | Lac Mercur. | Lotio Sulphur. | Ung. Piperin. | U. Pſoric. | U. de Sedo. v. *Coſmetica, Cutanea.*

Ad Scabiem interna. Cerev. Catapſor. | C. Scrophul. | C. Vernal. | Dec. Antimon. | Elect. Æthiop. | E. Alb. | Troch. divin. | V. Viperin. | v. *Sang. Edulcorantia.*

Scorbutica. Acetar. Scorb. | Apoz. Scorb. | Cerev. Butl. | C. Depur. | C. Scorb. | C. è Succis | Chocol. Scorb. | Dec. Scorbut. | Elect. alb. | E. Junip. | E. Scorbut. | E. S. Cephal. | Expr. Raph. | E. Scorb. | Infuſ. Ireat. | I. Sanct. | Jul. Scorb. | Pedilav. Scorb. | Ser. Scorbut. | S. de Sedo. | S. Sinapin. | Succ. Scorbut. | Syr. Scorb. | S. Sambuc. | Troch. Antimon. | Vin. Scelotyrb. | v. *ad Gingivas.*

Ad Scrophulas. Aq. Bened. | Cerev. Scroph. | Dec. ad Strum. | Elect. Æthiop. | Empl. Diagalb. | E. ad Strumas | Pil. è Merc. viv. | Pul. ad Strumas | Ung. Digital.

Ad Singultum. Infuſ. Aneth. | Julap. Moſch. | Pulv. Coral. c. | P. Pleres Archont. | Sacch. Ambarat. | Tab. Diamb. | v. *Carminat. Stomach.*

Sitim extinguentia. v. *Potus, Refrigerantia.*

Somnifera Externa. Epith. Hypnot. | Frontale Cephal. | Pedilav. Cephal | Ung. Cephal.

Somnifera Interna. Emulſ. Somnif. | Laud. Dyſenter. | Pil. Catarrhal. | P. Matth. | P. Pacif. | P. Pavii | Syr. de Croco.

Ad Soporoſos Affectus. v. *Apoplectica.*

Splenetica. v. *Chalybeata. Hepatica. Hyſterica ad Melancholiam.*

Stomachica Externa. Catapl. Cydon. | Empl. de Balauſt. | E. è Carannâ | E. de Labd. | E. Mouteti

ſeti | E. Tolut. | Epith. Stomach. | Saccul. aromat. | S. Stomach.

Stomach. Interna. Cortic. aromat. | C. de Cinnam. | Dec. Amar. | D. Cydon. | D. Junip. | Elæoſacch. Card. | E. Nuciſtæ | Elect. Card. | E. Caryoph. | E. Lætific. | E. Macis | Expreſſ. Cydon. | Julap. Cydon. | J. Diateſſar. | J. Moſch. | Mel Myriſt. | Morſel. Stomach. | Ol. Junip. | Ol. Sacch. Juniper. | Pil. Angel. | P. Crapular. | P. Marocoſt. | P. Ruffi cum Gum. | Vatican. | Pulv. Cinnam. comp. | P. Coral. c. | P. Pepticus. | P. Pleres Arch. | P. Stomach. | Tab. Abſinth. | T. Carminat. | T. Diamb. | T. Fœnic. | Troch. de Angel. | Tr. de Aurant. | Tr. Orectici | Vin. Hieræ | V. Hippocrat.

Styptica. v. *Sanguinem Siſtentia.*

Sudoriſera. Acet. Peſtilent. | Dec. Ambroſ. | D. Guiaci. arom. | D. Præſervat. Elect. Epidem. | E. Piperin. | E. de Saſſafr. | Garg. de Ulmo | Infuſ. Sanct. | Julap. Armon. | Orvietan. | Pil. Guaiac. | P. Matth. | Potio Febrif. | Pulv. Æthiop. | P. Epidem. aur. | P. Febrif. cert. | Ser. Canarin. | Tab. Diamb. | v. *Alexiteria, Cardiaca.*

In Syncope. Elæoſacch. Card. | E. Nuciſtæ | Elect. Card. | Jul. Armon. | J. Moſch. | J. Vitæ | Mel Myriſt. | Ol. Sacch. Ambarat. | Pulv. Pleres Archont. | Roſa Solis | Tab. Diamb. | Troch. de Angel. | T. Griſ. v. *Ad Animi Deliq. Cardiaca, Hyſterica.*

T.

Ad Teneſmum. Enem. ad Teneſm. v. *Hæmorrhoidalia.*

Ad Tineam Capitis. Aq. Alum. | A. Herpet. | Inject. Alum. | Lac Alum. | L. Virgin. | Lap. Medicam. | L. Salutis | Liqu. Styptic. | Lotio Facial. | Ung. depilator. | U. Herpetic.

Ad Tonſillas. Litus ad Tonſil. | v. *in Anginâ.*

Ad Tormina à Partu. Pulv. ad Torm. | v. *Carminat. Hyſter. Somnifera.*

Traumatica. Aq. Calc. Pect. | Balſ. Lucatel. | B. Magiſtr. | Butyr. rub. | Cerev. Scroph. | C. Traumat. | Chocol. Balſam. | Dec. Junip. | D. Phthiſ. | D. Traumat. | Elect. Tolut. | Enem. Balſam. | E. Dyſenteric. | Hydrom. Traumat. | Infuſ. Balſam. | Jul. Pleurit. | Pil. de Ariſtoloch. | P. Diuret. | P. è Milleped. | Potio alba | Pul. ad Caſum | P. Hæmopt. | P. de Laccâ | Ser. Sinap. | Vin. Hieræ.

Ad Tuſſim. v. *Catarrhalia, Pectoralia.*

U.

Variolarum foveas & ruborem delentia. Balſ. ver. | Cerat. alb. | Nodul. Facial. | Syr. ad Fiſſur. | Ung. de Sperm. Ceti.

Ad Ventriculi dolores. Elect. Caryoph. | E. Piper. | Pil. Camph | Pul. Stomach. | Syr. de Peto | Vin. Hieræ | v. *Carminat. ad Colicam.*

Vermifuga. Allium cond. | Aq. Vermif. | Balſ. Magiſt. | Bez. Anim. | Dec. Rhabarb. | Elec. Æthiop. | E. Vermif. | Empl. de Hierâ | E. Vermif. | Infuſ. Vermif. | Pil. Æthiop. | P. de Ariſtol. | P. de Calom. | P. Enul. | P. de Sabinâ | P. Vermif. | Pul. Vermif. | Syr. Vermif. | Tab. Abſint. | T. Perſic. | Troch. Infant. | Tr. Vermif. | Vin. Hieræ | Ung. ad Lumbric.

Ad Vertiginem. Apoz. Cephal. | Balſ. Apopl. | Dec. Amar. | Elect. Caryoph. | E. de Saſſafr. | Empl. Burgund. | E. Camphor. | E. è Carannâ | Garg. Apopl. | Julap. è Roremar. | Mel Moſch. | Pedilav. Cephal. | Pil. Ruffi c. G. | Pul. Cibar. | P. Cinnab. | P. Coral. c. | P. Euphrag. | P. Ophthalm. | Tab. Diamb. | Troch. Orecti | Vin. Hieræ | V. Hippocr. | v. *Carmin. Cephal. Stomach.*

Ad

Ad Ulcera, Vulnera, Puſtulas, &c. Externa. Aluminat. | Aq. Ægypt. | A. Alum. | A. Camph. | A. Herpet. | A. Mercur. | A. Sapphir. | A. Stypt. | A. Vulnerar. | Balſ. Lucatel. | B. Magiſt. | B. Momord. | B. Sanativ. | B. Sclopet. | Cerat. alb. | Empl. Diaſulph. | E. Diach. Ireat. | E. Mamill. | E. de Minio c. | E. Plumb. | E. è Saturno | Epith. Stypt. | Garg. ad Gingiv. | Inject. | Lac Alum. | L. Mercur. | L. Papav. | L. Virgin. | Lap. Medicam. | L. Salutis | Linim. Herpet. | L. Saturni | L. Simpl. | Liquor. Stypt. | L. Vitriol. | Lotio Facial. | L. Sulph. | Pulv. ſine pari | P. Stypt. | P. ad Ulcera | Serum Alumin. | Suffim. ad Ulcera | Troch. Exfol. | Vernix | Ung. ad Cancr. | U. Citr. | U. Famil. | U. Fuſcum | U. de Melle | U. Nutrit. | U. Saturn. | U. Sympath. | U. ad Ulcera.

Ad Ulcera, & Vulnera Interna, v. *Sang. Siſtentia, Traumatica.*

Vomitionem Siſtentia Externa. v. *Stomachica.*

Vomitionem Siſtentia Interna. Decoct. Cydon. | D. ad Sitim | Elæoſacch. Card. | E. Nuciſtæ | Elect. Caryoph. | Expr. Cydon. | Julap. Cydon. | J. Diateſſ. | J. Tartar. | Morſel. Stomach. | Pil. Matth. | Pul. Cardialg. | P. Cinnam. c. | P. Coral. c. | Tab. Abſint | T. Diamb. | Tinct. 2. | Troch. de Angel. | T. Caſhew | T. Orect. | T. Roſ. | T. Tart. | v. *Hippocrat.*

Ad Uvulæ relaxationem. Empl. Catarrh. | E. Nuchale | Litus ad Tonſillas | Pulv. Uvul. | Vapor. Pect. | v. *Ad Anginam, Catarrhalia.*

Indicis Finis.

PHARMACOPOEIA
HERMETICA,

Quâ

Proceſſus Chymici,

Qui per

PHARMACOPOEIAM

Ante editam ſparſi; atque cum

GALENICIS

Permiſtè implicati proſtabant, nunc ſigillatim decerpti, & in

Unum MANIPULUM colligati,

Separatim exhibentur.

LONDINI:
MDCCXIX.

CATALOGUS

Proceſſuum Chymicorum.

ACetum Lithargyrites.
Mellis.
Æthiops Mineralis.
Alumen dulce.
Febrifugum.
Anima Hepat. V. vitr. Martis.
Antefebrile Concharum.
Antihecticum Poterii.
Antimon. Diaphoret. fixum.
Medicamentoſum.
Reſuſcitatum.
Aqua Animalis.
Antiphthiſica.
1 Antiſcorbutica.
2 ——
Bechica.
Caryophyllorum.
Cephalica.
Ceraſor. comp.
Chalybeata.
Chamæmeli comp.
Cinnamomi card.
Hordeata.
Aq. Cordium comp.
Coſmetica.
Crinalis.

Cucumerum comp.
Cynosbati com.
Digitalis.
Embryonum.
Epidemia.
Febrifuga.
Formicarum.
Fortis duplex.
Aluminata.
Hirundinum.
Hormini comp.
Hungarica.
Lactis Alexiteria.
Cardiaca.
Nephritica.
Pectoralis.
Scorbutica.
Lamii comp.
Odorifera.
Omnium Florum.
Ophthalmica.
Aq. Pectoralis.
Perſicariæ com.
Picarum comp.
Pneumonica.
Prolifica.
Regia.
Sarſæ comp.
Senelorum comp.
Siphylica.
Stimmios Sulphurata.
Tuſſilaginis comp.
Arcanum Aluminis.
Corallinum.
Coral. Paracelſi.
Coſmeticum.
Duplex.
Joviale.
Scriptorium.
Aurum Fulminans.
Moſaicum.
Potabile.
Vitæ.

Balſamum Anodynum.
Martiale.
Paralyticum.
Saturninum.
Succini.
Sulphuris Antimonii.
Aniſatum.
Bateanum.

Ben-

Benzoinatum.
Knœphelii.
Minerale.
Rulandi.
Succinatum.
Terebinthinatum.
Tartari.
Veneris.
Bezoarticum Joviale.
Lunare.
Martiale.
Mercuriale.
Minerale.
Saturni.
Solare.
Veneris.
Calx Auri. v. Aur. Fulm.
Jovis.
Lunæ.
Saturni v. Plum. uſt.
Cauterium Lunare.
Ceruſſa Antimonii.
Martis.
Chalcanthum rubefact.
Chalybs ſine acido.
Tartariſatus.
Cinnaberis Antimonii.
Cliſſus Vitrioli.
Colcothar. Vitrioli.
Crocus Jovis.
Veneris.
Cryſtallum Lunæ, v. Vitriol. Lunæ.
Cryſtal. minerale.
Decoct. Reguli.
Elixir Camphoratum
Propriet. dulce.
Peſtilent.
Tartariſat.
Vitæ.
Vitrioli.
Ens Veneris.
Eſſentia Abſinthii.
Martis.
Extractum Abſinthii.
Alhandal.
Chalybis.
Diateſſaron.
Draſticum.
Ecphracticum.
Febrifugum.
Fellis.
Ictericum.
Melampodii.

Pare-

Paregoricum.

Febrifugum Riverii.
Flores Antimonii.
Diaphoret.
Benzoini.
Biſmuthi.
Joviales.
Salis.
Salis Armoniaci.
Sal. Arm. Martiati.
Sulphuris Albi.
Viridis Æris.
Vitrioli.
Zinci.

Galbanetum Hartman.
Sennerti.
Gilla Theophraſti.

Hepar Sulphuris.
Hercules Bovii, v. Aurum Vitæ.

Infuſum Arthriticum.
Jovis Amalgama, v. Crocus Jovis.
Jupiter Diaphoreticus.
Nitratus.

Lac Sulphuris.
Laudanum liq. Cydoniat.
Tartariſat.
ſine Opio.
Liquamen Silicum.
Sulphuris.
Liquor Cephalalgicus.
Luna Potabilis.

Magiſter. Antim. diaph.
Benzoini.
Biſmuthi.
Git.
Jovis.
Lithargyrites, v. Sal. Litharg.
Lunæ, v. Vitriol. Lunæ.
Martis, v. Extract. Chalyb.
Saturni.
Sulphuris, v. Lac Sulph.
Tartari.

Tartari.
Turpethi.
Magnes Præparatus.
Mars Diaphoreticus.
Fulminans.
Potabilis.
Mercurii Purgatio.
Præcip. alb.
Correctus.
Fixus.
Flavus.
Griſeus.
Incarnatus.
Laxativus.
per ſe.
Ruber.
Solaris per ſe.
Viridis.
Sublim. Rub. & Flav.
Vitæ correctus.
Purgans.
Mixtura ſimplex.

Nitrum Antimoniatum.
Cachecticum.
Catharticum.
Corallatum.
Fixatum.
Hermaphroditicum.
Joviatum, v. Jupiter Nitratus.
Nitratum.
Perlatum.
Saturniſatum.
Sulphuratum.
Vitriolatum.

Oleum Aloëticum.
Antimon. Saccharat.
Camphoræ.
Chartæ.
Heracleinum.
Ludi.
Lumbricorum.
Martis.
Polypodii.
Saponis.
Saturni, v. Balſ. Saturn.
Tabaci.
Talchi per deliqu.
Viridis Æris.
Vitrioli dulce.

OxyſaccharumEme-
ticum.

Panacea aurea.
Cathartica.
Hartmanni.
Holſatica,v.Ar-
can. duplex.
Schroderi, v.
Mercur. præc. fix.
Phoſphorus.
Pil. Matthæi.
Pulv.Sympatheticus.

Regulus Jovialis.
Lunaris.
Martis.
Solaris.
Veneris.
Ros Vitrioli.

Sal Abſinth. cryſtal-
lin.
AcetiEſſentiale.
Fixum.
Alkali.
Aluminis.
Armoniac.fixat.
Volatile.
Volat. oleoſ.
Chalybis.
Coralliorum.
Sal CC Succinatum.
Decrepitatum.
Diureticum.
Febrifugum.
Jovis.
Lythargyrites.
Martis, v. Sal
Chalyb.
Catharticus.
Perlarum.
Philoſophorum
Polychreſtum.
Saturni.
Spongiæ volat.
Sulphuris.
Tartari.
Volat.
Viperarum.
Veneris,v.Flor.
Vird Æris.
Urinæ volat.
Sapo Tartareus.
Scammon. Aurant.
v. Extr. Draſtic.
Cydoniatum.
Limoniatum.
Roſatum.
Sedativum Archæi.

Silices præparati.
Spiritus Alkermes.
Aluminis.
dulcis.
Ambræ.
Benzoini.
Camphoræ.
Ceraſorum.
Cochleariæ.
Coralliorum.
CC Succinatus.
Dracunculi.
Embryonum.
Hormini comp.
Hyſſopi verus.
Juniperi.
Mannæ.
Millepedum.
Nitri.
Bezoarticus.
dulcis.
Reginæ Hungar.
Rhœad. Crapularis.
Sal Armon.
Succinat.
Chalybeat.
Tartariſatus
Salis coagulat.
Martialis.
Sambuci.
Sanguinis.
Saturni.
Spongiarum.
Tabaci.
Theriacalis Camphor.
Veneris.
Vini Succinatus.
Tartariſatus.
Viperarum.
Vitrioli.
Coagulatus.
Diaphoreticus.
Martis.
Philoſophicus.
Tartariſatus.
Stypticum Regis.
Sulphur Antimonii.
Combuſtib.
Auratum.
Vitrioli.
Martiale.
Narcoticum.

Tar-

Tartarum Antimoniatum.
Chalybeatum.
Emeticum.
Laxativum.
Vitriolat. Antimon.
Emetico Purgans.
Terra Vitrioli dulcis.
Tinctura Abſinthii.
Amygdaloides.
Antimonii Emetica.
Purgans.
Armoniaci.
Aſæ Fœtidæ.
Aſthmatica.
Aurea.
Bezoartica.
Cardamomi.
Carui.
Ceruſſæ.
Chamæmeli.
Coralli.
Guaiaci.
Galbaneti.
Hæmatitidis.
Juniperi.
Martis.
Aurea.
Tartariſata.
Meliſſæ.
Mellis.
Myrrhæ.
Ocul. Cancr.
Odontalgica.
Paralytica.
Perlarum.
Piperis.
Proprietatis.
Rhabarbari.
Saſſafras.
Saturni.
Scorbutica.
Serpylli.
Stomachica.
Succini.
Sulphuris.
Vener.
Virgin.
Vitriol. Camph.
Lunæ.
Martis.
Veneris.

CHARACTERES,

Qui in hoc

LIBELLO

Occurrunt.

Acetum	🜊
Acet. deſtillatum	🜋
Aër	🜁
Æs	♀
Æs Viride	⊕
Alembicus	XX
Antimonium	♁
Aqua	▽
Aqua fontis	▽ont.
Aqua fortis	🜅
Aqua Regia	🜆
Aqua Roſ.	▽Roſ.
Arena	∴
Argentum	☽
Argent. vivum	☿
Arſenicum	🜺
Audix. Sal. Arm.	✳
Aurum	☉
Balneum	B
Baln. Mariæ	MB
Bolus Armena	AB
Calx viva	Ψ
Chalcanth. vitriol	🜖
Chalybs	♂
Cineres	🝗
Cinnabaris	🜍
Crucibul.	✠
Cuprum	♀
Deſtillare	🝫
Dies	🝱
Ferrum	♂
Hermes Merc.	☿

Hora

Hora	8	Sal Commune	⊖
Hydrargyrum	☿	Sal Gemmæ	♉
Ignis	△	Sal Petræ	⦶
Jupiter	♃	Sol	☉
Luna	☽	Spiritus	Sp.
Mars	♂	Stannum	♃
Maſſa	∅	Stimmi. Antim.	♁
Mercurius	☿	Strat.ſup.Strat.	S.S.S.
Merc.præcipitat.	☿	Sublimare	♎
Merc. ſublimatus	☿	Sulphur	🜍
Nitrum	⦶	Tartarum	🜿
Nox	♀	Terra	🜃
Oleum	◎	Venus	♀
Plumbum	♄	Vinum	V.
Præcipitare	⊽	Viride æris	⊕
Pulvis Pulverare	♉	Vitriolum	🜖
Retorta	🝭	Urina	⊡
Sal Armoniacum	⚹		

Notandum, *Medicamenta ſingula, quibus præponitur Aſteriſcus* *, in uſu fuiſſe frequentiori apud Autorem, cujus *Praxin ac Præſcripta in re Medicâ* non potui non animadvertere, quippe qui ſub *Illo* ἐν τῷ φαρμακοποιεῖν aſſiduè ſolebam verſari viginti circiter annorum ſpatio.

PHAR-

PHARMACOPOEIA
HERMETICA.

A.

A*Cetum Lithargyrites.* ℞ 🝫 Litharg. ☉ ℥iv. 🜊 opt. ℥viij. digere 🝰 3, ſæpe agitando, & filtra. *Pro faciei Rubore, puſtulis, &c: curandis.*

* *Acetum Mellis.* ℞ Meſ. ℔j. 🜊 opt. ℔iij ex ∴ deſtilla ac rectifica. *Præter alios uſus ſolvere, & lapides ſine ulla præcedente calcinatione, dicitur.*

* *Æthiops Mineralis.* ℞ Fl. 🜍 p. ij. ☿ crud. p. 1. exactiſ. mixta incende, ut f. 🝫 nigerrimus ſ. a. *Uſus in Lue* ☿, *Hydrope, &c. Ptyaliſmum non movet.*

* *Alumen Dulce.* Solve Alumen in ▽, & coagula. Repete opus ter, ut Alumen dulceſcat. Vocatur & *Sacchar. Aluminis.*

 Commen

Commendatur in pectoris morbis, præſertim ex minerarum halitu contractis. Odontalgiam ſedat, gingivæ impoſitum. Doſ ℈ß.

**Alumen Febrifugum.* Solve Alumin. ℥iij in ▽ cardui b. ſanguine draconis probè tinctæ ac filtratæ ℔iß, & exhala ad ſiccitatem ſ. a. *Doſ.* ℈j *ante paroxyſmum febrilem, ſudorem movet, &c.* v. *Mynſicht.*

Anima Hepatis, v. *Vitriol. Martis.*

* *Antihecticum Poterii.* Fit ex Regul. ♁ ij. ♂ tiati & ♃ is Anglic. ā, colliquatis, cum triplo ⦶i detonatis, & ▽â edulcatis, ſ. a. *Doſ. gr.* vj *ad* xx. *In Lue* ♀, *Hydrope, Scorbuto, Tabe,* &c.

* *Antimon. Diaphoret.* f. ex ♁ p. 1, ⦶ p. iij. detonatis ac ▽â edulcatis. s. a. *Doſ.* ℈j *bis in die per plures dies, augendo quant. gradatim quotidie uſque ad* ʒj *pro doſi, uſus eſt ad ſanguinem mundificandum, in Cachexia, Hydrope, Scorbuto, Lue* ♀, &c.

Antim. Diaphor. fixum. ℞ ♁ & ⦶ ā: Detona, ablue & exicca. Tum miſc. cum ā ⦶i; detona, ablue, ſicca: dein miſce iterum cum ā ⦶i ac detona. ⌀m hanc in ▽ coctam filtra, & ≕a cum ⨯. Tum ablue & ſicca. *Vires eaſdem obtinet cum priori in eadem doſi.*

* *Antim. Medicamentoſum.* ℞ ♁ p. v. ⊖ com. p. iiij. ⊖ ♀ p. i. funde in Regulum ac

ac edulcora. *Parùm differt à priori in viribus.*

* *Aqua Animalis.* ℞ ♀ris equi non defatigati rec. globulos n° xij. miſc. cum Leucœn. ℔viij. Adde Sem. fœnic. d. petroſel. ana ℥ij. Theriac. Januenſ. ℔j. polypod. qu. Ruſci, Fol. hepat. ana m. ij. zz. ℥iij. ∽a l. △ ſ. a. *Doſ. ad ℥iv, ſuperſudando, in Pleuriſi, Doloribus, Rheumatiſmo, &c.*

* *Aq. Antiphthiſica.* ℞ Sang. vitul. rec. agitatione à fibris ſeparati, ℔iij. Terebinth. Ven. ℥x. glyc. rec. ℔j. uv. paſs. exacin. ℥xij. ficus ping. n° 100. Limac. hort. n° 70. Rad. irid. rec. ℥vj. Fol. Tabaci Hiſpan. inciſ. ℥ij. micar. panis alb. ℔j. ∽a ſ. a. *Doſ.* ℥ij. *cum debita olei quantitate ſupernatante, omni manè cum Syr. Pectoral. per dies* 15.

* *Aq. Antiſcorbutica.* ℞ Fol. fumar. naſturt. aq. cochl. utriuſque, becabung. ana m. xij. ling. cerv. cichor. pini, chamædr. praſs. agrimon. Centaur. min. ana m x. abſinth. Rom. Hepatic. ana m. iiij. Rad. bryon. ℥viij. filic. fœm. lapath. cort. dulcamar. fraxin. intern. ana ℥vj. Sem. fraxini ℥iß. angel. ℥ß. contuſis omnibus rec. adde V. Rhen. ℔vj. in quibus Chalybis limatur. ℔j. vigecies extincta fuerit, exprime prelo & ∽a in MB. (addendo

Troch. de Cappar. 🜿at. ʒvj. luti ♂ ℥iß.) ad mellaginem; quæ poſtea exhaletur ad conſiſt. *Extracti*; quod ſervetur pro *Extracto Antiſcorbutico. Bat.*

* *Aqua Antiſcorbutica.* ℞ Fol. Ari. cochlear. hort. naſturt. aquat. abſinth. vulg. ana m. vj. cort. aurant. rec. ℥iiij. n. m. ℥ij. infunde per noct. in Cereviſ. Brunſvicenſ. ℔viij. & ⌣a ſ. a. *Micleth w.*

Aq. Arthritica. v. *Aq. omnium Florum.*

Aq. Aſthmatica. v. *Aq. Pectoralis.*

* *Aq. Bechica.* ℞ Fol. heder. ter. tuſſilag. botryos, ana ℔iß. hyſſop. roriſm. puleg. marrub. ana ℔iß. Rad. enul. glyc. ana ℔iß. irid. Fl. ℥xij. ficuum inciſ. ℔iij. croc. opt. ſem. aniſ. fænic. d. ana ℥ß. Sp. V. ℔x. 🜄ont. ℔48. macer. ac ⌣a per veſicam ℔24, vel 30, *pro Syr. Tolutano magiſtrali conficiendo.*

* *Aq. Caryophyllorum.* ℞ Fl. Caryoph. hort. rec. ℔ij. dactyl ℔j. aniſ. glyc. ana ℥j. macer. in fæcum Vini ℔24, & ⌣a per XX ℔iv. quibus adde ſacch. cand ℥iiij; & ſuſpende in nodulo caryoph. aromat. n° 3, vel 4, cum Moſch. & Ambr. griſ. ana gr. v.

* *Aq. Cephalica.* ℞ Rad. pæon. mar. ℥iv. angel. Valerian. ana ℥iß. caryophyllat. ℥j. Fol. ſalviæ roriſm. beton. majoran. meliſ. Fl. lavend. beton. pæon. calend. ſalv.

ſalv. roriſm. lil. conval. tiliæ ana, m j. ſtœch. ℥iß. roſ. r. paralyſ. ana m. ij. Lign. rhod. ſant. citr. ana ʒvj. n. m. ℥iß. galang. ℥ß. cardamom. cubeb. ana ʒiij. Infund. in vin. alb. opt. ℔xiv. ♁ 10. deinde adde cinam. opt. ℔j. macer. per ♁ 2. & ♒a ſ. a. *In capitis Intemperie, Cephalalgia, &c. Doſ. coch.* ij. *Attrahe inter nares, fricentur optimè tempora, loca pone aures, ore teneatur & auribus: Linteolum eâ intinctum nuchæ adhibeatur. Plurimis levamen conciliavit, aliis incaſſum exhibitis.*

* *Aq. Ceraſor. comp.* ℞ Ceraſ. n. cum nucleis opt. contuſ. ℔x. lactis rec. vaccæ rubræ cong. ij. Fol. violar. rubi, prunell. caprifol. ana m. iv. ♒a ſ. a. *Doſ.* ℔ß *bis in die. In Tympanite curando Præſtantiſs. Remedium.*

* *Aq. Chalybeata.* ℞ Chalybis limatur mund. ℥iv. V. alb. ℔iv. Inſolentur ac agitentur quotidie ad nigredinem Vini, & ♂ diſcolorationem: dein. adde fragor. recent. leniter expreſ. ℔iv. Sperm. ceti, rhab. mumiæ, ana ℥ß. ♒a ad fæcum ſiccit. *Doſ.* ℥iij *vel* iv *bis in die, ad fiſtulas, præſertim urin. partium, Apoſtemata, hæmorrhoid. dolorem, mictionem purulentam, Contuſiones, ſanguinem coagulatum, &c.*

* *Aq. Chamæmeli comp.* ℞ Fl. Chamæm. rec. dupl. flore m. xxx. incid. con-

tund. & infund. in Aq. ſtil. è fol. chamæm. ℔x. vin. Hiſpan. ℔xvj ʒ 24. exprime & infund. 2da vice Flor. rec. m. xx. In 3tia expreſſione infund. Flor. rec. m. xij; addendo flaved. cort. aurant. rec. ℥ij. Fol. abſ. pont. centaur. puleg. orig. ana. m. iiß. Sem. aneth. ℥ij. aniſ. fænic. carui, cumin. cardui ben. card. Mariæ, ana ℥iß. Bac. laur. junip. ana ℥ß. n. m. ℥iij poſt macerationem debitam ſa ſ. a. *In Flatu, Colica, Calculo, Menſibus obſtructis, &c.*

* *Aq. Cinamomi Cardiaca.* ℞ Succ. borrag. reſidentiâ depurat. ℔24. Fl. caryoph. ſimp. flore (ſc. **Pinkes**) m. ix. croc. ℈ij. cinam. opt. ℔iß. Fl. borrag. m. iv. ſa ſ. a. in MB. *In Syncope, Animi deliquio, &c. Inſignis.*

* *Aq. Cinamomi Hordeata.* ℞ Aq. Hordei depurat. ℔viij. Cinam. opt. ℥xij. macera ac ſa ſ. a. in MB. *Cum ana Oxym. Scillit. cochleatim ſumpta mirificè prodeſſe ſolet in Aſthmate.*

* *Aq. Cordium comp.* ℞ Corda vituli valdè recentia per fruſtra ſect. n° vj. micæ panis à lacte vaccino inebriatæ ℔j. ▽Roſ. Dam. ▽ fl. aurant. ana ℔j. mala citria inciſa n° 3. cinam ℥iv. macis ℥j. Gelat. c. c. cum V. alb. fact. ℔iv. ſanguin. agni, vituli, à fibris purgat. ana ℔ij. V. Hiſpan.

℔iij.

℔iij. ♒a ſ. a. *In virium dejectione mira præſtat.*

* *Aq. Coſmetica.* ℞ Pedes Vitulin. confractos nº vj. Leptopityri ℥vj. ☿ris myrrh. ℥ivß. œnogalact. ℔vj. ♒a ſ. a. *Cum iſta facies abluatur, perfricando aluminis fruſto lævigato.*

* *Aq. Crinalis.* ℞ Muſca. vivent. ℔iv. mel. ℔j. lactis ℔ij. ♒a ſ. a. *Præterquam quod in Alopecia mirè prodeſt, in ſurditate etiam valet auribus inſtillata.*

* *Aq. Cucumerum comp.* ℞ Succ. cucumer. hort. ℔iv. vin. alb. ℔vj. Thecar. fabar. ℔iß. Fol. cum radic. ononid. ℔j. Bac. junip. ℥vj. n. m. nº xxi. Sem. petroſel. ℥iv. Saxifrag. alb. ℥iß. Fl. geniſt. m. viij. ſambuc. lamii. alb. ana m. vj. ♒a ſ. a. ad ſiccitatem. *Doſ.* ℥ij. *omni mane, præmiſſis pil. ex Terebinth. Cyp. in calculo & arenulis expellendis.*

* *Aq. Cynosbati comp.* ℞ Fruct. Cynosb. cum Sem. Contuſ. ℥vj. Sem. Raphan. ℥ß. petroſel. ℥j. Saxifrag. ʒij. Rad. Saxifrag. alb. ℥j. glyc. ℥iij. alth. ℥vj. ſeri lactis ℔x. ♒a ſ. a. *Doſ.* ℥iv. *bis in die cum ſyr. de alth. & de portulac. præmiſſ. conſ. cynosbati.*

* *Aq. Digitalis.* ℞ Fol. digitalis rec. ℥xij. glyc. ℥iv. aniſ. ℥ij. cereviſ. fort. ℔xij. fermenta ♁ 19. ac ♒a ſ. a. *Antaſthmatica inſignis*

inſignis eſt: & optimè valet ad promovendam expectorationem. Doſ. Cochl. aliquot ſæpe.

* *Aq. Embryonum.* ℞ rad. eryng. rec. ℔j. dactyl. ℔ß. amygd. dulc. non decort. ʒiv. contuſ. in pulp. adde n. m. ℥iij. mac. ℥ß. aq. cinam. hordeat. ℔iß. vin. Hiſpan. aq. meliſ. ana ℔ij. ☋a ſ. a. *Doſ.* ℥ij *ter in die cum ſacch. perlat. præmiſ. elect. ex conſ. roſ. r. caryoph. n. m. condit. pul. ebor. margarit. &c.*

* *Aq. Epidemica.* ℞ Fol. cheſidon. roriſm. rutæ, ſalv. artemiſ. abſ. anagal. dracont. ſcabioſ. agrim. meliſ. ſcord. centaur. min. card. b. beton. roris ſol. ana m. ij. Rad. angel. torment. gentian. zed. glyc. ana ℥j. macer. in vin. alb. ℔viij. ♂ 2: dein ☋a ſ. a.

* *Aq. Febrifuga.* ℞ ſummit. centaur. min. m. viiij. abſ. vulg. parthen. pentaphyll. calend. tormentil. nicotian. virid. acetoſ. card. b. dracon. chamæm. chamædr. ana m. vj. taraxac. m. xij, contuſ. adde Leucœn. ℔iv, & ☋a, & ▽æ ☋atæ novis affuſis herbis macer. ac ☋a ad ſiccit. In ▽ ☋at. infund. Rad. fraxinel. tormentil. ana ℥iß. Sem. citri, card. Mariæ, acetoſ. ana ℥ij. Fol. ſcord. galeg. ana m. iv. ☋a ſ. a.

* *Aq. Formicarum.* ℞ Formicar. major. (Majo vel Jun. collect.) ℔j. mellis hydropeg. ℔j. ☊a ſ. a. *Doſ. coch.* j. *vomitum ciet & curat febres tertianas.*

* *Aq. Fortis Duplex.* Fit ex ⦶ & ⊖ ana, per ♉ ☊atis ſ. a. *Solvit* ☽ & ♀.

* *Aqua Fortis Aluminata.* ℞ Alumin. calcin. ⦶, ana ℔j, ⊖ ℔ß. ☊a ſ. a.

* *Aq. Hirundinum.* ℞ Hirundin. vivent. nº 40. *Caſtor.* ℥j, Vin. alb. ℔iij, ☊a. *Ad Epilepſiam curandam optimè valet.*

* *Aq. Hormini comp.* ℞ Fol. Hormin. rec. contuſ. m. xij. Sp. V. ℔j. ☊a ad ſiccitat. ▽æ ☊atæ affund. rec. fol. horm. m. x. Fl. Lamii m. vj, & ☊a 2da vice. repet. affuſio & ☊atio 3tia vice cum rec. flor. & herbis, addendo n. m. ℥j. Liquor. ☊ans ultimâ vice excipiatur ſupra ſacch. albiſ. ℥vj. ambr. griſ. in petia ſuſpenſ. gr. iij. intra phialam. *In abortu præcavendo (apud Mulierculas) multum facit. Profluvio albo ſubvenit.*

* *Aq. Hungarica.* ℞ Fl. roriſm. rec. ℔ij. Alcoh. V. ℔viij. macer. ac. ☊a ſ. a. *Confert. ad arthritidem vagam, & Iſchiadem. Detur coch.* j. *bis in ſeptimana. Facies & pars affecta quotidie lavetur. Attrahe in nares, &c. v. uſus Aquæ Cephalicæ.*

* *Aq.*

* *Aq. Lactis Alexiteria.* ℞ Fol. ulmar. card. b. galeg. ana m. vj. menth. abſ. com. ana m. v. rutæ m. iij. angel. m. ij. contuſ. adde lact. rec. cong. iij. ꝯa com. organis.

* *Aq. Lactis Cardiaca.* ℞ Pomor. redolent. cum cort. & ſem. ℔xij. Fol. meliſ. Scord. ana m. x. rad. zed. Tormentil. ana ℥viij. lactis rec. ℔x. ꝯa ſ. a.

* *Aq. Lactis Nephritica.* ℞ Fol. alth. parietar. aparin. ana m. 4. Rad. alth. ℥xij. glyc. ℥iij. Saxifrag. alb. ℥iv. lact. rec. ℔xij. ꝯa ſ. a. Aliter. ℞ Albumina ovorum cum teſtis ſuis (demptis vitellis) nº 24. contuſis optimè & agitatis adde lact. rec. ℔viij. ꝯa lentiſ. igne ſ. a. *Doſ.* ℔ß. *omni manè per dies 15 vel 20; & præterea ſemel bis in menſe per* δ *2 vel 3 continuos circa plenilunium & novilunium.*

* *Aq. Lactis Pectoralis.* ℞ Limac. hort. contuſ. ℔j. ſang. porcin. ℔ij. cap. ♀, heder. terr. ana m. iij. ling. cervin. m. ij. glyc. aniſ. ana ℥iij. jujub. uv. paſs. ana ℥iv. lact. rec. ℔xij. ꝯa ſ. a. *Pulmonica, Phthiſica, ad Tabem, &c.*

* *Aq. Lactis Scorbutica.* ℞ cochlear. mar. ſedi major. ana m. xij. becabung. gramin. naſturt. aquat. ana m. vj. chærefol. m. 4. lact. rec. ℔xij. ꝯa ſ. a.

* *Aq. Lamii comp.* ℞ Fl. Lamii alb. m. x. conſolid. maj. m. viij. hormin. m. 4. dactyl. n° 24. n. m. ℥iij. caſ. lig. ℥j. œnogalect. ℔xij. ♎a ad ſiccit. *Uſus in Profluvio albo, &c. Doſ.* ℥iv. *pro vice.*

* *Aq. Melluminata.* ℞ Fol. querc. lanceol. rubi, fragar. pentaphyll. bugul. millefol. periclymen. ſalv. roriſm. roſ. r. ana m. ij. Scob. guajac. ℥iv. Rhodii ℥ij. Radic. biſtort. ℥j. ♀ viv. ℥iß. ⊕ ℥j. Alumin. ℥iv. mell. ℔ß. coq. in ▽ fluent. ℔viij. ad conſump. dimid. f. colat. fæce depoſitâ ſervabitur per annum totum. *Cum Ol. ♀ris, ad ulcera oris, & gingivarum: Cum Flor. ⊖i ad Puſtulas, optimum remedium.*

* *Aq. Odorifera.* ℞ Poma limon. & aurant. rec. ana n° vi. Rad. irid. florent. ſantal. alb. cinnam. ana ℥ij. macis, Caryoph. ana ʒvj. Fl. lavendul. m. iv. chamæmel. rom. anthûs, ana mij. fol. majoran. mij. ocim. miij. ſtyrac. calam. ʒiij. benzoin. ʒv. Fl. Roſ. Dam. m xv. Cyperi. rot. ℥ß. ▽ont. ℔xxx. ♎a in ☓☓ ſ. a. Reſerventur aquæ primò ♎atæ ℔xv. cujus ſingulis libris adde (in nodulo ligat.) Moſc. opt. gr. ij.

* *Aq. Omnium Florum,* fit ex ſtercore Vaccino Maio collect. cum Leucœni ʒtia parte ♎ato, vel ex ſterc. vaccin. rec. & li-

mac. cum teſtis contuſis, ana com. organis ⚗atis. *Dicitur hæc Aqua Athritica. Arthritidi vagæ, Rheumatiſmo, Calculo, urinæ ſuppreſſæ, &c. maximè proficua. Doſ.* ℥iv. *pro vice.*

* *Aq. Opthalmica*, fit ex Aq. è Gum. Guajaci (quæ fit per ♌ △e moderato ⊞erum cum ☿ere laterum, ſeparando ⊙m & rectificando ▽m:) cum ▽Roſ. alb. mixtâ ſ. a. *In morbis oculorum optimum remedium.*

* *Aq. Pectoralis.* ℞ Rad. helen. ariſtol. rot. ana ℥iij. irid. noſtr. ℥iß. irid. florent. petroſelin. fœnic. glyc. ana ℥j. fol. nicotian. virid. m. iv. ſcabioſ. veron. tuſſilag. hyſſop. marrub. cap. ♀, card. ben. ana m. j. jujub. ſebeſt. ana n° 30. caric. dactyl. ana n° 16. ſem. nicotian. ʒiij. nigell. ʒj. lini. urtic. naſturt. ſinap. ana ʒij. bacc. lauri ʒvj. guajac. pul. ℥viij. tereb. ven. (in vitellis ovor. ſolut.) ℥iiß. Leucœn ℔xvj. macer. ♁ 3, ⚗à ſ. a. inter ⚗andum milleped. contuſ. n° 60. in petia ligat. ſuſpendendo in receptaculo. *Egregii eſt uſus in aſthmate, dyſpnœa, tuſſi, in tartaro pulmonum & renum, &c. Doſ.* ℥ij, *bis vel ter in die extra paroxyſmum.*

* *Aq. Perſicariæ comp.* ℞ Perſicar. maculoſ. rec. ℔iij. pariet. portulac. thecar. fabar. ana ℔j. contuſ. adde lact. rec. ℔viij.

⚗a

℘a ſ. a. *Arcanum magnum habetur in calculo renum ac veſicæ. Doſ.* ℥iv. *bis indies cum melle per* ♁ 20 *continuos.*

* *Aq. Picarum comp.* ℞ Pullos picar. n° vj. Sterc. albiſ. de Pavon. mar. ℔ß. Viſci querc. veri, rad. pæon. mar. ana ℥iv. Flor. primulæ veris rec. ℔j. Vin. alb. & Hiſpan. ana ℔v. Infund. ac ℘a ſ. a. *Doſ.* ℥iv. *manè & veſperi ultimis diebus ante plenilunium & novilunium. Inſigne remedium in epilepſia.*

* *Aq. Pneumonica.* ℞ Fol. peti opt. nonconvolut. cort. extern. aurant. ana ℥iv. cort. Winter. ʒvj. aniſ. ℥iß. V. Hiſpan. ℔vj. Sp. V. ℔j. macera, ac ℘a organis vitreis. *In dolore Colico, Stomachi cruciatibus, inappetentia, &c. Medela probatiſſima. Doſ. coch.* j *ante cibum.*

* *Aq. Prolifica.* ℞ Sem. Angelic. decort. ℔iß. fœnic. d. glyc. ana ℥iv. uvar. paſſ. exacinat. ℔j. Fol. artemiſ. meliſſ. ana m. iv. cardui, puleg. ana m. ij. Sem. amomi ℥iv. œnogalact. ℔xij. ℘a ſ. a. *Doſ.* ℥iv. *(præmiſſis præmittendis) cum Tinctur. Juniper* ʒj. *& Syr. è Succo Salv. Coch.* 2, *manè & hora ſomni, præmiſſis Sem. ſeſel. pulv.* ℈ij. *cum Rhodoſaccharo.*

* *Aq. Sarſæ comp.* ℞ Sarſapar. chinæ nodoſ. ana ℥xij. lign. guajac ℔ij. cort. ejuſdem, Saſſafr. ana ℥iv. ſantal. alb. ſem.

coriandr. ana ℥iß. glyc. ℥vi. V. alb. ℔24. Aq. hord. ℔xvj. ♎a poſt macerat. debit. per veſicam ℔xxiv. ſervando ▽am f. colat. quæ exhaletur in MB ad conſiſt. *Extracti* ſ. a.

* *Aq. Senelorum comp.* ℞ Senelor. matur. à ſtipit. liberat. cong. ij. contuſis opt. adde rad. alth. glyc. ana ℥viij. ononid. ℥iij. Fol. parietar. Bacc. halicacab. ana ℥xij. menth. m. ij, Sem. dauci com. ℥iv, coriand. ℥ij, neogalact. ℔xij. ♎a ſ. a. *Doſ.* ℥iv, *cum Syr. de Alth.* &c. *In calculo multis auxilio fuit.*

* *Aq. Siphylica.* ℞ Scob. guajac. ℔iß, cerevíſ. meracæ rec. ℔ij, macer. ad ♃ ♁ ℨ, & ♎a ad ſiccitatem. *Doſ.* ℥j *in liquor. conven. ad luem* ♀.

* *Aq. Stimmios Sulphurata*, fit ex ♁, ⊕, 🜍, *ana* ♎atis in liquorem, filtrandum & rectificandum ſ. a. *Doſ. q. ſ. ut liquor conveniens acidus reddatur, obſtructiones reſerat. Diureticum, & Diaphoreticum habetur nobile.*

* *Aq. Tuſſilaginis comp.* ℞ Herb. Gerrard. hyſſop. ana ℥viij, Fl. tuſſilag. ℥xxiv, glyc. ℥iv, aniſ. ℥iij, uv. paſſar. ℔j, cereviſ. fortiſ. ℔xij. ♎a ſ. a. *In Pleuritide, Empyemate,* &c. *Valet.*

* *Ar-*

Arcanum Aluminis, fit ex Alumen dulc. ℥j, ⊖ fuſi, ℥vj. mixtis, reverberatis, & ▽â ablutis, ſ. a. *Vires eaſdem habet cum Alum. Dulc.*

Arcan. Corallinum, f. ex ☿ crud. ℔j, Sp. ⦶ ℔iij, ♀atis cum ʒ cohobiis, Arcanum in fundo manens edulcando per calcinationem, vel ablutionem, ſ. a. *Doſ. gr.* iv *ad* vj, *vel ultra, purgat præcipuè per inferiora. Secretum eſt magnum in Lue* ♀ *Hydrope*, *Podagra*, *Ulceribus*, *Scabie*, *Cancro*, &c.

Arcan. Corallin. Paracelſi. ℞ ☿ crud. ⊕ calcin. ⦶, ana ℔ij. m. & ♎a: ♎atum miſc. cum ⦶, & ⊖is parùm calcin. ana ℔j. 🜍 q. ſ. ut f. paſta, quæ rurſus ♎etur, ſeparando rubrum à flavo, & abluendo utrumq; ſeorſim, & Spt. V. accendendo ſ. a. *Doſ. gr.* 4, *ad* 8, *Vires æmulatur* ☿ *dul. Secretum eſt in Lue* ♀, *Hydrope*, *Scabie*, &c.

Arcan. Coſmeticum. ℞ Talchi Ven. ſubt. Pulv. ſ. a. p. j, Oleum Camph. p. ij. Digere in MB ad ſummam albedinem. ſ. a.

Arcan. Duplex. elicitur ex Cap. mort. ▽⊕ duplicis in ▽ calidâ ſoluto filtr. & exhalato, ſ. a. *Egregii uſus in Melancholicis affectibus*, *febribus omnibus*, *Calculo*, *Scorbuto*, *&c.* *Doſ.* ℈j *ad* ℈ij.

Arcan. Joviale, fit ex Amalgama (ex p. æ. ☿ mundat. & ♃ Anglic.) ☿ato, in

Sp. ⊕i rectif. digeſto, & per ∽ ad ſiccit. ♐ato, ⌀am infundo tritam edulcando accenſione crebrâ Sp. V. ſ. a. *Doſ. ana gr.* iij *ad* viij. *Sudorificum magnum.*

Aurum Fulminans, f. ex ☉ in 🜆 ſolut. & cum ◎ ♀ri ♎ato, edulcando ſiccandoq; ſ. a. *Sunt qui gr.* iij *vel* iv. *ad ſudores ciendos exhibent.*

Aurum Moſaïcum, f. ex ♃, ☿, ✳, & ♁, mixtis ac ♎atis ſ. a. *Sudorificum eſt nobile. Doſ. ad gr.* x, *vel* xij.

* *Aurum Potabile.* Purgetur ☉ bis per ♁, quod calcina, primò cum ☿ & ♁; 2dâ vice cum ⊖ marino fuſo, ac 3tiâ cum ⊖ ♀ri. dein extrahe cum ♁re ♄ni ſ. a. *Remedium cenſetur univerſale adverſus omnes quoſcunq; morbos. Sudorificum eſt & alexipharmacum inſigniſſimum. Doſ. gt.* vij *vel* viij *in vino generoſo.*

* *Aurum Vitæ*, fit ex ☉ ℥ij, ☿ purific. ℥ij, ſeorſim propriis menſtruis ſolutis, mixtis & in ∽ ♐atis ad ſiccitatem, calcem reſiduam calcinando, & edulcando ablutione cum 🜄â, & accenſione Spts. V. ſ. a. *Omnibus aliis Catharticorum ſpeciebus antecellere dicitur: Eſtq; domitor Vermium, Luis ♀, Petechiarum, Peſtis, Quartanæ, &c. Doſis à gr.* 3 *ad* 6, *vel* 8, *cum Sacch. Roſato, & in ovo, vel brodio, vel in pilulis imprimis ſi conjungatur cum Scammonio,*

monio, & humectetur ▽ vitæ, quæ deſuper comburatur.

B.

Balſam. Paralyticum. ℞ Tereb. Ven. ℔iv. olib. aloës, caſtor. myrrh. xyloal. Fl. hyperic. ana ℥j, gum. elem. labdan. ana ℥iij, ſtyrac. liq. ℥ij, Balſam. Peruvian. ℥iv, Calam. arom. caryoph. galang. ana ʒvj, Cinam. ℥iß, Fl. roriſm. ſalv. ana ʒx. omnia ritè præp. miſc. cum terebinthina, addendo Sp. V. ℔iv. Digere tepidè per ♁ vj, dein. ♃a per ♋ capacem: primò lentiſ. △e ♃rum per hor. 48, ut ſaltem tepeſcat ♋: deinde fortiori aliquantum, tandem fortiſſimo. excipiatur prima aqua per ſe quamdiu effluit inſtar ▽æ: 2da per ſe inſtar olei flaviuſculi tenuis ſubſtantiæ: 3tia eſt craſſa. Vocetur 1, *Mater Balſami:* 2, *Balſam. Paralyticum:* 3, *Oleum Balſami. Confortat mirabiliter nervos: Paralyſin & contracturam ſanat, extrinſecus illitum, & intrinſecus exhibitum.*

Balſam. Saturninum, f. ex ⊖ ♄ni ℥iv, Sp. Tereb. ℥xij, digeſtis ſ. a. *Egregii uſus in Chirurgia: Convenit ulceribus inveteratis, nec non tumoribus. Curat vulnera, eademq; ab accidenti præſervat. præcipuè ſi*

 addatur

addatur camphora: Succurrit etiam Fiſtulis, Cancro, Morphœis, &c.

* *Balſam. Succini.* ℞ Succin. alb. ſubt. ☿at. ℥ij, ◎ tereb. ℥vj. Tamdiu inſolentur, donec perfectè ſolvatur Succinum. *Cerebrum & ſenſus roborat. Omnibus nervorum affectibus convulſibus, Epilepſiæ, paſſioni hyſtericæ,* &c. *auxiliatur. Diureticum eſt inſigne.*

Balſ. Sulph. Antimonii. ℞ 🜍ris ♁ ij, combuſtibilis, Salis ♀ri ana ℥j, Sp. tereb. ℥iv. Digere ſimul ſ. a. *Ad ulcera ſordida, Fiſtulas,* &c. *Doſ. ad gut.* x.

Balſ. Sulph. Aniſatum. ℞ Fl. 🜍 p. 1. ◎ Aniſi p. 4. Digere donec ſolvatur 🜍, ut f Balſam. rubicundum. *In Catarrhis pectoralibus, Tuſſi, Aſthmate, Phthiſi, Pleuritide, Colica, Peſte, Epilepſia, Apoſtematibus omnibus, putrefactionibus corporis,* &c. *valde proficuum. Doſ ad* ℈j.

* *Balſ. Sulph. Bateanum.* ℞ Fl. 🜍 ℥j, ◎ olivar. opt. ℥v. coq. l. △ (continuò agitando) ad conſiſt. Balſami. *Ad ulcera omnia tum interna, tum externa, efficaciſſimum. Doſ. ad gut.* 20, *& ultra.*

* *Balſ. Sulph. Benzoinatum,* f. ex Fl. 🜍, & ◎ Benz. ut *Aniſatum. Pulmonicum, ac Aſthmaticum inſigne eſt: & ad Catarrhos exiccandos maximè valet.*

* *Balſ.*

* *Balſ. Sulph. Knœphelii*, f. ex Hepat. 🜍 ☿at. p. 4, 🜖 lini rec. p. 3. ad craſſitiem coctis, & cautè ex 🝪 ⌣ ꝯatis; miſcendo oleum (ab 🜄 prius ſeparatum) cum dimid. quantit. colcothar. ⊕-li ſupra 🜂em, & poſt refrigerationem ⌣ꝯando ex 🝪 vitrea. Oleum quod extillat miſc. cum quant. dimid. 🜖 Aniſi, & digere ſ. a. ut f. Balſam. *Balſamum eſt pulmonum præſtantiſſimum conſumens & exiccans. Catarrhis, Aſthmati, Tuſſi, Phthiſi, Colicæ,* &c. *ſubvenit. Promovet expectorationem, intercipit defluxiones ad articulos, ventoſitates præcavet ac diſcutit. Doſ. à gt.* 4 *ad* 12.

* *Balſ. Sulph. Minerale.* ℞ 🜖 Lini ℥x, 🜍 ☿at. ℥ij, coq. leniter, continuò agitando, donec in mellis conſiſt. devenerint. *Applicetur locis dolentibus & debilibus Podagræ ſuper alutam vel linteum, renovando tertio vel quarto quoq; die.*

* *Balſ. Sulph. Rulandi.* ℞ Fl. 🜍 ℥j, 🜖 nucum vel rapar. ℥vj, V. generoſ. ℥ij, macer. ♁ 8, aliquoties agitando & coq. leniter ad Vini conſumpt. *Anodynum eſt inſigne, maturativum ac digeſtivum in vulneribus partium nervoſarum. Auribus inditum dolores earundem tollit.*

* *Balſ. Sulph. Succinatum*, f. ex Fl. 🜍 cum 🜖 Succini, ut *Aniſatum. Valet in Colica*, &c.

* *Balſ.*

* *Balſ. Sulph. Terebinthinatum*, f. ut ſuprà, cum ◎ Tereb. v. *Vires Balſ.* ♀ *Aniſati.*

* *Balſ. Tartari.* ℞ ◎ ♀ p. d. ℥ix, crem. ♀ ☿at. ℥viij. Digere ac evapora ad ſiccit. affunde Sp. V. vel ⋇, extrahe inde tincturam, filtra, & ad mellis conſiſt. abſtrahe ſ. a. *Præſtantiſſimum eſt adverſus arthritidem & calculum, laxatq; alvum. Doſ. ad* ʒß, *externè inungantur partes dolentes. Confert. præterea in omnibus morbis chronicis ac obſtinatis.*

* *Balſ. Veneris*, f. ex Lamin. ♀ cum Sp. Tereb. digeſtis ſ. a. ut f. Balſam. viride. *Ad ulcera, vulnera, fiſtulas,* &c. *mundificanda apprimè conducit mixtum cum convenientibus.*

* *Bezoarticum Joviale.* ℞ Reguli ♁ in 🜍bulo fuſi ℥iij, quibus adde ♃ Anglican. ſimiliter fuſi ℥ij, ut f. de novo Regulus: poſtea læviga & admiſce ☿ti ℥vj, ♀a ex ♂: Butyrúmque inde ♀atum cum Sp. ⊕i ternis ♀ationibus fige: poſtea calcina, & ignitum in Sp. V. extingue, & exicca: fit ☿ griſeus. *Diaphoreticum eſt ſtupendum. Valet in omnibus matricis ægritudinibus, aliiſq; mulierum morbis quàm plurimis. In Febribus, Peſte, Scorbuto,* &c. *Doſ. ana gr.* iij *ad* vj, &c.

* *Bezo-*

* *Bezoart. Lunare*, f. ex ☽ in Sp. ⦶i ſolut. & Butyr. ♁ ij, procedendo ut ſuprà cum Bez. Jovial. *Specificum eſt in Epilepſia, Convulſibus, Hemicrania, Apoplexia*, &c. *Anodynum eſt & ſudorificum, optimè valet in curando Eryſipelate. Doſ. à gr.* vj ad xij.

* *Bezoart. Martiale*, f. ex croco ♂ cum Butyro ♁ij, ſoluto: deinde figendo ut ſuprà, vel fit, ſolvendo Chalybis limatur. ℥j, in 🜅 q. ſ. affundendo paulatim Butyr. ♁ ℥viij, & procedendo cum Sp. ⦶i. *Fluxus hepaticos, & alios potenter ſiſtit, viſcera roborat*, &c. *Doſ. ad* ℈ß.

* *Bezoart. Minerale*, f. ex Butyr. ♁ ℔j, & Sp. ⦶ ℔iij, vel q. ſ. mixtis & ternis cohobiis ♀atis, ut in Bez. Jovial. vel, fieri pt. ex Cap. Mort. Spts. ⦶i Bezoartici. *Magnum eſt Alexiterium ſaluberrimumq; Remedium, quod ſudores promovendo magnos effectus monſtrat in omnibus peſtilentialibus & venenatis affectionibus. Doſ. à gr.* vj *ad* xij, *& ultra.*

* *Bezoart. Mercuriale*, f. eliciendo tincturam ex Vitro ☿ij vitæ cum Butyro ♁ ij, & figendo cum Sp. ⦶i ſ. a. *Inſignis uſus in Lue* ♀.

* *Bezoart. Saturni*, f. tincturam extrahendo ex vitro ♄ni (quod fieri pt. ex minio & ſilicibus) cum Butyro ♁ ij, non re-

ctific.

ctific. & cum Sp. ⦶i figendo ſ. a. *Hyſtericum eſt. Conducit lienis affectibus. Doſ. ad gr.* vj.

* *Bezoart. Solare,* f. ex Laminis ☉ in Sp. ⦶i Bezoartico ſolutis, paulatim affundendo hanc ſolutionem Butyro ♁ ij, & procedendo ut ſupra. *Sudorificum eſt egregium. Uſus eſt in Lue ♀, Peſte, Podagra, Hydrope, Febribus, obſtructionibus lienis;* &c. *Doſ. à gr.* iij *ad* viij.

* *Bezoart. Veneris,* f. tincturam eliciendo ex ſquammis ♀ is cum Butyro ♁ ij, rectificato, & figendo per Sp. ⦶i ſ. a. *Exhibetur ab aliquibus in Lepra, morbiſq; capitis & cerebri. Doſ. ad gr.* vj. *Externè valet ad ulcera antiqaa, fiſtulas, impetigines,* &c. *mixtum cum Unguento appropriato.*

C.

* *Calx Auri.* (i. e.) *Aurum Fulminans.*

* *Calx Jovis,* f. ex ♃ liquefacto, & rudiculâ ferreâ agitato, donec planè in calcem abierit. Vel fieri pt. ex ♃ in 🜅 ſoluto, ≂ato, & edulcato ſ. a. *In utero ſtrangulato ſpecifica. Doſ. ad* ℈ß.

* *Calx Lunæ,* f. ſolvendo ☽ in 🜅, & ≂ando per ▽ ſalſam. Vel f. Amalgamando cum ana ☿ ij, adjectâ ⊖is 4tâ parte. Vel, cementando per 🜖 ⊕atum, per ♉ per

per 🜍, &c. Vel reverberando per ♁ 8 cum ⊖, 🜍, ✳, &c. ſ. a. *Hyſterica*, *Epileptica*, *Apoplectica*, *&c. habetur. Doſ. ad* ℈ß.

* *Calx Saturni.* (i. e.) *Plumbum uſtum.*

* *Cardiacum Cœleſte.* ℞ Sacch. albiſ. ℥xvj, ▽ Borag. ℥iv. coq. penè ad conſiſt. dein bullientibus injice Fl. Borrag. recentiſ. à nigris puncturis liberat. ℥vj, coquendo perge uſque Flores torreſcant. ab △e remotis admiſc. Fol. Auri n° xvj, Amb. griſ. gr. 24. *Cardiacum eſt Elegantiſſimum, Spiritus Vitales ac animales recreans, omnibus affectibus ex atra bile ortis eximiè conducit. In Melancholia Hypochondriaca nulli ſecundum.*

* *Cauterium Lunare.* Solve ☽ p. i. in 🜂 p. iij, & evapora ad ſiccitatem, auge poſtea △em ad calorem fuſorium, donec ceſſant fumi, & ſtatim materiam funde in vaſcula ænea aut ferrea magnitud. convenientis. *Cauſticum eſt perpetuum, ſi ab aëre ſervetur. Tollit verucas tangendo eas.*

* *Ceruſſa Antimonii*, fit ex Regulo vice ♁ij, crud. comburendo, *&c.* ſ. a. v. *Vires Antimon. Diaphoret.*

* *Ceruſſa Martis*, f. ex Regulo ♂is, omninò ut Ceruſſa ♁ij. Paratur etiam cum nonuplo ⦶o. *Diaphoreticum eſt inſtar Ceruſ. Antim.*

Chal-

* *Chalcanthum Rubefactum*, f. calcinando 🜖 ad rubed.. *Maximè adſtringit, & deſiccat. Valet in Dyſenteriis, Hæmorrhagiis*, &c. *In evulſione dentis (ſi fluxus ſanguinis accidit) utiliter applicari pt. cum aceto & linteo.*

* *Chalybs ſine Acido*, paratur humectando ♂ decies 🜔e abſinthii in 🜄 cichor. ſoluto, & ſiccando in aëre ſicco ac tepido. Poſtea f. 🝆 ſub. *Potenter aperit obſtructiones. Doſ.* ℈j ad ʒß.

* *Chalybs Tartariſatus.* ℞ Chalybis limatur. mund. 🜿 alb. 🝆at. ana ℥vj, 🜄 fumar. q. ſ. f. ⌀ inſtar electuar. coq. in vaſe fictili in clibano (calore lento) ad ſiccit. Repet. opus ter. dein f. 🝆 ſubt. ſ. a. *ex hoc fit Mars Potabilis.*

* *Cinnabaris Antimonii*, fit ♎ando Caput mort. poſt 🝪ationem Butyri ♁ij, relictum, & rectificando ſ. a. *Sudores movet copioſos. Valet in Podagra, Lue* ♀, *Epilepſia, Paralyſi*, &c. *Doſ.* ℈ß *ad* ℈j.

* *Cliſſus Vitrioli.* ℞ 🜖li ♂lis viridis ternâ ſolutione & cryſtalliſatione purificati, & ad flaved. calcinati q. v. Solve in ⚹, filtra & cryſtalliſa, repetendo opus ad 3tiam vicem, calcina iterum ad flaved. & 🝪a ex ☊ cum cohobatione ad ſiccit. Tum 🝪a 🜂e aperto donec Spts. omnes extillantur, ex Cap. mort. in aëre expoſito eliciatur

tur Sal, quod crebrò ſolvendo, filtrando & cryſtalliſando depuretur. ℞ ⊖is hujus p. 1. Sp: prædict. part. 4. extrahe tincturam digerendo per menſem. Deinde filtra ad uſum. *Noxios humores expellit per inſenſibilem tranſpirationem, Venerem ſtimulat, uterum roborat, ejus motus inordinatos ſiſtit, & in utroq; ſexu vim ſeminis ad generationem operatur. Doſ. gt.* 2 *ad* 4.

Colcothar Vitrioli. Nihil aliud eſt quàm ⊕ ad rubedinem calcinatum. Vel Cap. mort. poſt ꝯationem ◎i ⊕li relictum. v. *Chalcanth, rubefactum.*

Crocus Jovis. Fiat Amalgama ex ♃ ℥ß, & ☿ii ℥iß: à quo (evaporato ☿io) relinquitur crocus Jovis. *Sudorificum eſt magnum. Doſ. à gr.* iv *ad* x. *In Lue* ♀, *Podagra, Peſte, Utero ſtrangulato,* &c. *mirè valet. Uſus externus ad ulcera inveterata, cancros, fiſtulas,* &c.

Crocus Veneris, fit reverberando ⊕lum ♀is ſ. a. *Diureticus eſt, colicus, uterinus, febrifugus. Doſ.* ℈ß.

Cryſtallum Lunæ. v. *Vitriol Lunæ.*

* *Cryſtallum Minerale.* Solve ⊖ prunellæ in ▽ filtra & cryſtalliſa ſ. a. Si addas Sacchari ana, ante cryſtalliſandum, vocatur *Saccharatum. Putredini reſiſtit, ſitim ac æſtum in febribus compeſcit, tarta-*

ream ſaburram incidit, coagulatum ſanguinem reſolvit, dolores mitigat, &c.

D.

* *Decoct. Reguli*, fit coquendo Regul. vel Pocul. ♁ ij, ℔ß, (plus minùs) in V. alb. ℔iß, ad conſumpt. 3tiæ partis. *Pro vomitorio.*

E.

Elixir Camphoratum, f. ſolvendo camph. ℥ß in Pyrœni croco tincti ℥vj, ſ. a. *Utiliſſimum eſt in peſte, tum præſervando, tum curando: item in paſſione hyſterica. Doſ.* ℈j.

* *Elixir Propriet. Dulce*, fit ex myrrh. aloës, croc. ana ℥j, Alcoh. v. ℥viij, *maceratis filtratiſq; ſ. a. Uſus eſt proficui in morbis malignis, hypochondriacis, uterinis; ſtomachi cruditate, & indè appetitu imminuto. Extrinſecus ulceribus ſordidis mundificandis inſervit.*

Elix. Prop. Peſtilentiale, f. ex myrrh. aloës, croc. ana ℥ß, Sp. c. c. ℥ij; unitis cum Alcoh. v. ℥iv. digeſtis & filtratis ſ. a.

Elix. Prop. Tartariſatum, f. ex myrrh. aloës, croc. ana ℥j, Tinctur. ⊖is ♀ri ℥xij, digerendo filtrandoq; ſ. a.

Elix. Salutis. ℞ Fol. Senæ ℥iv. lign. ſanct. rad. enul. ſicc. ſem. aniſ. carui, coriand. glyc. ana ℥ij, uv. paſſ. exacin. ℥viij,

▽ Vitæ ℔vj, macer. in frig. per ♁ 4, dein. f. colat. per manic. Hipp. Sunt qui addunt Sal. ♀ri, Rhab. Scammon. &c. *Doſ. c.* 1, 2. *h. ſomni* & 3, 4, *manè.*

Elix. Vitæ. ℞ Nuc. m. macis, cinnam. opt. ana ℥j, caryoph. ℥ß, Flaved. cort. aurant. & citri, ana ʒiij, croc. opt. ʒij, Pyrœni ℔iij. Digere ac filtra ſ. a.

Elix. Vitrioli. ℞ Cinnam. zz. caryoph. ana ʒiij, calam. arom. ℥j, galang. ʒiß, Fol. ſalv. menth. criſp. ana ℥ß, cubeb. nuc. m. ana ʒij, xyloal. cort. citri, ana ʒj, f. ☿ adde ſacch. cand. alb. ℥iij, Sp. V. ℔iß, ◎ ⊕li ℔j, extrahe Tincturam digerendo per ♁ 20. ſ. a. deinde filtra ad uſum. *Stomachum ac inteſtina maximè confortat, & appetitum excitat, ab Epilepſia & Apoplexia præſervat. Cerebrum purgat. Caput, totúmq; corpus multis phlegmaticis catarrhis repletum exiccat, illudq; à dolore mirè tuetur. Doſ.* ℈ß *ad* ℈j.

* *Ens Veneris.* ℞ ⊕li ♂tis opt. reverberat. & loti p. 1. ✳ p. 2. ♎a ſ. a. cum tribus cohobiis. *Anodynum eſt & pacificum. Uſus eſt eximii in Rachitide, & vermibus infantum necandis. Proficuum in Pleuritide, ac uteri ſuffocatione. Obſtructiones aperit,* &c. *D. gr.* iv. *ad* xij.

Eſſentia Abſinthii. ℞ Sp. ardentis Herbæ fermentatæ ℥xij, ◎ ſtil. ʒij, ex-

tracti ſpiſſi & ⊖is ſoluti, ana ℥ß. Digere ſ. a. ad uniendum: dein filtra. Eodem modo parari pt. *Eſſentiæ Cardui*, *Pulegii*, *Hyſſopi*, &c.

* *Eſſentia Martis.* ℞ Chalybis limat. ℥iv. Affunde guttatim in vitro capaci Sp. ⦶i ℥iij, Sp. ⊕li rectif. ℥ij, ſpatulâ ter vel ſæpius verſando. Tum diluatur ⌽ (antè nimium compacta ſit) Phlegm. ⊕li ℥x: & efficietur tinctura rubicunda, vel ſummè flava, quæ filtretur ad uſum. *Potenter aperit obſtructiones cujuſcunq; generis. Menſes movet, & curat cachexiam, chloroſin, hydropem*, &c. *Doſ. gut.* 5 *ad* 15.

* *Extractum Abſinthii.* Fit ex ſummitat. ſiccis in Sp. V. digeſtis, ut eliciatur tinctura, quæ filtrata ad conſiſt. Extracti evaporetur, addendo ſing. unciis extracti, ⊖is Abſinth. ʒß. Eodem modo fiant *Extr. Cardui*, *Centaur. Gentian*, &c. Vel, fieri pt. ex ſuccis depuratis, evaporando in MB ſ. a.

* *Extract. Alhandal.* ℞ Pulp. colocynth. à ſemin. opt. liberat. & ☿at. ℥iiij, glyc. aniſ. ana ℥ß. ▽æ ♆ filtrat. ℔iiij. Diger. ♁ 20. f. expreſ. & exhal. ad debit. conſiſt. ſ. a. *Humores aquoſos educit ad miraculum. Doſ. à gr.* 5 *ad* 15, *& ultra.*

* *Extract. Chalybis.* ℞ Succ. oxalid. depurat. ℔iv. Tamarind. ℥j, coq. parùm, &

& clarifica. In iſto macer. tepidè Chalybis limat. ℥v. per ♁ iiij, ſæpe agitando, f. colat. quæ in MB inſpiſſetur ad debit. conſiſt. Vocatur & *Magiſt. Martis.* Aliter paratur cum ſucco pomor. vice Oxalidis & tamarindorum. *Doſ. à* ʒß *ad* ʒj.

* *Extract. Draſticum.* ℞ Scammon. ☿at. ℥iij, ſucc. aurant cum cortic. expreſſ. ℔ij. Digere tepidè ♁ vj, f. expreſſ. & exhal. ad Pil. conſiſt. *Doſ. à* ℈ß ad ʒß.

Extract. Ecphracticum. ℞ Xyloal. galang. caryoph. ana ℥ß, cinam. gent. cort. Winteran. ana ℥j, Rad. Raph. ruſtic. ℥ij, Fol. calaminth. puleg. abſ. ana m. i. ♂ cum ♀ præp. ℥viij, V. alb. & Decoct. ♀ri albi, ana ℔iiß. macer. ſ. a. colat. ad debit. conſiſt. addendo aloës ℥j, myrrh. ʒij. *Mickletbw. In morbo virgineo ac ſcorbuto eſt efficaciſſimum: magnas enim vires obtinet in aperiendis obſtructionibus, præſertim lienis, hepatis, uteri, ac meſenterii: adeoq; morbis indè natis ſubvenit.*

* *Extract. Febrifugum.* ℞ ☿ Cort. Peruvian. ℥iv. centaur. min. rad. gentian. ana ℥ij, ſerpent. Virgin. ℥j, Sp. V. ℔iv. vel q. ſ. extrahe tincturam, & exhale ſ. a. *Titulus vires indicat. Doſ.* ℈ß *ad* ʒß.

Extract. Fellis. ℞ Fell. bubuli in ☉e exicc. ℥ij, Sp. V. ℔iß, extrahe tincturam, & exhala ſ. a. *Confert ad menſes ſup-*

preſſos. Doſ. ℈j, *vel* ʒß, *indies operatur per ſedem.*

* *Extract. Ictericum.* ℞ Sterc. ovill. rec. ℥iv, Rad. chelidon, ʒx, curcum ʒiß, lumbric. præp. ʒvi. centaur. min. m. ij. ♂ præp. ℥ij, ſucci limon. ℥vj, ▽ cichor. ℔iv. Infund. 8 48. f. expreſ. quæ exhal. ad Pil. conſiſt. addendo Lumbric. præp. ʒiß *ter in die, ſuperbibendo Decoct. Icteric.* ℥iv.

Extract. Peregoricum. ℞ Philon. Rom. ℥iß, Mithrid. ʒv, Theriac. Lond. Diaſcord. ana ʒiij, ▽ cardui ℔j, Sp. V. ℥iij, macera, cola, & exhala ſ. a. *Proficuum in morbis contagioſis, Catarrhis, doloribus, vigiliis,* &c.

F.

Febrifugum Salis. (i. e.) *Sal Armoniac. Volatile.*

Febrifugum Crollianum. v. *Antifebr. Conch.*

Febrifugum Riverii. ℞ Flor. ♁ii ter cum ✳co ♎ator. & edulcatorum, Vitri ♁ii ana ℥iv, 🜄 (ex ⊕ & Alumine factæ) ♎ati, ana ℥ß, ☿ii cum 🜄 (ex ⊕, ⊖, & Alumin. factâ) ♎ati ℥vj, ☉is in 🜄 ſoluti ℥j, m. ac ♎a ex ♌ gradatim ad ſiccit. cum 12 cohobijs. ☿ri quinquies loto & ſiccato adde Alcoh. V. ℔ij, ♎a ex ♌ novâ ſexies cohobando. effunde Alc. V. & ⌽am calcis pone in ✠bulo benè lutato, △e.

△e rotæ, per ʒ 8. Dein Alc. prædictum ☊atum ſuper incende ſ. a. *D. gr.* vi *ad* ℈j, *cum ana Scammon.* ♀*rat.* &c.

Flores Antimonii. ♎a ♁ △e forti, aut per ſe, aut cum ∴; vel ♀ro calcin. admixto. Flores albiſ. colligantur, uſuiq; ſerventur. *Vomitum nonnunquam promovent. Doſ. gr.* 2 *ad* 4. *Sudorifici ſunt.*

Flor. Antim. Diaphoret. Fiant ex Flor. ♁ii ◎o ♀ris irroratis, & ☩bulo clauſo calcinatis ſ. a. *Viribus pollent cum prioribus.*

Flores Benzoïni. f. ex ☿re Benz. opt. vaſi vitreato indito, deſuper ponendo chartam duplicem pyramidatam, & l. △. ♎ando ſ. a. Flores chartæ adhæreſcentes (chartâ ſæpius mutatâ) eximantur. v. *aliter in Pharmacop. Londin. Pulmonici, Bechici, ac Aſthmatici ſunt inſignes, & Catarrhos ſiſtunt. Sudorem movent. Doſ. gr.* 5 *ad* 12.

Flores Biſmuthi. ℞ Marcaſit. calcin. & ✳ ana, & ♎a ſ. a. in cucurb. forti. *Coſmetici ſunt celebrati ad dealbandam faciem, cum duplici quantitate Pomati. Conferunt ad cutis Vitia, Lichenes, Impetigines,* &c.

Flores Joviales. ℞ ♃ p. j. ⦶ p. ij. ♎a ſ. a. Ablue Flores ▽â calidâ. *Præſtant magnopere in uteri ſuffocatione, tum intrin-*

intrinſecus quàm extrinſecus adhibiti. Doſ. gr. ij *ad* vj *repetitis vicibus.*

Flores Salis. fiunt augendo △em poſt ℘ationem ◎i ⊖is, & ≏ando. Flores collo ♉ adhæreſcentes colligantur. *Alexiterii ſunt. Doſ. ad* ℈j.

Flores Salis Armoniaci, f. ex ⊖ fuſi & ✳ ā, ≏atis ſ. a. *Diuretici, & Diaphoretici. Doſ. gr.* 5 *ad* 15.

Flor. Sal. Armon. Martiati, f. ex Chalybis limat. & ✳ ā ≏atis, △ri exponendo Cap. mort. miſcendo cum dimid. quant. ✳ci, ſiccando, & ≏ando ſ. a. *Tollunt perfectè cruditates ventriculi, cum Vino Abſinthiaco, aut Decocto ſaſſafras, ſudorem promovendo. Optimè valent in Quartana.*

Flores Sulph. Albi. ℞ Lap. prunell. ℥ 2 calcinat. in ✠bulo optimè operculato cum carbonibus vivis ſupra operculum poſitis, ℥iij, 🜍 ℥vj. m. ac ≏a △e ∴æ ſ. a. *Lacti 🜍ris viribus æquivalent. Doſ.* ℈j ad ʒß.

Flores Viridis æris. Solve ⊕ in ※ :: dein filtra ac cryſtalliſa ſ. a. *Summum eſt mundificativum in vulneribus.*

Flores Vitrioli. ≏a ⊖ fuſi & ⊕li ā, ſ. a. *Inſerviunt plagis putridis mundandis, incarnandis, & cicatricibus inducendis.*

Flores Zinci, f. uti *Biſmuthi*; *eaſdemq; vires obtinent.*

Galba-

G.

Galbanetum Hartmanni. ℞ Galb. p. i. Sp. Tereb. p. ij. Digere ac ☊a ex ♌ ſ. a.

Galbanet. Sennerti, f. ut ſuprà, addendo ◎ ſt. Lavendul. ℥j, & ☊ando ſ. a. *Ad membra paralytica inungenda inſigne remedium.*

Gilla Theophraſti, Nihil aliud eſt, quàm ⊕ album depuratum.

H.

Hepar Sulphuris, fit ex Flo. 🜍 liquat. ℥iv, addendo Sal. 🜿ri puriſ. ℥iß, & miſcendo opt. cum ſpatula agitando. remot. ab △ ſerva φm ad uſum. *Inſervit Tincturæ & Syrupo* 🜍*ris præparandis.*

Hercules Bovii. v. *Aurum Vitæ.*

I.

Ignis Philoſophicus. v. *Phoſphorus.*

* *Infuſio Arthritica.* ℞ Anthûs ℔j, ✳ volat. ℥j, Pyrœni ℔vj. Digere in Lagena opt. obturata in fimo equino δ 40, dein inſola δ 20, f. expreſſio. *Applicetur in declinatione Arthritidis, extrahit valde frigidos, craſſos, & flatuoſos humores in articulis, & fortificat.*

Jovis Amalgama. (i. e.) *Crocus Jovis.*

Jupiter Diaphoreticus, f. ex Cap. mort. Florum ♃is, in ▽ cocto, ϖato, & edulcato

edulcato ſ. a. *Doſ. à gr.* iij *ad* x. *Potenter ſudorem movet. Utilis in utero ſtrangulato, Peſte, Lue* ♀, *Podagra*, &c.

* *Jupiter Nitratus*, f. Cap. mort. poſt ∽ationem Flor. ♃is coquendo in ▽, filtrando, exhalandoq; ad ſiccit. ſ. a. Dicitur & *Nitrum Joviatum. Vires & doſis cum priori.*

L.

Lac Aluminis, fit ex ▽æ album. ovor. ℥vj, ⊗ris Aluminis ℥j, Sp. V. ℔ij, opt. & diu in vaſe vitreo conquaſſatis, ut f. inſtar Lactis. *Arcanum habetur in Gonorrhœa. Profluvio albo, menſibus immodicis*, &c. *Doſ. coch.* 2, *vel* ʒ *ter in die. Aſſumptum ad* ℥ij, *hora ante paroxyſmum ſæpe curat Tertianam.*

Lac Aſæ fœtidæ, v. *Julap. Hyſt. Fœtid.*

Lac Benzoïni. ℞ Sp. Benz ℥j, ▽æ Hyſſop. vel ſcabioſ. ℥xij, m. ſ. a. *Aſthmaticum, Pectorale*, &c.

Lac Mercurii, f. ex ☿ corroſ. ʒvj, fricatis & agitatis in diſco ſtanneo cum ▽a fumar. ℥xij, ut f. lactis inſtar. ſ. a. v. *Vires in Aq. Mercurial.*

Lac Saturni. v. *Magiſt. Saturni.*

Lac Scammonii. ℞ ⊗ ſcammon. ʒvj, affunde in mort. frig. paulatim ▽ cinnam. hordeat. ℥viij, inter affundendum diu agitando. Liquor lacteſcens ſeparetur à pi-

cea

cea ſubſtantia, & ſervetur ad uſum. Vocatur & *Liquor Acuens. Doſ. coch.* j, *ſuaviter purgat.*

Lac Sulphuris. ℞ 🜍 p. i. ♆, vel ⊖ ♀ p. iij. coq. in ▽æ q. ſ. ad 🜍ris ſolutionem: filtra calidè, 🜄a cum ✳ vel Sp. ⊕i, edulcora & ſicca ſ. a. *Balſamum eſt pulmonum conſumens & exiccans, valet in Catarrhis, Aſtmate, Tuſſi, Phthiſi, Colica,* &c. *Doſ.* ℈ß *ad* ℈j.

Laudanum liq. Cydoniat. ℞ Opii correct. ℥iv, croc. ℥ij, ſucc. cydon. ℔iiß, Flor. cereviſ. coch. 4. fermententur ſimul in digeſtione, donec ſubſident crocus & opium, exprime & filtra: adde liquori cinnam. ʒij, caryoph. xyloal. ſant. citr. ana ʒj. Digere ♁ 14. filtra & exhala ad dimid. *D. Willis. Dolores maximè ſedat, ſomnum inducit, omnes fluxiones ſiſtit, ardorem mitigat, naturam confortat, inquietos Spiritus in Phrenitide, Arthritide, Epilepſia,* &c. *compeſcit. Odontalgiam mirè ſedat (impoſitum.)*

Laudan. liq. Tartariſat. ℞ Opii ℥ij, croc. ℥j, cinam. caryoph. mac. nuc. m. xyloal. ana ʒj, Tincturæ ⊖is ♀ri ℔ij. Digere dies aliqt. filtra & exhala ad dimid. *Vires & doſis cum ſuperiori.*

Laudanum ſine Opio. ℞ Myrrh. opt. mumiæ, ſant. rub. citr. ana ℥iß, macis, carda-

cardamom. piper. galang. ana ℥ivß, Sp. V. ℔iij, extrahe Tincturam ſ. a. cui filtratæ admiſce 🜍ris 🜖li narcotici ʒiij, & digere per menſem: deinde ad mellagin. exhala, addendo croc. ℈iiß, Sal. perlar. ℥iß, ut f. ⏀. ſ. a. *Anodynum eſt potentiſſimum. Omnes fluxiones, catarrhos, tuſſes, &c. ſiſtit: Atq; eaſdem habet virtutes cum præcedente.*

Laudan. Starkii. v. *Pil. Matthæi.*

Liquamen Silicum. ℞ Silic. uſt. p. iij. ⊖is 🜿ri per 🜕 calcinat. ℥iv. exactè miſce, & per vices in 🝥bulum candens injice, urgendo △em ſ. a. Poſtea ⏀m 🜁ri expone, ut ſolvatur per deliq. ſ. a. *Ad tartaream mucilaginem incidendam, calculum reſolvendum, ac proinde ad obſtructiones reſerandas multùm facit. Doſ. gt.* 20 *ad* 30, *in liquore conven.*

Liquamen Sulphuris. ℞ Fl. 🜍, ſacchar. cand. alb. ana ℥j. m. f. ☿. Induratis 4 ovis (exemptis vitellis) include, & probè ligata ſuſpende ſupra prunas, ut Liquamen exudat: quod ſerva ad uſum. *Pectorale eſt egregium in Aſthmate, Tuſſi, Phthiſi, Pleuritide,*&c. *Doſ. gt.* 20, 30, &c.

Liquor Acuens. v. *Lac Scammonii.*

Luna Potabilis. ℞ ☽ 🝣atæ ℥j, ⊖ ℥ij, ✳ ʒij. m. ac reverbera 🝮 viij. Ablue à ſalſedine, & extrahe Tincturam cœruleam ope Sp. 🜖li dulcis, decanta ac abſtrahe.

he. *Uſus eſt maximè in morbis capitis, & in primis Epilepſia, hydropicam aquam exiccat.* *Doſ. gr.* 4, 5, 6, &c.

M.

Magiſt. Antim. Diaphoret. f. ex ♁ Diaphor. in ▽ cocto & filtrato, affundendo Alumen ſolutum, ⊽ando ac abluendo ſ. a. *Doſ.* ℈ß *ad* ℈j, *vires obtinet ceruſs.* ♁ ij.

* *Magiſt. Benzoini*, f. ex Benz. albiſ. in Pyrœno ſoluto, ⊽ando ▽â Lactis, & ſiccando ſ. a. *Doſ.* ℈ß *ad* ℈j. *Pectorale eſt nobile.*

Magiſt. Biſmuthi. ℞ Marcaſitæ ☿atæ, p. j. Solve in Sp. ⦶i rectif. p. iij, ⊽a ▽â ſalſa, edulca & ſicca ſ. a. *Confert ad cutis vitia, Lichenes, Impetigines, Scabritiem manuum, & ſimil. coſmeticum eſt inſigne.*

* *Magiſt. Git.* ℞ Gum Git. puriſ. ℥iij, Tinct. Roſ. r. ℔iß, ſucc. limon. ℔ß, Sp. ⊕li ℥j, macera ac evapora ad conſiſt. extracti: vel f. ☿. Fieri etiam pt. ex Gum. Git. ℥ij, ◎ ♀ri p. d. ℥j, Sp. V. ℥vj, digeſtis ac evaporatis ſ. a. *Purgat* ἄνω ϗ κάτω, *precipuè humores ſeroſos. Uſus eſt proficui in Hydrope, Scabie, Pruritu,* &c. *Doſ. gr.* x *ad* ℥ß.

* *Magiſt. Jovis*, f. ex Fl. ♃ial. in ▽ ſolut. & filtratis, ⊽ando vel ◎o ♀ p. d. vel

Alumine ſoluto, edulçando ſæpe ▽ tepidâ, & exiccando. *Doſ. gr.* 4, 5, 6, &c. v. *Salis Jovis Vires.*

Magiſt. Lithargyrites, v. *Sal. Litharg.*

Magiſt. Lunæ, v. *Vitriolum Lunæ.*

Magiſt. Martis, v. *Extract. Chalybis.*

Magiſt. Saturni. coq. ♄ rubr. in ⋇: filtra, ⏛a ◎o ⊕li, & edulca ſ. a. *Uſus eſt in Phthiſi, Hectica, Febribus ardentibus, aliiſq; inflammationibus internis. Item in Quartana, Lienis affectibus, Colica, & Lue ♀rea Secretum eſt. Doſ. gr.* 4, 5, 6, &c. *Externè valet in Putredine oris, Ulceribus malignis, Canceroſis, Lupo, Fiſtula, Ambuſtis, Puſtulis faciei rubris, Rubedine oculorum*, &c.

Magiſt. Sulphuris. v. *Lac Sulphuris.*

Magiſt. Tartari. ℞ ⊖is ♀ri q. v. Impregna ✠ opt. donec ♀ nil ampliùs aciditatis retinere velit, dein affund. Sp. V. eumque abſtrahe, aliquoties cohobando: Tandem repone ♀ ad liqueſcendum, & habebis Oleum rubrum, per inferiora purgans. *Utile eſt in omnibus morbis deploratis. Doſ.* ℈ß *ad* ℈j.

Magiſt. Turpethi. ℞ ☿ q. ſ. coq. in ▽ pulviali ad ſolutionem, filtra, & cum ◎ ♀ p. d. ⏛a; tandem edulcora ▽ ♀atâ ſ. a. *Inſigne eſt in Lue ♀rea, Tinea, Scrophulis*

phulis, &c. *Doſ.* ℈ß *ad gr.* xv, *cum Conf. Hamech*, ℥ij *vel* iij.

Magnes Præp. f. ex ☿re magn. candefacti in ♃bulo, & ◎i ♂tis ã, l. △. exhalando ſ. a. *Cum cera mixt. in Emplaſtr. dolores podagricos mirè mitigat.*

Mars Diaphoreticus. ♎a ✶ cum ã Chalybis limat. ſ. a. ♎atum ſolve in exigua quant. ▽ont. filtra, & ♉a affundendo guttatim ◎ ♀ p. d. vel Sp. ✶ci ♉atum exicca ſ. a. *Sudores movet, & Diureticus eſt. Eximii uſus in Melan. Hypochondriaca, Quartana*, &c. *Doſ.* ℈ß *ad* ℈j.

Mars Fulminans. ℞ ♂ ℥ivß, ⊖ ♀ ℥iß, ♀ ℥ij, m. f. pul. ſ. a. *Diureticus, & menſes movet*, &c.

Mars Potabilis. Solve Chalyb. ♀riſatum in ▽ont. filtra, & coagula ſ. a. *Optimè valet in Cachexia, Hydrope, Scorbuto, Chloroſi, Quartana*, &c.

Mercurii Purgatio, Diverſimodè perficitur. Vel trajiciendo per alutam, vel lavando cum ♃ & ⊖ mixtis; aut cum ▽â ♆, ſæpius agitando. Vel fortiter agitando cum Sp. V. in vitro obturato. Vel ♍ando in ∴ per ♌m △e forti; idque per ſe, vel addito ⊖e ♀ri, ♆, &c. vel ããando cum ☉ vel ☽, ac poſtea per ♌ à corpore admixto ſeparando.

* *Merc. præcipitat. Albus.* Solve ☿ in 🜄: ꝟa ▽â falſa, abluc, exicca. *Albus ſubdulcis.* Solve ☿ in Sp. ⦶i, ꝟa cum Sp. V. ſicca, & ſæpe combure cum Sp. V. ſ. a. *Doſis eadem cum* ☿*io dulci. Uſus in Lue* ♀, *Hydrope, Podagra, Ictero,* &c.

Merc. præcip. correctus. ℞ ☿ per ⊖ & 🜕 purgat. ℥ij, 🜄 duplic. ℥viij. Abſtrahe 🜄on. ex ∴, cohobando. Tum mriæ tritæ affunde ◎ ⊕li ℥ij. Digere, & ◎m abſtrahe ſuper ☿m affunde Sp. V. Digere ♁ iij. decanta, aliumque Sp. V. affunde; idq; ℥tiâ vice repete: tandem ſicca. *Doſ. gr.* ℥ *ad* 10. *Purgat per inferiora, in Lue* ♀*rea curanda præſtantiſſimum remedium.*

Merc. præcip. fixus. ℞ ☿ purgat. ℥iij, ✳ ℥iß, Fl. 🜍 ℥ij, m. & ♎a: ♎atum cum fæcibus tritum ♎a iterum: dein auge △em ut candeſcat. id quod in fundo remanet fixum *Panacea vocatur. Omnes humores noxios exiccat, perq; diaphoreſin expellit. Doſ.* ℈ß *ad* ʒß.

Merc. præc. Flavus. (i. e.) *Turpeth. miner. Doſ. à gr.* 5 *ad* 10. *Eaſdem habet vires quas Arcan. Corallinum.*

Merc. præc. griſeus. Turpeth. mineral. in 🜄Roſ. lotum & ſiccatum imbibe cum Pyrœno, & (addit. camph. in Pyrœno ſolut. ã,) l. △. Pyrœnum abſtrahe

he ſ. a. *Doſ. à gr.* iij *ad* viij, &c. *Purgat per inferiora.*

Merc. præc. Incarnatus. ☿ ℥j in 🜅 ℥ij, ſolutæ adde ▽ fervidæ ℥iij, 🜅a ▭â rec. ablue ac ſicca ſ. a. *Solum per ſeceſſum movet. Virtutes obtinet Arcani Corallini. Doſ. gr.* vj *ad* xij.

Merc. præc. Laxativus, f. ex ☿ cum ◎ ⊕li, vel 🜍 in ∴æ B. cryſtalliſato, & in ☩bulo indito ut per horam candefiat ope △is: dein in ▽am calidam projecto, ut f. ☿ flavus. △am decanta, lava, exicca, & Spt. V. ſupra eum incende ſ. a. *Purgat ἄνω ϗ κάτω. Doſ. gr.* 3 *ad* 10. *Mirè proficuus in Lue* ♀*rea extirpanda, Podagra, Ictero, Hydrope, Scabie,* &c.

Merc. præc. per ſe. ☿ pone in vitrum infernalem, exactè in ∴ colloca, & gradatim auge △m, donec ☿ in ☿rem rubicundiſ. converſus ſit. Ablue Spt. V. *Opus eſt multorum dierum. Sudores valde movet. Luem* ♀*ream ſexies vel ſepties exhibitus penitùs eradicat. Febres omnes tollit. Lumbricos eliminat. ut plurimùm vomitum quoq; movet ſat violentum. Doſ. gr.* 3 *ad* 6, *præſtantior erit præcipitatus, ſi fiat cum parte octavâ* ⊙*is v. infra.*

Merc. præc. Ruber. Solve ☿ p. i. in 🜅 p. ij. Abſtrahe 🜅 à ☿io per ♎ationem cum tribus cohobiis, donec in ☿rem rubrum evadat. *Vires imitatur præcedentis.*

Merc. præc. Solaris per ſe. f. ex Amalgama facto ex ☿ ℥iv, cum ☉ per ♁ fuſi ℥ß, in vitro infernali poſito ut ſuprà, mriam ſæpe eximendo, & conterendo, ſ. a.

Merc. præc. Viridis. ℞ ☿ ℥iv, ♀ ℥ß, Solve ſeparatim in 🜅, & miſc. poſtea, abſtrahe 🜅on. digere ⩧atum cum ✕, filtra ac ſicca ſ. a. *Specificum eſt in Gonorrhœa virulenta, quam nimiam tollit, inſufficientem promovet: ideoq; quotidie continuandus ejus eſt uſus, donec omnis fluxus ſedatus ſit. Doſ. gr.* ij, iij, *ad* viij.

Merc. ſublimat. Ruber & Flavus. ℞ ☿, ⦶, ⊕ calcin. ana ℥vj, exactè miſta ♎a: cum ♎ato miſce ⦶ & Alumen parùm calcin. ana ℥iij, Impaſta ✠to, & ♎a iterum. Rubrum à flavo ſeparatum ſeorſim ▽â ablue, & Spt. V. ſupra utrumque incende ſ. a. *Purgat præcipuè per inferiora, magnumq; Secretum in Hydrope, Lue* ♀, *Podagra, Scabie, Ulceribus, Cancro,* &c. *Doſ. gr.* 5, 6, 7, *&c.*

Merc. Vitæ correctus. ☿m vitæ in phiala △e ∴æ fove, donec rubere inceperit: poſtmodum Sp. V. ſæpius ab eo abſtrahe ſ. a. *Purgat ſat benè per alvum, Impuritateſq; quaſcunq; educit. Doſ. gr.* 4, 5, 6.

Merc. Vitæ purgans. Si ☿m vitæ cum ⊖e aliquoties teras, & ſalſedinem poſtea

per

per ▽am abluas, vim ſolam purgandi per ſedem obtinebit. *Doſ. à gr.* vj *ad* xij.

* *Mixtura Simplex.* ℞ Sp. Theriacal. camphorat. ℥x. Sp. ⊖li ℥ij. Sp. 🜈ri rectific. ℥vj. Digere in phiala hermeticè obſignata ad 3 ſeptiman. ut uniantur exactiſ. ſ. a. *Ciet ſudorem, reſiſtit putredini: in Febribus malignis admodum proficua. Doſ.* ʒj, *plus minus.*

N.

Nitrum Antimoniatum. ℞ 🜕 in 🜩bulo liquati, p. iij, paulatim injice Vitri ♁ per ſe facti, p. i. Hiſce unitis, effuſis, ☿atiſque, elue 🜕m ▽â: filtra ac cryſtalliſa ſ. a. *Doſ. gr.* 5, 6, 7, *&c. in Febribus malignis, Hydrope, Lue Venerea,* &c.

Nitrum Cachecticum. ℞ ⊖li ♂tis p. 4. Arcan. duplic. p. 5. 🜕 p. 7. m. ac in ∴ ad rubed. calcina. ſ. a. *Summe confert in Appetitu proſtrato, Cachexia, Febribus, Scorbuto, Nephritide, Catarrhis, Lue ♀rea, Contractura, Paralyſi,* &c. *Somnum inducit. Sudorem movet; aliis leniter alvum ciet. Doſ. gr.* vj *ad* xx.

Nitrum Catharticum. Candefac 🜕 in 🜩bulo, & per vices carbonem vivum injice, ut 🜕 inardeſcat: continua, donec flagrare deſinat: quod reſtat ſolve in 🜊: filtra, coagula, idque ter cum novo 🜊 repete.

petc. Tandem ſolve in Sp. V. & evapora ad ſiccitatem. *Dicitur & Terra foliata Nitri. Obſtructum Meſenterium & lienem liberat, ſuaviterq; purgat. Doſ.* ℈j *ad* ʒß.

Nitrum Corallatum. ℞ ⦶ p. iij, ⊖is corall. p. 1. ſolve ſeparatim in ▽Roſ. ac filtra: dein miſceantur & coagulentur ſ. a. *Utile in Febribus & virium reſtauratione. Doſ. ad* ℈j.

Nitrum Fixatum. Solve ⊖em Prunellæ in ▽Font. filtra ac coagula ſ. a. v. *Cryſt. mineral.*

* *Nitrum Hermaphroditicum.* ℞ ⦶, & ⊖is ♀ri puriſ. ā. ſolve in ▽Roſar. rub. filtra & cryſtalliſa ſ. a. *Præſtantiſſimum ad humores craſſos & tartareos incidendos & detergendos; nec-non meatus obſtructos aperiendos: ad calculum renum expellendum, urinamq; movendam,* &c. *Inſuper, in Febribus putridis ac malignis optimè conducit. Doſ. gr.* 20 *ad* 30.

Nitrum Joviatum. v: *Jupiter Nitratus.*

Nitrum Nitratum. ℞ Sp: ⦶ rectif. p. iv. ⦶ purificat. p. vj. m. ac ⌣a ad ſiccit. cum terno cohobio, urgendo △em poſtea ſ. a. *Doſ.* ʒß.

Nitrum Perlatum, fit ut *Corallatum,* ex ⊖e Perlar. & ⦶o. *Egregium eſt Cordiale, & mittigat æſtum febrilem. Doſ. ad* ℈j.

Nitrum Saturniſatum. ℞ ⊖is ♄ni, ⦶, ã ſolve in ⨳, & cryſtalliſa ſ. a. *Prodeſt Aſthmaticis. Doſ. gr.* 5, 6, 7.

Nitrum Sulphuratum. ℞ Sp. 🜍 ℥iv, ⦶ purific. ℥iv, m. ac 🜄a ad ſiccit. ter cohobando, & urgendo △em poſtea ad vaſis excandeſcentiam. *Vires habet Salis Prunellæ.*

Nitrum Vitriolatum. v. *Arcan. Duplex.* Vel parari pt. ex ⦶ p. ij, ◎ ⊕li p. i. 🜄atis, ut in ⦶o 🜍rato.

O.

Oleum Aloëticum. ℞ Aloëpat. ℔j, myrrh. ℥ij, thuris ℥ß, m. ac 🜄a in ∴ l. △. *Illitum umbilico purgat, & vermes necat.*

Ol. Antim. Saccharatum, f. ex ☿re ♁ii. crud. & ſacch. ã. ex ♌ △e fortiſ. 🜄atis ſ. a. *Utile eſt tum ad externos, tum internos morbos. Doſ. à gut.* iij *ad* vj *in Quartanis ante paroxyſmum.*

Ol. Balſami. v. *Balſam. Paralyticum.*

* *Ol. Chartæ.* Accende Chartam ac impone laminæ ♃is, ut comburatur. Sic adhæreſcet ♃i oleum colligendum. *In Alopecia, Herpete, Impetigine,* &c. *mira præſtat. Anodynum eſt, & Odontalgiam ſedat.*

Ol. Heracleinum, fit ex ligno Coryli Septemb. aut Martio collecto, in taleolas

fecto,

fecto, & gradatim per 🝭 in ∴ ◡9ato, ◎m, ab ∇â ſeparetur ſ. a. *Calfacit, incidit. Anodynum, Epilepticum, ac præcipuè Odontalgicum eſt. Guttæ 2, 3, 4, &c. aſſumptæ cum mica panis lumbricos in inſtanti necant, & per ſeceſſum educunt.*

* *Ol. Linteorum*, f. ex Linteis acccenſis & ſuffocatis in laminam ♃is ſ. a. *Optimè valet ad Ophthalmiam curandam cum gutta una ſalivæ mixtum.*

Ol. Ludi. Materiam 🜿ream matulæ inhæreſcentem calcina, & ſolve p. d. ſ. a. *Ad tartarum in omnibus corporis partibus, imò ad calculos etiam grandiores reſolvendos, & expellendos, adeóq; ad obſtructiones indè ortas reſerandas mirificè conducit.*

Ol. Lumbricorum, ◡9atur in ∴ ex Lumbric. terr. V. Hiſpan. lotis ſ. a. *Ad Paralyſin curandam mira præſtat.*

Ol. Martis, fit ex Rubigine ♂tis per ∇am Stygiam irrigatam contractâ, abluendo ∇â, filtrando, & exhalando ad oleaginoſitatem ſ. a. *Summum eſt deobſtructivum. Doſ. gr.* 4, 5, &c.

Ol. Polypodii, f. ex Radic. ſiccis per 🝭 ex ∴ ◡9atis ſ. a. *Inſervit piſcibus capiendis.*

Ol. Saponis, fit ex Sapon. Venet. raſpat. & Sp. V. ā, per 🝭 ◡9atis, primò l. △. dein fortiori gradatim urgendo. ◎m inna-

innatans ▽æ viridi ſeparetur. *Ad Convulſiones, Cephalalgiam,. &c. illinantur cum iſto Tempora, nucha, & nares. Ad Tineas, Contuſiones, Podagram, &c. Ungantur loci affecti, tegendo poſtea braſſicæ folio.*

Ol. Saturni. v. *Balſ. Saturninum.*

Ol. Silicum. v. *Liquamen Silicum.*

Ol. Tabaci, f. ex Fol. ſiccis per ♋. Vel, ex ſem. contuſis & expreſſis. *Uſus in doloribus Podagræ, Arthritidis vagæ, Odontalgia, vermibus,* &c.

Ol. Talchi p. Deliq. ℞ ☿ Talchi, ♀ per ⊕ calcinat. ã f. S. S. S. ac cementa in ♅bulo clauſo 8 vj, ut ♅bulum candeat. exime & edulca; extrahe cum ⁜, filtra ac coagula: edulcora ac repone poſtea in cella ad liqueſcendum. *Coſmeticum cenſetur præſtantiſſimum. Lentigines, maculáſque faciei aufert.*

Ol. Tartari purg. v. *Mag. Tartari.*

Ol. Viridis æris. ℞ ⊕ ℥ij, ⊕ ℥iij, ponantur in catillo, & incend. carbone, donec deflagrârint. Tum ſolve p. deliq. in cella. *Cauſticum eſt. Ad Puſtulas ♀reas, & verrucas abſumendas conducit.*

Ol. Vitrioli Dulce. ℞ Ol. ⊕li rectif. p. i. Alcoh. V. ℔iv. Digere ♁ 30 vel 40: & poſtea ex ♋ cum 3 vel 4 cohobiis ♀a ad uniendum ſ. a. *Proficuum in calculo,*

calculo, morbis tartareis, Catarrhis, &c. *Doſ.* ℈ij *in liquore idoneo.*

Oxyſaccharum Emeticum. ℞ Vitri ♁ii ☿at. ℥j, ✠ opt. ℔j, macer in MB (ſæpe agitando) ad ℨ 24. colat. filtratæ adde ſacch. opt. ℥viij, coq. ad Syr. conſiſt. *Doſ. ad* ℥j, *vel ultra.*

P.

Panacea Aurea. ℞ Croc. metall. & Calomelan. ā m. f. ☿. Valet optimè in Lue ♀. *Ptyaliſmum movet, purgatq;* ἄνω ϗ κάτω.

Panacea Cathartica. ℔ ☿ii vitæ (ex ☿ p. ii, ♁ p. i, facti) ℥iv, ☿ii vivi in ♎ati-one Butyri ♁ provenientis ℥iij, m. & ♎a, ut in ☿io dulci. *Doſ. gr.* ϛ *ad* 8, &c. *Efficacior habetur quàm ☿ius dulcis in Lue ♀rea,* &c.

Panacea Hartmanni. ℞ 🜍ris ♁ii combuſtibilis ℥i, ◎ 🜔li vel 🜍 rectif. ℥iij, Regul. ♁ii ℥j. Digere calide ad ♁ 10: dein ♎a per ♉ vitream ex ∴, ter ad minimum cohobando. △m urge ſub finem, & mriam in fundo per ℨ ϛ reverbera. Tandem exime, lava cum 🜄Roſ. & ſicca. ℞ Hujus ☿ris ℥j, ⊖ coral. ʒij. m. exactè ſ. a. *Remedii eſt inſtar univerſalis: habet miram in ſe vim diaphoreticam ac ſanguinem mundificandi, ideóq; quibuſlibet morbis per ſudorem ſanabilibus inſervire poteſt, præcipuè*

puè Lui ♀reæ, cutiſq; fœditatibus. Doſ. à gr. x *ad* xx.

Panacea Holſatica. v. *Arcan. Duplex.*

Panacea Schroderi. v. *Merc. præcip. fixus.*

Phoſphorus, fit ex reſiduo poſt ♎ationem Sp. ▢æ, cum ✳ci tantillo, ♎ando per gradus ex ♉ vitrea in recipiens ▽â ſemiplenum. *Diureticus ac diaphoreticus. Doſ. ad* ℈ß.

Plumbum album, & Ceruſſa, f. Lamellas ♄ni ſuſpendendo ſupra ♱, ut vapores ab ♱o elevati circumeant. Sic adhæreſcet paulatim Ceruſſa.

Pulv. Sympatheticus, fit calcinando ⊕ Roman. radiis ☉aribus per Vitrum cauterizans, & ☿ando. v. *Vires Ung. Sympathet.*

R.

Regulis Jovialis, f. ex Regul. ♁ fuſi ℥iv, adjiciendo limat. ♃ eandem quant. ſ. a. *Omnes obſtructiones reſerat. In utero ſtrangulato nobile remedium.*

Regulus Lunaris, f. addendo Reg. ♁ fuſi ℥viij. ☽æ ℥j, ſ. a. *Epilepticus, & Cerebralis.*

Regulus Martis, ex Chalybis limat. ℥ij, ⊕, ☿, ♁, ā ℥ivß, detonando ſ. a. *Curat Luem. Ven. ſine ptyaliſmo.*

Regulus Solaris, ex Reg. ♁ fuſi ℥iv, ☉ ℥ß, ſ. a. *Hyſtericus & deoppilativus.*

Regulus Veneris, ex ♀, 🜕, ⦶, ā ℥iv; ♁ ℥viij, detonatis ſ. a. *Aperit obſtructiones in Rachitide.*

Ros Vitrioli, elicitur ex 🜖 albo crudo, calore MB ferventis ſ. a. *Valet ad ardentes capitis dolores, ſanguinem aduſtum mitigat, & viſcera corroborat. Doſ.* ʒij, &c. *continuatim ad aliquot dies.*

S.

Sal Abſinthii Cryſtallinum. Fit ſolvendo ⊖ Abſ. in ▽, filtrando, cryſtalliſando, ſiccandoque, ſ. a.

Sal Aceti eſſentiale. Coq. Cap. mort. ⋇ti in ▽: filtra ac cryſtalliſa ſ. a. *Sudorificum eſt, & putredini reſiſtit. Doſ. gr.* ſ *ad* 10, *in vehiculo aliquo idoneo.*

Sal Aceti fixum. Calcina Cap. mort. ⋇ti, ſolve ▽â, filtra & coagula ſ. a. *Idem facit ut ſupra.*

Sal Alkali. ℞ ♆ ℔j, Eris iſatid. ℔ß, 🜕, ⦶, ā ℥j, coq. in ▽, filtra & coagula ad ſiccit.

Sal Aluminis. Coq. Alumen uſtum in ▽, filtra & coagula ſ. a. *Sudorificum, & Febrifugum. Doſ. gr.* ſ *ad* 10.

Sal Armoniacum fixatum. Miſce ✳ cum ♆ dimid. quant. & △e fortiſ. ſubito adhibito, additoque folle funde, ac poſtea ▽â elue ſ. a. *Inſervit præcipuè liquori indè conficiendo. Sudorificum eſt, & putredini*

reſiſtit

reſiſtit, aperit obſtructiones. Doſ. gr. 5 *ad* 10, *&c.*

Sal Armon. Volatile, f. ex ✳, & ⊖is 🜿ri ã, ♎atis ſ. a. pt. & ♎ari (jubente medico) cum 3tia parte Caſtor. vel Succini. *Tollit ventriculi cruditates. Doſ. gr.* 3 *ad* 10. *Specificum eſt in Arthritide & Sudorificum.*

Sal Arm. Volat. Oleoſum. ℞ Caryoph. ʒij, Sp. V. ℥viij, Sp. ✳ci ℥iv. Digere ſimul ad uniendum ſ. a. *Doſ. gr.* 10 *ad* 15, &c. *in morbis capitis, ventriculi, lienis, uteri,* &c. *in Colica & Tremore cordis Præſtantiſ. Remed.*

Sal Chalybis. ℞ Croc. ♂tis per 🜆 fact. q. v. extrahe ⊖ cum 🜄, filtra & cryſtalliſa ſ. a. *Vim habet incidendi, ac aperiendi obſtructiones, tum viſcerum, tum uteri. Doſ. à gr.* 1 *ad* 5, *& ultra.*

Sal Coralliorum. Elicitur ex 🝗ribus more com. Vel, ſolve corallia in 🜊, filtra ac exhala ſ. a. Sic fieri pt. *Sal Ocul. cancror. Margaritar.* &c. *Doſ.* ℈ß *ad* ℈j, &c.

Sal C. C. *Succinatum,* f. ♎ando c. c. cum dimid. quant. ſuccini ſ. a. *Doſ. gr.* 10 *ad* ℈j, &c.

* *Sal Decrepitatum,* fit calcinando (🝧bulo tecto) donec non amplius crepet ⊖.

Sal Diureticum. Solve Cap. mort. ✳ci volatilis in 🜄 calidâ; filtra & coagula ſ. a.

Proficuum in Febribus intermittentibus. Doſ. ℈ß *ad* ʒß. *In Ictero, Scorbuto, Hydrope, & omnibus obſtructionibus valde conducit.*

Sal Duplex. v. *Arcan. Duplex.*

* *Sal Febrifugum.* Elicitur ex teſtis oſtreor. opt. mundatis, & ad ſummum albed. calcinatis ſolvendo in ▽, filtrando ac coagulando ſ. a. *Doſ. ad* ʒj *ante parox.*

Sal Jovis, f. Solvendo Magiſt. ♃is per digeſt. in ⚹, filtrando & coagulando. *Præſentaneum remedium in uteri ſuffocationibus quas ad miraculum compeſcit, tam intrinſecus, quàm extrinſecus adhibitum. Doſ. gr.* 2, 3, 4, &c. *repetitis vicibus.*

Sal Lithargyrites. Elicitur cum ⚹ non ſecus ac ſacch. ♄ni. Decantetur ſolutio, filtra & coagula ſ. a. Si ſolutio ⚗etur cum ol. ♀, vocatur *Magiſterium. Internè datur in Diarrhœis, Dyſenteriis, reliquiſq; morbis reſolutis. Inteſtina læſa ac ulcerata ſanat & conſolidat: ſanguinem æſtuantem refrigerat. Doſ.* ʒß *cum Theriaca aliqua ſudorifica, ſive anodyna.*

Sal Martis. (i. e.) *Sal Chalybis.*

Sal Martis Catharticus. Solve Cap. mort. Florum ✶ci ♂tiatorum in ▽a calida, filtra & coagula. *Doſ. ad gr.* 12. *leniter purgat, & Diureticum eſt.*

Sal Perlarum, fit omninò ut coralliorum.

Sal

Sal Philoſophorum. ℞ ⊖ decrepit. ♉æ, ā ℥iß, galang. mac. cubeb. ā ʒß, m. f. ☓. ſ. a. *Concoctionem juvat ventriculi, cruditateſq; conſumit. Doſ. gr.* 4 *ad* 12 *manè, jejuno ventriculo.*

Sal Polychreſtum, f. ex Fl. 🜍 & ⦶ á, exactè mixtis detonatiſque, ſolvendo ▽â, filtrando ac coagulando ſ. a. *Humores purgat ſeroſos per ſedem, & nonnunquam per urinas. Doſ.* ʒj *ad* ʒiij, *in* ▽*Font.* ℔ij *ſolut. ut fiat inſtar Acidularum.*

Sal Saturni (i. e.) *Sacch. Saturni.*

Sal Spongiæ Volatile, f. ⚗ando per ∝, & ⊖ rectificando ſ. a. ex Cap. mort. in ▽ calidâ ſoluto elixiviatur *Sal fixum. Utile ad calculos renum veſicæq; frangendos. Valet etiam ad ſtrumas diſcutiendas. Doſ. gr.* ϛ *ad* 12, *vel ultra.*

Sal Sulphuris. Solve Cap. mort. Spts. 🜍ris ▽â filtra & coagula ſ. a. *Efficax. remed. adverſus verminationem. Doſ. à gr.* ϛ *ad* 10.

Sal Tartari, fit ex 🜿ro calcinato non ſecus ac ex aliis 🜓ribus ſal extrahi ſolet. pt. & elixiviari ex Cap. mort. poſt ⚗ationem Spts 🜿ri relicto, ſi ulteriùs comburatur. Vel, fieri pt. ex 🜿 crud. & ⦶ ā ☓at. & calcinatis in ✠bulo ſ. a. *Optimum eſt remed. in Ulceribus, Serpiginibus, Tinea,*

Scabie, &c. *tam internè, quam externè adminiſtratum.*

Sal Tartari Volatilis. ℞ ⊖is ♀ri purific. ℥iv, Alcoh. V. ℥viij, ♒a ex ∴, ter cohobando; & adhæreſcet ⊖ lateribus ⅩⅩbici. *Diureticum & Aperitivum inſignissimum eſt. Sanguinem purificat, & malignitati reſiſtit. Doſ. gr.* 10 *ad* 20, *& ultra.*

Sal. Viper. Volatilis, f. ex viper. ſiccis per ♋, ut cornu cervi, ex Cap. mort. elicitur more com. *Sal fixum. Medicamentum ſummè penetrans, putredinem arcens, obſtructiones reſerat, febres omnes reſolvit. In melancholia, podagra, renum calculo & veſicæ, mira præſtat. Doſ. gr.* 6 *ad* ℈ß.

Sal Veneris. (i. e.) *Flor. Viridis æris.*

Sal Urinæ Volatilis, f. ex ⊡ fermentatâ per ♋ ♒atâ ſ. a. *Fixum elicitur ex Cap. mort. more com. Inſigne anodynum eſt in doloribus ſedandis, mixtum cum liquore conveniente, & ſupra loca affricatum. Internè datum reſerat tartareas obſtructiones viſcerum ac meſenterii, unde inſignis ejus uſus eſſe poterit in Scorbuto, Cachexia, Icteritia flava ac nigra*, &c. *atterit calculum renum ac viſicæ, doloreſq; indè ortos ſopit. Doſ. gr.* 15 *ad* 30.

Sapo

Sapo Tartareus. ℞ ⊖is ♀ri (ex ♀ & ⊕ ã, fact. ſ. a.) ℥iv, ◎ Tereb. ℥viij, ſtent. ſimul (vaſe amplo) in loco frig. & humido ad menſes aliqt. tamdiu ſcilicet (ſæpe interim quotidie agitando, & plus ◎i, quoties opus fuerit, adjiciendo) uſquedum ⊖ planè triplum ◎i abſorbuerit: atque in unam maſſam (Saponis inſtar) ſpiſſam conſpiraverint homogeneam, nullatenus ſeparandam. *Pro parandis Pil. pacificis & Pil. Matthæi.*

Scammon. Aurantiatum. v. *Extr. Draſtic.*

* *Scammon. Cydoniatum.* ℞ ☿ Scam. ℥ij, ſucc. depurat. cydon. ℔j. Digere ☌ 24. Adde ▽ vitæ q. ſ. Digere iterum, & evapora ad extracti formam ſ. a. *Doſ.* ℈j *ad gr.* 25, &c.

* *Scammon. Roſatum.* ℞ Succ. Roſ. Dam. depurat. ℔iij Sp. ♀ ʒiij. ☿ris Scam. ℥iij. Digere ac evapora ad Pil. conſiſt. Adde ◎ ſt. Majoran. ℈j. *Doſ. eaſdem cum priori.*

* *Sedativum Archæi.* Tinctura ex Flor. ✳ci ♂tiatis eliciatur cum Sp. V. quæ abſtrahatur ad conſiſt. debitam ſ. a. v. *Vires Flor.* ✳*ci Martiatorum.*

Silices præpti. ℞ Silices albicantes & pellucid. ex fluviis collect. igniantur in ✠bulo, & exting. in ▽ont. (quâ ✳ ſoſut. fuerit) donec in ☿rem fieri potuerunt

ſ.

f. ☿ exquiſitus ſupra marmor, & in Troch. cogatur cum 🜄R probè exiccandos ſ. a. *Diuretici ſunt. Uſus in hydrope, calculo, urina ſuppreſſa*, &c. *Doſ. gr.* 10 *ad* 20, *&c.*

* *Spiritus Alkermes.* ℞ Sp. Cinnam. Citri, Ceraſ. n. Anthûs, ā ℥iv, ſucc. chermeſin. ℥ij, m. peroptimè, dein agantur per chart. emporet. Adde tum ſacch. opt. ℥ij, Fol. Auri nº x. m. ſ. a. *Sunt, qui addunt Sp. Ambræ* ℥ij *pro ditioribus. Vapores tetros diſcutit. Spiritus naturales vitales, animales recreat, parturientibus ſubvenit, &c.*

Spir. Aluminis. ⌣ atur ex Alumin. uſto per ♉ omninò ut ◎ ⊕-li. *Doſ. gut.* 4, 5, 6, *&c.*

* *Spir. Alum Dulcis.* f. Sptum. Alumin. aliquoties rectificando cum Sp. V. ut dulcis evadat. *Diureticum eſt, calculum pellit, obſtructiones aperit, æſtus in febribus compeſcit. Doſ. gut.* 4, 5, *&c. pro vice.*

* *Spir. Ambræ.* ℞ Ambræ griſ. ʒß, moſch. gr. xv. ſacch. cand. ʒj, m. f. ☿: cui affunde 🜄ris cœleſt. ℥iv. Digere (vaſe hermeticè obturato) in fimo equino ad ♁ 20 aut 30. Dein filtra ad uſum. *Doſ. gt.* vi *in animi deliquio*, &c.

* *Spir. Benzoini.* ℞ Partium albar. Benz. opt. ℥ij, Pyrœni ℥xvj, maneant ſimul in frig.

frig. ſæpe agitando ad ſolutionem Benz. filtra ac ſerva. Si ▽â lactis ⩦es, & ſicces, erit. *Magiſter. Benzoini. Doſ. Spiritûs, à* ʒj *ad* ʒiij. *Magiſterii à gr.* 10 *ad* 20, *vires obtinet Benzoini.*

* *Spir. Camphoræ*, fit ſolvendo Camph. ℥j, in Pyrœn. ℥viij, ſ. a. *Doſ.* ℥ß *ante parox. Tertianæ. Diaphoreticum inſigne in febribus malignis. Anodynum eſt egregium, odontalgiam ſedat*, &c.

* *Spir. Ceraſorum*; f. ex Cerafis nig. cum nucleis opt. contuſ. & fermentatis ſ. a. ℘ando per XX, & rectificando in MB. *Cephalicus, & diuretius, hyſtericis & epilepticis prodeſt, flatibus & convulſionibus ſubvenit. Doſ.* ʒij *ad* ℥j, &c.

* *Spir. Cochleariæ*, f. ex Cochlear. hort. floreſ. fermentatâ, vel non ferm. ℘ando per XX cum ſuo refrigeratorio. Quod primò prodit ſerva per ſe pro Sptu. *Fieri etiam pt. ad hunc modum.* ℞ Sp. V. legitimè probat. ℔xxiv, cochlear. hort. rec. & floreſc. qu. infarciri pt. Infunde per ȝ 12, ac ℘a ad medietatem. In hoc Sptu. ℘ato macera de novo cochlear. rec. ut ſupra, iterumque ℘a ad medias. Ex hoc Sptu. & Reſin. Scammon. vel zialap. (extrahendo Tincturam ac filtrando) parari pt. *Sp. Cochlear. purgans. Spleneticus ac Diaphoreticus, fixos ac crudos humores, volati-*

les

les reddit, putredeniq; reſiſtit. Hinc profi-cuus in hypochondriacis & tartareis morbis, ac præcipuè ſcorbuto. Doſ. gut. 20, 30, *vel ultra in liquore idoneo*

Spir. Coralliorum, fit ⊖em Coral. opt. purificat. ◡ando ∴, & rectificando. *Scorbuticus eſt & Lithontripticus. Doſ. gt.* 5 *ad* 20, &c.

* *Spir. Corn. Cerv. ſuccinatus.* ◡atur ex c. c. cum dimid. quant. Succini. *Doſ. gut.* 5 *ad* 15, &c. *Sudorificus eſt, Diureticus, Hyſtericus, Epilepticus,* &c.

Spir. Diatriων. v. *Mixtura Simplex.*

Spir. Dracunculi. ℞ Sp. Vini cong. j. Fol. dracunculi recent. quant. infarciri pt. Digere per δ iij, & ◡a ſ. a. Aquæ ◡latæ adde ſacc. opt. q. ſ. *Doſ.* ℥iv *pro vice; miranda præſtat in ignotis affectibus, ſudorem provocando.*

* *Spir. Embryon.* ℞ Capones n° 3, exemptâ pinguedine contunde & incide: adde dactyl. ℔j, uv. paſſar. ℔iß, meliſ. miv. angelic. majoran. chærefol. ã miij, ſem. ocimi ℥ß, fœnic. angel. cort. limon. ã ℥iij, cort. citri, rad. pæon. borag. ã ℥iv, angel. ℥iß, croc. ʒv, Conſ. flo. Borrag. caryoph. majoran. ã ℥iv. V. Hiſpan. ℔xxxij. ◡a ad ſiccitatem. Cum hâc ▽â, & Sp. Hormin. ℔j, ▽æ Ceraſ. n. Meliſ. ã ℔iij, Borrag. ℔iv, & amygd. decort. ℔iß f. Emulſio:

Emulſio: cui adde conſ. flo. pæon. ℥vj, borrag. & caryoph. ã ℥iv, Florum violar. paralyſ. tunicæ, roſ. r. anth. calend. ã miv, Xyloal ʒiij, Sant. citr. ʒiiß, Cinnam. ℥viij, Aromat. Roſat. ℥j. ☊a ſ. a. *Fœminis datur quæ ſæpius Abortum paſſæ ſunt magno emolumento, itemq; gravidis ubi à ſubito terrore, aut aliqua occaſione extrinſeca langueſcant, lipothymias & animi defectiones, ventriſq; inflationes in his perſanat: infirmum fœtum roborat, uteri ligamenta firmat, Epilepſiam arcet, ſanguificationi proficit*, &c. *Doſ. coch.* 2, 3, &c. *pro re natâ.*

Spir. Hormini comp. v. *Aq. Horm. comp.*

* *Spir. Hyſſopi Verus.* ℞ Hyſſop. rec. floreſc. q. v. contunde opt. & in vaſe quern. include, addendo ▽ont. tepidiuſculæ q. ſ. relinque ſic ad fermentandum (Flor. cereviſiæ tantillo addito) ♁ 10, vel 12. Deinde adde plus ▽æ, ac ☊a per ☓☓. Poſtea rectifica ſæpe in MB ſ. a. Eodem modo ☊ari pt. *Sp. Herb. aliar. Flor.* &c. *Pectoralis eſt inſigniter.*

* *Spir. Juniperi Verus.* ☊atur ex Baccis fermentat. ut ſuprà. *Carminativus, diureticus, & ſtomachicus inſignis eſt, flatibus, renumq; arenulis pellendis, menſibus movendis, & ſterilitati auferendæ egregiè proficuus.*

Spir.

Spir. Mannæ. Si Mannam ℘es l. △. ex cucurbita, habebis Sptum inſipidum ſudorificum. *Sudorificum inſigne habetur in febribus tum peſtilentibus, tum communibus ſudorem, propellens admodum fœtidum. Doſ. ad coch.* j.

Spir. Millepedum. ℘atur omninò ut c. c. ſervando ⊖em. *Urinam potenter ciet. Omnes obſtructiones reſerat. confert oculorum morbis, nec non Rachitidi. Specificus in ſurditate auribus inditus.*

* *Spir. Nitri.* ℞ ∴æ p. ij, ⦶ p. i. m. ac ℘a per ♈, donec ceſſant fumi apparere. *Diureticum præſtantius vix invenies. Sudorem inſuper movet, unde uſus ejus inſignis in Colica, Pleuriſi, Febribus omnibus, præcipuè malignis. Doſ.* ℈j *ad* ℈ij, &c.

Spir. Nitri Bezoarticus. ℘atur ex Sp. ⦶ rectif. & Butyr. ♁ii ā ex ♈ ſ. a. Inſervire pt. Cap. mort. *Bezoartico Minerali* parando.

* *Spir. Nitri dulcis.* ℞ Sp. ⦶ rectif. p. i. Alcoh. V. p. ij. Digere ad unionem, ac ℘a in ∴ bis cohobando ſ. a. *Doſ. ad* ʒj *in liquor. conven. Sudorem ciet, tollit obſtructiones colicæ, renum, pectoris, &c.*

Spir. Reginæ Hungariæ. v. *Aq. Hungarica.*

* *Spir. Rhœados crapularius.* ℞ Flo. papav. rhœad. rec. ℔j, ſem. carui ℥ij, nuc. m.

m. ℥j, Ambr. griſ. gr. 4. Sp. V. ℔iv, macer. ſ. a. f. colat. *Doſ.* ℥iv *hora ſomni, vel manè poſt crapulam. Specificè Pleuritidi ſubvenit.*

. *Spir. Salis Armoniaci.* ℞ ✳ p. i. ♆ p. ij, ▽ p. iij. ⌣9a in ∴ ſ. a. *Diureticus, diaphoreticus, inciſivus. Reſiſtit putredini, optimè valet in Febribus. Doſ. à gut.* vj *ad* xij, *&c.*

Spir. Sal. Arm. Tartariſatus. ℞ ⊖is ♀ri, ✳, ā, cum triplo ▽æ ⌣9a ſ. a. *Vires obtinet omnes cum priori.*

Sp. Sal. Arm. Succinatus, f. rectificando Sp. ✳ci ſupra ☿rem ſuccini ſ. a.

Sp. Sal. Arm. Chalybeatus, f. ex Cap. mort. Florum ✳ci Chalybis limat. △i expoſito, ⌣9ando per ♉ ſ. a. *Doſ. gut.* 5 *ad* 15, *&c. omnes obſtructiones tollit, menſes & urinam provocat. Sudorificus etiam cenſetur.*

* *Spir. Salis coagulatus.* Miſce ⊖is Abſinth. depuratiſ. ℥j, cum Sp. ⊖ rectif. ℥iß, & coagula ſ. a. *Diureticum eſt Medicamentum & ſpecificum hydropicum, omnes aquoſas humiditates & flatus, omnemq; tartaream & viſcoſam materiam, unde calculus procreatur, per urinam potenter expellens. In Iliaca, Colica, Febribus, Icteritia, Dyſenteria, Apoplexia, Podagra, &c. Præ-*

ſentaneum eſt auxilium. Doſ. gut. vj *ad* xv, *&c.* v. *Mynſicht.*

Sp. Salis Martialis. ♀atur per 🝭 ex ♉ p. i, Chalybis limat. p. ij, ſ. a. *Doſ. gt.* 5 *ad* 15. *Diureticus & valde aperitivus.*

Spir. Sambuci. ♀atur è Baccis ferment. uti *Hyſſopi*, &c. *Alexipharmacus, Cardiacus, Sudorificus, & Uterinus. Doſ. coch.* 1, 2, *&c.*

Spir. Sanguinis. ♀a Sang. juvenis ſani putrefactum in ∴ & rectifica ſ. a. *Maximè commendatur ad Epilepſiam radicitùs tollendam. ad paralyſin, apoplexiam, pulmonem ulceratum, &c. Doſ. à gut.* 10 *ad* 20, *& ultra per menſem integrum.*

Spir. Saturni. ♀atur per 🝭 è ſacch. ♄ni opt. purificato, rectificando ſ. a. *Sudorificus eſt, in Peſte, Melancholia Hypoch. Febribus ardentibus, Lue* ♀*rea, & ſimil. Doſ. gut.* 2, 3.

Spir. Spongiarum. ♀a è Spongiis per 🝭, & rectifica ſ. a. *Lithontripticus eſt inſignis.*

Spir. Tabaccæ. ♀atur ut *Succini*, ex Foliis ſiccis. *Doſ.* ʒj *ad* ʒiij, *&c. pro vomitorio.*

Spir. Theriacalis camphoratus. ℞ Theriac. Androm. ℥v, myrrh. opt. ʒx. croc. Anglic. ℥ß, camph. ʒij, Alcoh. V. ℥x. Digere,

Digere, ac ♎a in MB ter cohobando ſ. a. *Egregii uſus in morbis malignis ciet ſudorem, reſiſtitq; veneno. Doſ.* ℈j *ad* ʒj, &c.

* *Spir. Veneris.* ♎atur per ♈ ex ⊕lo ♀ris ſ. a. *Summum eſt Arcanum ad Epilepſiam, corroborat ventriculum, cruditates emendat, uterum frigidum calfacit, ejuſq; ſuffocationem ſanat, menſes movet, renum morbis ſuccurrit. Doſ. gut.* 5 *ad* 10.

Spir. Vini Succinatus. ℞ ☿ris Succini ℥iv, Alcoh. V. ℥xij. ♎a in MB. ſ. a. *Cephalicus*, &c.

Spir. Vini Tartariſatus. ℞ ⊖ ♀ ℥iv. ♎a cum Alc. V. ℔ij. in MB. *Scorbuticus*, &c.

Spir. Viperarum. ♎a ex Viperis ſiccis, utì c. c. ſervando ⊖em. *Summè eſt penetrans, putredinem arcens, in toto corpore obſtructiones reſerat, febres omnes reſolvit, etiam Quartanas. Doſ. gut.* 4 *ad* 10.

Spir. Vitæ Aureus. v. *Tinct. Aurea.*

Spir. Vitrioli. ♎a ⊕ calcinatum ex ∴, & ſepara Sp. à phlegmate ſ. a.

* *Spir. Vitrioli coagulatus.* ℞ ⊖is Acetoſæ ℥j. Sp. ⊕li ℥iß, m. & coagula ſ. a. *In roborando ventriculo, febribus, ſiti, inflammationibus*, &c. *Secretum eſt. Doſ. quantum ferri poteſt, ut dentes ſtupidi non reddantur, in liquor conven.* v. *Mynſicht.*

Sp. Vitrioli Diaphoreticus. ℞ ⊖is ♀ri, c. c. c. ā ℥ij, Sp. ⊕ ℥vj. ⌣9a per ♉ ad ſiccit. Liquori ⌣9ato adde Sp. V. ā, & ſerva ad uſum. *Purificat ſanguinem, abigitq; ſcabiem ac pruritum, aperit obſtructiones, ſudorem provocat in Peſte, Venenis, Hydrope, Icteritia, contracturis,* &c. *Efficax quoq; eſt in mundificandis pulmonibus. Doſ. à* ℈j *ad* ʒß.

Sp. Vitrioli Eſſentificatus. v. *Cliſſus Vitrioli.*

Spir. Vitrioli Martis. ⌣9atur in ∴ ex ⊕lo ♂is calcinato. *In obſtructionibus, chloroſi, Rachitide,* &c. *Doſ. gut.* ϛ *ad* 1ϛ.

Sp. Vitrioli Philoſophicus, fit ex ▽â in quam Butyr. ♁ii projectum fuit, exhalando ad 3tias, & rectificando ſ. a. *Cephalicus eſt, Febrifugus & Ecphracticus. Doſ. gut.* ϛ *ad* 1ϛ.

Sp. Vitrioli Tartariſatus. ℞ ⊕ ad albed. calcinat. p. ij. ♀ ad nigred. calcinat. p. i. m. & conſperſo Sp. V. ⌣9a ex ♉, & rectifica ſ. a. *Egregias vires exhibet ad ſudandum in omnibus internis obſtructionibus, in ſanguine grumoſo, contra ſcabiem, ad mundificandam & lævigandam cutim. Doſ. à* ʒj *ad* ℥ß, *cum brodio, aut vino, per tres auroras continuas, ſi libet.*

Stypticum Regis. ⊕lo ſoluto,. filtrato, cum ⚹ ⚻ato, edulcato & ſiccato affunde

de ◎ ⊕li & ♎a ex ♉ ad ſiccitatem. Cap. mort. digere cum Sp. V. filtra calidè ac abſtrahe. Solve ⊖em in fundo remanentem cum quadruplo ▽æ per digeſt. & fiet Stypticum. *Uſus eſt internus & externus. Doſ. gut* 10 *ad* 20, &c. *in omnibus hæmorrhagiis.*

Sulphur Antimonii. ℞ ⊖ ♀, vel Abſinth. ℥iv in ✠bulo fuſis injice cochleatim ♁ crud. ☿at. ℥j, fluere ſinatur ad ʒæ quadrantem, & effunde in vas æneum. Maſſa crocei coloris edulcetur crebris ablutionibus ſ. a. *Ciet vomitum. Doſ. à gr.* 5 *ad* 10, *cum Crem.* ♀*ri purgat per ſeceſſum.*

Sulph. Antim. combuſtibile. ♁ ſolutum in menſtruo idoneo in ▽am projice: collige ♀r, & ▽ calidâ ablue: vel (ſi videtur) per ſe ♎a ſ. a. *Doſ. cum viribus eadem, ut ſupra.*

* *Sulph. Auratum*, fit è ſcoriis à Regulo ♁ii liberatis, in ▽ coctis & filtratis, ▽ando ♀ cum ✠, & abluendo. *Doſ. gr.* 5 *ad* 15. *In aliis vomitum ante ſudorem, in aliis ſedem poſt ſudorem, movet. Mirè conducit febribus tertianis & quartanis horâ unâ ante paroxyſmum. Peſti, variolis,* &c. *modò ſtatim à concepto contagio, bis terve repetendo, ſæpe prævenit, vel felicius erumpere facit. Lui ♀reæ proficuum eſt.*

Sulphur Vitrioli, fit ſolvendo ⊕ in ▽ calidâ, guttatimque affundendo ◎m ♀ri, ut ⥾etur 🜍 ⊕li, qd. edulcoratum exicca. *Confert. affectibus pulmonum. Mundificat plagas putridas, cicatriceſq; inducit. in Epilepſia, vertigine, & morbis chronicis valde utile. Doſ. ad gr.* 15.

Sulphur Vitrioli Martiale. Ablue Fl: ✱ci Martiatos ab omni ſalſedine, & calcina ſ. a. *Idem facit cum ſuperiori; & præterea obſtructiones reſerat. Doſ. etiam eadem eſt.*

Sulphur Vitrioli Narcoticum. ℞ ⊕ p: ij, Chalybis limat. p. i. Digere in ⚹, ac ⌢a in ∴ ad ſiccitatem. Ex ⌽ rubra extrahe tincturam ope ⚹i, filtra & ⥾a ◎o ♀ri. Tandem 🜍 in fundo edulca & ſicca. *Ex hoc fiunt anodyna, Laudani nomine inſignita. Catarrhos ſiſtit, dolores auſert,* &c. *Doſ. gr.* ij *ad* vi, &c. *hora ſomni.*

T.

Tartarum Aceti v. *Sal Aceti eſſentiale.*

Tartarum Antimoniatum. ℞ Crem. ♀ p. vj, Fl. ♁ii p. i. coq. in ▽, filtra & exhala ad ſiccitatem. *Ecphracticum eſt, diureticum, diaphoreticum, & febrifugum. Alvum laxat, cietq; vomitum. Doſ.* ℈j, ʒß, &c.

* *Tartar Chalybeatum.* ℞ ♀ loti ℔j. Chalybis limat. ℥ij, coq. in ▽ ℔viij, per momen-

momentum 1 vel 2. Trajice citò per manic. Hip. agitando liquorem, donec refrigeratus ſit: dein reſideat ☿ in fundo viridiuſculus, & ſiccetur. Vel, ℞ Crem. ♀i ℥iv, ⊕li ♂tis ʒij, coq. in ▽ aliquantum, filtra & ad ſiccit. evapora ſ. a. *Utiliſſimum in morbis chronicis, ſc. obſtructione lienis, quartana, ictero, cachexia, hypochondriaca paſſione*, &c. *Doſ.* ℈j *ad* ʒj.

Tartar. Emeticum. ℞ Hepat. ♁ii, Crem. ♀, ā p. æ. m. f. ☿. Digere in ▽ Menthæ. filtra ac evapora ad ſiccitatem. *Multò leniùs ac tutiùs operatur quàm crocus metallorum. Doſ. gr.* iij *ad* xij.

Tartar Laxativum. ℞ Crem. ♀ ℥viij, ⊖ ♀ ℥iv, ▽ont. ℔iij, coq. l. △. per hor. ß, poſt frigefact. filtra & exhala ad ſiccit. ut fiat Sal album. *Doſ.* ℈ß *ad* ℈j, &c.

Tart. Vitriolat. Antimoniale, fit addendo paulatim ♀ro ♁iato ◎ ⊕li q. ſ. ſiccando, in ▽ ſolvendo, filtrando & exhalando ad ſiccit. *Febrifugum eſt, ictericum, cachecticum, & digeſtivum. Doſ. gr.* 15 *ad* ʒß, &c.

Tart. Vitriolat. Emetico purgans. ℞ ⊖ ♀ fuſi ℥viij, Vitr. ♁i ℥j, probè miſce in 🜄bulo, effunde, ▽â ſolve, filtra, & in ∴æ calore exicca, paulatim inſtillando ◎ ⊕li q. ſ. & ſiccando. *Vires eaſdem obti-*

net

net cum priori. Purgat ἄνω ϗ κάτω. Doſ. gr. 3 *ad* 8, &c.

Terra Vitrioli dulcis, ſit ex Cap. mort. olei ⊕li ad rubed. calcinato, aliquoties ▽â edulcando, donec 🜃 rubra ab omni ſalſedine libera ſit. poſtea exicca. *Magnæ eſt efficaciæ in Dyſenteriis, hæmorrhagiis*, &c. *Doſ.* ℈ß *ad* ʒß, &c.

Tinctura Abſinthii. ℞ Summit. Abſ. vulg. ſiccat, à ſtipit. liberat. ℥v. contuſis adde Pyrœni ℥xx. Digere in MB ad ♁ aliqt. exprime fortiter, in liquore infunde iterum alias ſummit. abſ. & exprime. Repet. opus ad tertiam vicem. Dein filtra colaturam ſ. a. *Doſ. gt.* 6 *(plus minus) in hauſtu Vini vel cereviſiæ.*

Tinctura Ambræ: v. *Sp. Ambræ.*

* *Tinctura Amygdaloïdes.* ℞ Partium Albar. Benz. Styrac. Calam. ã ℥j, Pyrœni ℔j. Digere ad ſolutionem, filtra & exhala ad dimid. *Pectoralis eſt, Catarrhalis, Aſthmatica, Nervalis, Sudorifica*, &c. *Doſ.* ʒij *ad* vj, &c.

* *Tinctura Antim. Emetica.* Extrahitur ex vitro ♁ii cum ⋇, filtrando & exhalando ad ſiccitatem. Materiam in ▽ ſolutam, filtratam, iterumque ad ſiccitatem abſtractam digere cum Sp. V. ad colorem rubicundum, ac filtra. Elici etiam pt. Tinctura è ſcoriis Reguli ♁ii cum Sp. V. di-

geſtis.

geſtis & filtratis. Vel, extrahe Tincturam ex vitro ♁ii cum Sp. ♀ rectificato; effunde ac abſtrahe in ☓☓, non autem ad ſiccit. totalem. Tum extrahe Tincturam cum Sp. V. quam filtra & exhala ad conven. ſpiſſitudinem. *Doſ. ad gt.* x.

Tinctura Antim. purgans. ℞ Vitr. ♁ii ☿at. ℥j, Sp. ⊕ non rectificat. ℥viij. Digere in MB. Sic fit Tinctura nigropunicea *Panchymagogum cenſetur in omnibus morbis curandis, fortificat ventriculum, obſtructiones aperit, convenit chloroſi, cachexiæ,* &c. *Doſ. à gt.* vj *ad* x.

Tinctura Armoniaci. ℞ ✳ ℔ij, Chalybis limat. ℔j, m. opt. ſimul terendo, & ♎a per ♌ per gradus. Serva per ſe Sp. ✳ci. ♂em in fundo hærentem ☿a, & frequenter ▽â affusâ edulcora. Poſtea adjectis Sp. V. ℔ij, digere tepidè ♁ 8: effunde Spt. & novum affunde & digere per ♁ 8. Dein abſtrahe in MB. Sp. V. ℔iij, ut una libra Tincturæ ſuperſit. *Egregiè præſtat in omnibus obſtructionibus hepatis & lienis. Item in Melancholia Hypochond. Quartana, Cachexia, Hydrope, morbo Virgineo, Scorbuto, menſibus, ſuperfluiis & retentis. Doſ. gut* vj *ad* xij *in liquor conven.*

Tinctura Aſſæ Fœtidæ. ℞ Aſ. Fætid. ℥ij, Alcoh. V. ℔j, extrahe Tincturam & filtra

filtra. *Uterina eſt, Traumatica, & Splenetica.* *Doſ.* ʒj *ad* ʒij, &c. *in liquore conveniente.*

* *Tinctura Aſthmatica.* ℞ Rad. Helen. Irid. Florent. Sem. Aniſ. Carui, Glyc. ā ℥ij, Fol. Cardui Ben. mij, uv. paſſ. exacin. ℔j, Fol. Senæ mundat. ℥vj, ▽ Aniſi, ℔vj. Digere ♁ 4, & f. colat. *Doſ. coch.* 2 *h. ſomni,* 3 *vel* 4 *manè ſeq.*

* *Tinctura Aurea.* ℞ Pulp. colocynth. à ſemin. liberat. conciſ. & craſ. ♉at. ℥iß, caryoph. nº vj, aniſ. ʒj, croc. ℈ß, Sp. V. ℥xx. Digere ad menſem, & filtra. *Doſ.* ʒij *ad* ℥iß.

Tinctura Bezoartica. ℞ Rad. Enul. Angel. Zed. Serpentar. Virg. ā ℥iß, Croc. opt. ℥j, Myrrh. Cinam. Cort. Citri ſicc. ā ʒvj, Fol. Scord. Rutæ, ā mß. Theriac. Androm ℥iij, opii Thebaic. ʒij, Sp. ♀i rectif. ℥xv, Sp. ⊕li ℥iij, Sp. Bacc. Sambuc. & Sp. Bacc. Junip. rectif. ā ℥xviij. Digere ſ. a. ac filtra. Tum adde ⊖ Succini ℥j, Camphor. ʒij. Digere iterum ad uſum. *Doſ.* ʒiij ad ℥j, &c. *in Peſte, morbiſq; omnibus malignis Spiritus inſignitèr recreat,* &c.

* *Tinctura Cardamomi.* ℞ Sem. Cardamom. min. excort. & contuſ. ℥iv. Alcoh V. ℥xvj. Digere, exprime, ac filtra ſ. a. *Flatus potenter diſcutit, & cerebrum confortat.*

confortat. Doſ. ʒj *ad* ʒiij, &c. *in vehiculo idoneo.*

* *Tinctura Carui.* f. è Sem. & Alcoh. V. omninò ut *Cardamomi. Idem facit cum priori.*

* *Tinctura Cathartica Ridglei.* ℞ Senæ opt. ℥j. Caryoph. ʒiß, Croc. ʒj, V. Hiſpan. Chalybeat. ℔iß. Infunde ♁ aliqt. exprime ac filtra. *Doſ. coch.* 2, 3, 4. *quotidie ad longum tempus, in Febribus obſtinatis,* &c.

* *Tinctura Ceruſſæ.* ℞ Ceruſſ. Ven. ☿at. ℥iv, Camphor. ℥ß, ◎ ♀ p. d. ℥iij, ※ ℥xvi, macer in frig. filtra. *In cutis fœditatibus, inflammationibus, ambuſtis,* &c. *uſus eſt.*

* *Tinctura Chamæmeli.* Extrah. ex Flor. ſiccis, & Pyrœno, uti *Abſinthii. Idem præſtat cum Tinct. Carui.*

* *Tinctura Cochleariæ comp.* ℞ Chalybis limat. mund. ℥iv, Salv. Rubræ, Agrimon. ã miij, Cochlear. marin. fol. ſelectiſſ. ℔ij, Cochlear. hort. miij, abſ. com. roriſm. ã mij, Rad. raphan. ruſtic. ℥iv. Incide minutiſ. & adde V. alb. & V. Cherienſ. ã ℔iv. Inſund. per ♁ 3, & f. colat. *Doſ. ad* ℥iv *bis indies per* ♁ 20, 30, 40. *Ex deplorato hydrope cum ſcorbuto curati fuerunt multi præter ſpem; aliis plurimis fruſtra tentatis.*

Tinctura

Tinctura Coralli. Solve Corall. r. in Sp. Panis, filtra & evapora: exinde Tincturam extrahe cum Sp. V. filtra & exhala ad debitam conſiſt. ſ. a. *Cardiaca, diuretica, vermifuga,* &c. *Doſ. gut.* 30, 40, &c. *in liquore appropriato.*

* *Tinctura Ferri.* ℞ Batituræ Ferri mundat. ℥vj, Abſinth. Rom. mj, raſ. eboris ſantal. alb. ā ʒiß, V. Rubelli ℔ij, macer. 8 48. f. colat. quæ filtretur. *Longè efficacior habetur, quàm Vinum Chalybeatum in omnibus obſtructionibus,* &c. *Doſ. coch.* 2 *ad* 5, &c. *omni manè per longum tempus.*

* *Tinctura Guajaci.* ℞ Cort. Guajac. ⧖at. ℔j, Ambr. griſ. gr. xv Sem. Aniſ. Glyc. ā ℥j, Sp. V. ℔iv. Digere & cola ad uſum. *Sudorem provocat. Optimè conducit in Lue ♀rea curanda Odontalgica eſt, Pulmonica, & Catarrhalis. Doſ.* ʒvj *ad* ℥iß, &c.

Tinctura Galbaneti. Extrah. ex Galbeneto *Senn.* cum duplo Tincturæ de ⊖e 🜿ri, circulando, ac poſtea ſeparando Oleum à Tinctura ſ. a. *Hyſterica eſt, Paralytica, Scorbutica, Emmenagoga,* &c. *Doſ. gut.* x, xx, xxx, *&c.*

Tinctura Hæmatitæ. Elicitur ope Spts. V. ex Lap. Hæmatit. cum ✱ ♎ato. *Uſus in*

in hæmorrhagiis omnibus ſiſtendis. Doſ. ʒj, ij, &c.

* *Tinctura Hieræ.* ℞ Spec. Hier. ſimp. ℥j, Coccinel. ℈j, V. Cherienſ. ℔iiß, m. & digere ſæpe agitando ad ♁ aliqt. deinde filtra ad uſum. *Datur in ventriculi dolore, cachexia, ructu, vermibus necandis,* &c. *Ante paroxyſmum tertianæ, nec-non quartanæ exhibita, ſæpe curat poſt tertiam vicem. Doſ.* ℥ij *ad* iv:

* *Tinctura Juniperi.* Fit ex Rob. de Baccis ℥j, Sp. de Baccis fermentatis ℔j, digeſtis & filtratis ſ. a. *Doſ. coch.* 2 *ter in die. In hydrope, calculo, colica,* &c. *ſingulare remedium.*

Tinctura Lunæ. v. *Luna potabilis.*

Tinctura Martis. Extrah. ex Flor. ✳ci ♂tiatis ope Alcoh. V. ſ. a. *Eaſdem vires obtinet, quas Tinctura Armoniaci.*

Tinctura Martis Aurea. ℞ Croc. ♂ ℥j, Sp. ⊖ ℥iv. Infund. ♁ 2, ſæpe agitando: dein adde pyrœni ℥iv. Digere tepidè ♁ 3 vel 4. filtra, & erit Tinct. coloris aurei. *Doſ. ad gut.* xx.

Tinctura Martis Tartariſata. ℞ ♀ alb. ☿at. ℔ij, Chalybis limat. rubiginat. ℔j, m. & coq. in vaſe ferreo in ▽ont. cong. ij, per 8 12, agitando ſubinde ſpatulâ ferreâ, & addendo pro re natâ plus ▽æ bullientis. Poſt reſident. debitam filtra liquorem,

quorem, & exhala ad ſpiſſitudinem convenientem ſ. a *Doſ.* ʒj *ad* ʒiij, *&c.*

* *Tinctura Meliſſæ.* ℞ V. rubelli cong. ij, meliſſ. rec. mviij. ♎a in MB. ad ſiccit. ▽æ ♎atæ adde Fol. meliſ. parùm ſiccat. mviij, ♎a per XX ℔iv. in recipientem lagenam Foliis meliſſ. recentiſ. & ſelectiſ. integris repletam. Poctea colat. admiſce ſacch. opt. ℥ix, ſuſpendendo in nodulo. Ambr. griſ. gr. v. Moſch. gr. j. *Inſigniter Cardiaca eſt.*

Tinctura Myrrhæ. ℞ Aloës opt. Myrrh. ā ℥j, Alc. V. ℔j. Digere & filtra. *Vulneraria eſt inſignis, aſtringit, conſolidat, exterget, putredinem arcet, & gangrænam præcavet.*

Tinctura Oculor. Cancrorum. ℞ Oc. 69 ☿at. ℥iv. ✠ opt. ℥xvi. extrah. Tinct. & filtra. *Doſ. coch.* 2 *ter in die, ad ulcera, &c, curanda.* K. D. E. A.

Tinctura Odontalgica. ℞ Guajac. ℥ij, Pyrethr. ℥j, Malicor. Gallar. Sem. Hyoſcyam. Staphidiſagr. ā ℥ß, Caryoph. zz. Piper. l. Oliban. ā ʒij, Opii, Camphor. ā ʒj, Peti Indici, Salv. Mentaſtr. ā ℈ij, Sp. V. ℔iij, macer. & f. colat. *Tantillum de hac calidè in ore teneatur, poſtea iterum expuatur, & reiteretur,* v. *Mynſicht.*

* *Tinctura Paralytica.* ℞ ☿ris Cantharid. ℥ij, Ammeos ʒvj, Pyrœn. ℔iß, extrahe

trahe tincturam, quam cola. *Pro membris paralyticis fricandis.*

Tinctura Perlarum. Fit omninò ut *Corallii.*

* *Tinctura Piperis.* Fit ex Pipere n. & Alc. V. uti *Cardamomi.* *Vires habet piperis.*

Tinctura Potentialis. v. *Tinct. Paralytica.*

Tinctura Proprietatis. ℞ Aloës opt. myrrh. elect. ā ʒvj, croc. opt. ℥ß in ☿rem redactis adde ol. ♀ri p. d. ℥ij. Digere (vaſe clauſo) 8 24, dein adde Alcohol V. ℥xvi. Digere ac filtra ſ. a. *Eaſdem vires obtinet quas Elix. Propriet. dulce.*

Tinctura Regalis. (i. e.) *Spir. Ambræ.*

* *Tinctura Rhabarbari.* ℞ Rhab. opt. glyc. ā ℥ij, uv. paſſ. enucleat. n° 60. aniſ. ℥j, ſacch. cand. ℥vj, Sp. V. ℔ij. Digere ſ. a. f. colat. *Doſ. coch.* 2, 3, 4, *mane. In ventriculi cruciatibus, &c. mira præſtat.*

Tinctura Rhœados. v. *Sp. Rhœad. crap.*

Tinctura Sacra. v. *Tinct. Hieræ.*

Tinctura Salutis. v. *Elix. Salutis.*

* *Tinctura Saſſafras.* ℞ Cort. Saſſafr. ℥iv, Salv. ſicc. ℥ij, nuc. m. ℥j, Cinnam. ℥ß, Ambr. griſ. ℈ß, extrahe Tincturam cum Sp. V. ℔ij, ſ. a. *Doſ. coch.* ij. *Lenit arthritidem vagam.*

Tinctura Saturni. ℞ ♄ni laminat. q. v. extrahe tincturam cum Sp. ♄ni eſſentificato

Filtra ac abſtrahe ſ. a. *Apprimè conducit maniæ, melancholiæ, quartanæ, phthiſi,* &c. *Doſ. gut.* i *ad* v, *&c.*

* *Tinctura Scorbutica.* ℞ Fol. cochlear. naſturt. aquat. ā mj, Rad. raphan. ruſtic. ℥ij, Rhab. ℥ß, Polypod. qu. ℥iß, Senæ ℥j, Sp. V. ℔ij. Infund. δ 2, & f. colat. *Doſ.* ℥j, *vel* ij, *omni manè cum ∇â cochleariæ. Mirum eſt quantum levaminis affert hydropicis ac ſcorbuticis.*

* *Tinctura Serpylli.* F. ex Herba floreſc. ſicc. & Pyrœno, eodem modo quo *Abſinthii. Diuretica, Hyſterica, Stomachica,* &c. *Doſ. gut.* v. *ad* xv, *&c.*

* *Tinctura Stomachica.* ℞ Spec. Hier. ſimp. ℥j, Coccinel. ʒj, Sp. V. ℔ij. Digere ac filtr ſ. a. *Doſ. coch.* 1, 2, 3, *ante paſtum, in ſtomachi cruditatibus aut dolore. Si exhibetur ad* ℥iij *hora dimid. ante parox. per* 3 *vel* 4 *vices efficaciſſimè curat Tertianam: interdum & Quartanam.*

* *Tinctura Succini.* ℞ Succin. alb. ſubt. ȣat. ℥iv, Alc. V. ℔j. Digere ad ſolutionem ſuccini. Decanta, filtra, & 3tiam partem abſtrahe in MB. *Cephalica eſt, Hyſterica, Colica, Nervalis,* &c. *Doſ.* ʒj *ad* ʒij, &c.

Tinctura Sulphuris. ℞ Hepat. 🜍ris ℥ij, Sp. V. ℔j. Digere ac filtra. Extrahi etiam pt. ope Spts. V. ex Balſ. 🜍ris terebinthinato

University of …

binthinato in MB. ad ſiccit. cocto. *Valde pectoralis. Doſ. ad gt.* xij.

Tinctura Veneris. Extrah. ope Sp. V. ex Fl. ⊕is p. i, ✳ci p. ij, in ♃bulo ſupra △em mixta ſ. a. *Præſtantiſſima habetur in Epilepſia, paſſione Hyſterica,* &c. *cum liquor. conven. exhibita.*

* *Tinctura Virginiana.* ℞ Rad. Serpentar. Virg. ☿at: ℥ij, Tinct. ⊖is ♀ri ℥xvj. Extrahe Tincturam per digeſt. ſ. a. *Alexiteria, Cardiaca, Sudorifica, Scorbutica,* &c. *Doſ.* ʒj *ad* iij, &c.

* *Vitriolum Camphoratum.* ℞ ⊕ calcin. ℥vj, Camphor. in Spir. Vini ſolut. ℥j. m. & lento △e Spiritum indè abſtrahe ſ. a.

Vitriolum Lunæ. Fit ex ☾ in Sp. ⦶i ſolut. coagulando & cryſtalliſando ſ. a. Dicitur & *Cryſtallum Lunare, & Magiſt. Lunæ. Doſ. gr.* ij *ad* vj, *&c. In Hydrope, capitis morbis, ut Epilepſia, Hemicrania,* &c. *proficuum. Leniter purgat, & nonnunquam vomitum ciet. Ex hoc fieri ſolent cum micis panis mixto Pil. Lunares.*

* *Vitriolum Martis.* ℞ Alcoh. V. ℥iv, ◎ ⊕li. ℥ij, ſerva ſimul in vaſe ferreo ad 𝔡 15, vel ad ſiccitatem. *Doſ. gr.* ij *ad* vj, &c. *in obſtructionibus.*

Vitriolum Veneris. v. *Flores Viridis æris.*

F I N I S.

INDEX

Morborum, & Remediorum.

A.

Abortum Præcaventia. Aq. Embryon. | A. Hormini | A. Lamii | Spir. Embryon.

Acida. Acetum Mellis | Cliſſus Vitrioli | Elix. Vitrioli | Nitr. Vitriol. | Ol. Virid. Ær. | O. Vitrioli dulce | Sp. Nitr. 3. | S. Sal. coag. | S. Veneris | S. Vitriol. 4.

Alexipharmaca. Aq. Epidem. | A. Lact. Alexit. | Aur. potab. | A. Vitæ | Bez. miner. | Elix. Prop. Peſtil. | Flor. Sal. | Mixt. ſimpl. | Sal. Tart. Volat. | S. Viperar. | Spir. Camph. | Sp. Nitr. Bezoart. | S. Junip. | S. Sal. Armon. | S. Sambuc. | S. Theriac. Camph. | S. Viperar. | S. Vitrioli diaph. | Sulph. aurat. | Tinct. Bezoart. | T. Virgin.

Aluminata. Alum. dulce. | A. Febrif. | Aq. Fort. Alum. | Arcan. Alum. | Sal Alum. | Spir. Alum. | S. A. dulc.

Ad Ambuſta. Magiſt. Saturni | Tinct. Ceruſſæ.

In Animi deliquio, v. *Cardiaca.*

Anodyna.

Anodyna. Balſ. Sulph. | B. Tart. | Bez. Lunar. | Cryſtal. min. | Ens Vener. | Extr. Paregor. | Laudana | Nitr. fixat. | N. Sulphurat. | Ol. Chartæ | O. Heracl. | O. Sapon. | O. Tabac. | Sal Urin. Volat. | Sp. Camph. | Sulph. Vitrioli Narcot.

Antimoniata. Antiheſt. Poter. | Antimon. Diaph. 2. | A. Medicament. | A. reſuſcit. | Aq. Stim. Sulph. | Balſ. Sulph. Antim. | Bez. Jovis | B. Lun. | B. Mart. | B. Miner. | B. Sol. | Ceruſſa Antim. | Cinnab. Antim. | Flor. Antim. 2. | Magiſt. Antim. diaphor. | Mercur. vit. 2. | Nitr. Antim. | Ol. Antim. Saccharat. | Oxyſacch. Emet. | Panacea 3. | Regul. Jov. | R. Lun. | R. Mart. | R. Sol. | R. Vener. | Sulph. Antim. 2. | S. aurat. | Tart. Antim. | T. Emet. | T. Vitriolat. Antim. | T. V. Emetico-purg. | Tinct. Antim. 2.

Apoplectica. Bez. Lun. | Calx Lunæ | Elix. Vitriol. | Sp. c. c. Succinat. | Sp. Sal. Armon. | S. Sal. coag. | S. Sangu.

Ad Appetitum. v. *Stomachica.*

Aphrodiſiaca. Aq. Prolif.

Arthritica. Aq. Hungar. | A. omn. Flor. | Balſ. Anod. | B. Succin. | B. Sulph. miner. | B. Tart. | Cinnab. Antimon. | Infuſ. Arthrit. | Jupit. Diaphor. | J. Nitrat. | Laudana | Magnes præp. | Ol. Sapon. | O. Tabaci | Pil. Matth. | Sal. Armon. Volat. | Spir. Sal. coag. | S. Viper. | Tinct. Galbanet. | T. Saſſafr. | T. Virgin.

Aſthmatica. Aq. Digital. | A. Pect. | Balſ. Sulph. | Extr. Petic. | Fl. Benzo. | F. Sulph. alb. | Nitr. Saturni | Spir. Millep. | S. Nitri dulc. | Tinct. Amygd. | T. Aſthmat. | T. Sulph.

Aſtringentia. Alum. dulce | A. Febrif. | Bez. Mart. | Laudana | Sal Litharg. | Terr. Vitrioli dulc.

Ad Aurium dolores. Ol. Chartæ | O. Heracl.

Bechica,

3

B.

Bechica. v. *Pectoralia.*

Bezoartica. v. *Alexipharmaca.*

C.

Cachectica. Antimon. Ceruſſa | A. Diaphor. 2. | A. Medicament. | Magiſt. Antim. Diaphor. | Nitr. Cacheċt. | Sal Urin. Volat. | Tinct. Antim. purg. | T. Armen. | v. *Chalybeata.*

In Calculo. Aq. Cucum. | A. Cynosb. | A. Lact. Nephrit. | A. omn. Flor. | A. Perſicar. | A. Senelor. | Arcan. duplic. | Liquam. Silicum | Nitr. Cachectic. | N. Hermaphrod. | Ol. Ludi | O. Vitriol. dulc. | Sal Spong. | S. Tart. | S. Viper. | Spir. Junip. | S. Nitri 3. | S. Spong. | S. Vener. | Tinct. Junip. | v. *Diuretica.*

Camphorata. Balſ. Anod. | Elix. Camph. | Liqu. Cephalalg. | Sp. Camph. | S. Theriac. Camph. | Tinct. Ceruſſæ.

In Camerum. Arcan. Corall. | Balſ. Saturn. | Croc. Jov. | Magiſt. Saturn. | Mercur. Sublim. Flav. & Ruber.

In Capitis dolore. Aq. Cephal. | Liqu. Cephalalg.

Cardiaca. Aq. Caryoph. | A. Cinnam. Card. | A. Card. | A. Lact. Card. | Nitr. Corall. | N. Perlat. | Sal Corall. | S. Viper. | Spir. Alkerm. | S. Ambr. | S. Corall. | S. C. C. Succin. | Tinct. Bezo | T. Corall. | T. Meliſſ. | T. Perlar. | T. Virgin. | v. *Alexipharm. Diaphoret. Stomach.*

Carminativa. Aq. Chamæm. | Extrac. Diateſſ. | Spir. Junip. | Tinct. Cardam. | T. Carui | T. Chamæm. | T. Junip | T. Piper. | T. Serpylli.

Catarrhalia. Balſ. Sulph. omnia | Extr. Paregor. | Fl. Sulph. | Lac Sulph. | Laudan. omn. | Pil. Matth. | Sulph. Vitriol. Narcot. | Tinct. Sulph.

Cauſticum.

Cauſticum. Vitriol. Lunæ.

Cephalica. Aq. Cephal. | A. Ceraſ. n. | A. Hungar. | Bez. Vener. | Sal Armon. vol. ol. | Spir. Ceraſ. | Sp. c. c. Succin. | S. Vini Succin. | S. Vitriol. Philoſ. | Tinct. Melamp. | T. Serpyl. | T. Succini | Vitriol. Lunæ.

Chalybeata. v. *Martiata.*

Ad Chloroſin. Tinct. Armon. | v. *Martiata.*

Ad Clavos. Cauter. Lun. | Ol. Virid. Æris.

Ad Colicam. Aq. Chamæm. | A. Hungar. | A. Pneumon. | Balſ. Sulph. Aniſ. & Succin. | Croc. Vener. | Flor. Sulph. alb. | Lac Sulph. | Magiſt. Saturn. | Sal Armon. vol. ol. | Tinct. Chamæm. | T. Junip. | T. Rhab. | T. Piper. | T. Succini. | v. *Carminativa. Opiata.*

Ad Cordis Palpit. Sal Armon. vol. ol. | Sp. Alkerm. | S. Ambræ | Tinct. Armon. | T. Aſfœt. | T. Meliſſæ. | v. *Cardiaca, Hyſterica.*

Coſmetica. Acet. Lithargyr. | Aq. Coſmet. | A. Crinal. | A. Hungar. | A. Venuſtat. | Arcan. Coſmet. | Flor. Benzo. | F. Biſmuth. | & Zinci | Lac Mercuriale | Magiſt. Biſmut. | Ol. Talchi | O. Virid. Ær. | Spir. Benzo. | S. Camph. | Tinct. Ceruſſæ.

Ad Crapulam. Tinct. Abſinth.

Ad Crines. Aq. Crinalis.

Cuprea. Balſ. Veneris | Bez. Vener. | Croc. Vener. | Flor. Virid. Ær. | Ol. Virid. Ær. | Regul. Ven. | Spir. Ven. | Tinct. Ven.

D.

Diaphoretica. Alum. Febrif. | Antim. Diaph. | & Fixum | A. Medicam. | & reſuſcit. | Aq. Epidem. | A. Lact. Alexit. | A. Sarſæ | A. Siphyl. | & Stim. Sulph. | Arcan. Jov. | Aur. Fulm. | A. Moſaic. | A. potab. | Bez. Jov. | B. Lun. | B. Miner. | B. Sol. | Ceruſſ. Antim. | &.Mart. | Cinnab.

nab. Antim. | Croc. Jov. | Elix. Camph. | Flor. Antim. | F. Sal Armon. | Jupit. Diaphor. | & Nitrat. | Mars Diaphor. | Nitr. Cacheſt. | Panac. Hartman. | Sal Aceti Eſſent. | S. Armon. Vol. | S. Philoſ. | Spir. Camph. | S. C. C. Succin. | S. Sal Armon. | S. Theriac. Camph. | S. Vitriol. Diaph. | S. Vin. Tart. | Sulph. Aurat | Tart. Antimon. | Tinct. Bezo. | T. Guaiac. | T. Virgin.

Ad Diarrhœam. Alum. dulc. | A. Febrif. | Aq. Cinnam. | Bez. Mart. | Laudana | Sal Litharg.

Diuretica. Aq. Cucum. | A. Cynosb. | A. omn. Flor. | A. Perſicar. | A. Stim.-Sulph. | Arcan. duplic. | Balſ. Succin. | Croc. Vener. | Cryſtal. Mineral. | Flor. Sal. Armon. | Liquam. Silic. | Mars Diaphor. | Nitr. Hermaphr. | N. Fixat. | N. Vitriolat. | Ol. Ludi | O. Vitr. dulc. | Sal Aceti Eſſent. | S. Diuret. | S. Mart. Cathart. | S. Polychreſt. | S. Tart. | S. T. Volat. | Silic. præp. | Spir. Alum. 2. | S. Junip. | S. Millep. | S. Nitr. 2. | S. Sal Armon. | S. Sal. coag. | S. Sal. Mart. | Tinct. Antimon. | T. Corall. | T. Junip. | T. Serpyl.

Ad Dyſenteriam. Chalcanth. rubef. | Pil. Matth. | Sal Litharg. | Terr. Vitrioli dulc. v. ad Diarrh. Opiata.

Ad Dyſpnœam. v. *Aſthmatica.*

E.

Ecphractica. Ens Vener. | Extr. Ecphract. | Nitr. Cathart. | N. Hermaphr. | Spir. Alum. dulc. S. Millep. | S. Nitri dulc. | S. Sal. Armon. Chalyb. | S. Sal Mart. | S. Vitriol. Diaph. | S. Vitriol. Mart. | S. V. Philoſoph. | S. V. Tartar. | Sulph. Vitriol. Mart. | Tart. Antim. | T. Chalybeat. | Tinct. Antim. purg. | T. Armon. | T. Ferri | T. Mart. | Vitriol. Mart. | v. *Martiata.*

Emetica. Antimon. reſuſcit. | Aq. Formicar. | Fl. Antimon. | Gilla Theophr. | Magiſt. Git. |

Mercur.

Mercur. præcip. per ſe | M. p. rub. | M. Vitæ | Oxyſacch. Emet. | Spir. Tabaci | Sulph. Antim. | & Antim. Combuſt. | Tart. Antimon. | T. Vitriol. Emet. | Tinct. Antim. Emet.

Emmenagoga. Aq. Chamæm. c. | Eſſent. Mart. | Extr. Fellis | Mars Fulm. | Spir. Junip. | S. Sal Armon. Chalyb. | Tinct. aur. | T. Ferri | T. Mart. | T. Myrrh. | T. Piper. | T. Serpylli | v. *Hyſterica Martiata.*

Epileptica. Aq. Hirund. | A. Picar. | Balſ. Succin. | Bez. Lun. | Calx Lunæ | Cinnab. Antimon. | Elix. Vitriol. | Luna Potab. | Ol. Heracl. | O. Sapon. | Regul. Lun. | Spir. Ceraſor. | Sp. C. C. Succinat. | S. Embryon. | S. Sangu. | S. Vener. | S. Vini Succin. | Sulph. Vitrioli Narcot. | Tinct. Succin. | T. Vener. | Vitriol. Lunæ.

Expectorantia. Aq. Digital. | Balſ. Sulph. omnia | v. *Aſthmatica, Pectoralia.*

F.

Ad Faciei Rubores, &c. Acetum Lithargyr. | Lac Mercur. | Magiſt. Biſmut. | M. Saturni | Ol. Virid. Æris | Spir. Camph. | Tinct. Ceruſſæ. v. *Coſmetica.*

Febrifuga. Alum. Febr. | Antifeb. Conch. | Aq. Febr. | A. Formic. | Arcan. dupl. | Bez. Jov. | B. Sol. | Croc. Vener. | Extr. Febr. | Febr. River. | Flor. Sal. Armon. Mart. | Nitr. Antimon. | N. Corallat. | N. Hermaphrod. | Ol. Antim. Sacchar. | Sal Alum. | S. Diüret. | S. Febrif. | S. Litharg. | S. Viper. | Spir. Alum. | S. Camph. | S. Sal. Armon. | S. Saturni | S. Viper. | S. Vitriol. coag. | S. V. Philoſ. | Sulph. aurat. | Tart. Antimon. | T. Chalyb. | T. Vitr. Antim. | T. Vitr. Emet. | Tinct. Hieræ | T. Stomach.

Ad Flatus. v. *Carminativa.*

Ad Fluxum Hepaticum. Bez. Mart.

In Gangrana. Spir. Camph. | Tinct. Myrrh. | T. Propriet.

In Gonorrhœâ. Mercur. præcip. virid. | v. *Mercuralia, ad Luem Vener.*

H.

Hæmoptoïca & in Hæmorrhagiis. v. *Styptica.*

Hydropica. Æthiops miner. | Antiheẞt. Poter. | Antimon. Diaphor. fixum. | & Medicament. | Arcan. Corallin. | Bez. Sol. | Eſſent. Mart. | Extr. Alhand. | Luna Potab. | Magiſt. Antim. diaph. | M. Git. | Mars Potab. | Mercur. præcip. alb. | Nitr. Antimon. | Sal. Diuret. | Silic. præp. | Spir. Sal. coag. | Tinct. Abſinth. | T. Cochl. | T. Junip. | T. Mart. aur. | Vitriol. Lunæ.

Hypochondriaca. v. *ad Melancholiam.*

Hypnotica. v. *Somnifera.*

Hyſterica. Balſ. Succin. | Bez. Jov. | B. Saturni | Calx Jov. | C. Lun. | Cliſſ. Vitr. | Croc. Jov. | C. Vener. | Elix. Camphor. | Ens Vener. | Flor. Jov. | Jupit. Diaphor. | J. Nitrat. | Magiſt. Jov. | Ol. Camph. | Regul. Jov. | R. Solar. | Sal C. C. Succin. | S. Jov. | Spir. Ceraſor. | S. C. C. Succin. | S. Sangu. | S. Vener. | Tinct. Aſ. fœt. | T. Galbanet. | T. Succini | T. Vener.

I.

Icterica. Sal Diuret. | S. Urinæ | S. Tart. | Sp. Sal. coag. | Tart. Chalyb. | T. Vitriol. Antim. | v. *Martiata.*

Ad Impetiginem. Bez. Vener. | Flor. Biſm. & Zinc. | Magiſt. Biſm. | Ol. Chartæ | Tinct. Ceruſſæ. v. *Aluminata.*

Joviata. Antiheẞt. Poter. | Arcan. Jov. | Flor. Jov. | Jupit. Diaphor. | J. Nitrat. | Magiſt. Jov. | Regul. Jov. | Sal Jov.

Laxantia.

L.

Laxantia. Balſ. Tart. | Extr. Ecphract. | Nitr. Cacheċt. | Ol. Aloet. | Sal Polychreſt. | Tart. Antimon. | T. Laxat. | Tinct. Hieræ | T. Propriet. | T. Rhab. | T. Stomach.

Ad Luem Veneream. v. *Aq. Siphylica.*

Lunaria. Bez. Lun. | Calx Lun. | Cauſtic. Lun. | L. potab. | Regul. L. | Vitriol. L.

M.

In Maniâ. Extr. Melamp. | Tinct. Saturni. | v. *ad Melancholiam.*

Martiata. Aq. Chalyb. | Balſ. Mart. | Bez. M. | Ceruſ. M. | Chal. ſine acido | C. Tartar. | Cliſſ. Vitr. | Ens Vener. | Eſſent. M. | Extr. Chal. | Flor. Sal. Armon. Mart. | Mars Diaph. | M. potab. | Nitr. Cacheċt. | Ol. M. | Regul. M. | Sal Chal. | S. Mart. Cathart. | Spir. Vitr. Mart. | Sulph. V. Mart. | S. V. Narcot. | Tart. Chalyb. | Tinct. Armon. | T. Ferri | T. Mart. | T. M. aur. | T. M. Tartariſ. | Vitr. Mart.

In Melancholiam. Arcan. duplicat. | Extr. Melamp. | Mars Diaphor. | Sal Viperar. | Spir. Saturni | Tart. Chalyb. | Tinct. Armon. | T. Mart. | T. Melamp. | T. Saturni. | v. *Martiata, Joviata, Hyſterica.*

Menſes moventia. v. *Emmenagoga.*

Mercuriata. Æth. miner. | Arcan. Coral. | Arcan Jov. | Aur. Moſaic. | Aurum Potab. | A. Vitæ. | Bez. Mercur. | B. Miner. | B. Sol. | Cinnab. Antim. | Croc. Jov. | Magiſt. Turpet. | Mercur. præcip. varii | M. ſublim. varii | M. Vitæ correct. | M. V. purg. | Panac. aur. | P. Cathart.

Menſtrua Chymica. Acetum Mell. | Aq. Fort. Alum. | A. F. dupl. | A. Reg. | Spir. Vin. Tartar. | S. Veneris.

N.

Nephritica. Aq. Cucum. c. | A. Cynosb | A. Lact. Nephrit. | A. Perſic. c. | A. Senel. c. | Liquam. Silic. | Nitr. Cachect. | Pil. Matth. | Nitr. Nitrat. | Sal Aceti eſſent. | S. Diuret. | S. Spongiæ | S. Tart. | S. Urinæ volat. | Sapo Tartar. | Silic. præp. | Spir. Alum. | S. Coral. | S. Junip. | S. Nitri d. | S. Spong. | S. Vener. | S. Vini Tartariſ. | Tinct. Junip. | T. Ocul. Cancr.

Nitrata. Aq. Fort. dupl. | A. F. Alum. | A. Reg. | Arcan. dupl. | Crystal. miner. | Nitr. Antim. | N. Cachect. | N. Cathart. | N. Corall. | N. Fixat. | N. Hermaphrod. | N. Jov. | N. Nitrat. | N. Perlat. | N. Saturni | N. Sulph. | N. Vitriol. | Regul. Mart. | R. Vener. | Sal Alcali | S. Polychreſt. | Spir. Nit. | S. N. Bez. | S. N. Dulc.

O.

Odontalgica. Alum. dulce | Arcan. Alum. | Ol. Chart. | O. Heracl. | O. Lint. | O. Tabac. | Pil. Matth. | Spir. Camph. | S. Tabac. | Tinct. Guaiac. T. Odontalg. v. *Somnifera*

Odorifera. Aq. Odorif. | Sp. Ambræ.

Opiata. v. *Somnifera.*

P.

Paralytica. Aq. Hungar. | Balſ. Paralyt. | B. Succini | Extr. Diateſſ. | Galbanet. | Nitr. Cachect. | Ol. Lumbric. | O. Paralyt. | Spir. Camph. | S. C. C. Succin. | Sp. Sal. Armon. Succin. | S. Sangu. | S. Theriac. Camph. | S. Vin. Succin. | Tinct. Galban. | T. Paralyt. | T. Saſſafr. | T. Serpylli | T. Succini.

Ad Partum promovendum. v. *Emmenagoga.*

Paregorica. v. *Anodyna, Somnifera.*

Pectoralia. Aq. Bechic. | A. Caryoph. | A. Lact. Pect. | A. Pector. | A. Tuſſilag. | Balſ. Sulph.

omnia |

omnia | Flor. Benzo. | F. Sulph. a. | Hepar Sulph. | Lac Sulph. | Liquam. Sulph. | Spir. Benzo. | S. Hyſſop. | S. Millep. | S. Tabac. | Tinct. Amygdal. | T. Aſthmat. | T. Galbaneti | T. Sulph.

Peſtilentialia. v. *Alexipharmaca.*

Phthiſica. Antiheſt. Poter. | Aq. Antiphth. | A. Lact. Pector. | A. Card. comp. | A. Pector. | A. Tuſſilag. c. | Balſ. Sulph. | Flor. Sulph. alb. | Lac Sulph. | Liquam. Sulph. | Magiſt. Saturni | Tinct. Amygdal. | T. Mellis | T. Saturni.

Pleuritica. Aq. Animal. | Aq. Tuſſilag. c. | Cryſtal. miner. | Ens Vener. | Nitr. Sulphurat. | v. *Pectoralia*

Podagrica. v. *Arthritica.*

Ad Profluv. alb. Aq. Hormini | A. Lamii c.

Purgantia. Arcan. Coral. | Aur. Vitæ | Extr. Alhand. | E. Draſtic. | E. Melamp. | Magiſt. Git. | M. Tartar. | M. Turpet. | Mercur. præc. alb. &c. | M. ſublim. flav. & rub. | M. Vitæ purg. | Nitr. Cathart. | Panac. Cathart. | Sal Mart. Cathart. | Scammon. 5. | Tinct. Antim. purg. | T. Aſthm. | T. Aur. | T. Hieræ | T. Melamp. | T. Rhab. | T. Scorbut. | T. Stomach. | Vitr. Lunæ.

R.

Ad Rachitidem. Ens Vener. | Regul. Vener. | Spir. Millep. | S. Vitr. Mart. | v. *Martiata.*

Ad Ructus. v. *Carminativa. Stomachica.*

S.

Salivam moventia. Panac. aur. v. *Mercuriata.*

Sanguinem coagulatum ſolventia. Aq. Chalyb. | Cryſtal. miner. | Nitr. fixat. | Spir. Vitr. Tart.

Sanguinem rectificantia. Antimon. Diaph. | Ceruſſa Antim. | Cinnab. Antim. | Magiſt. Antim. Diaph. | Mercur. Vitæ cor. | Nitr. Sulphur. | Panac. Hartman. | Sal Corall. | S. Tart. | Spir.

Coral. | S. Viperar. | S. Vitr. Diaph. | Tinct. Coral. | v. *Antimoniata, Martiata, Mercuriata,* &c.

Sanguinem Siſtentia. v. *Styptica.*

Saturnina. Balſ. Saturn. | Bez. S. | Calx S. | Magiſt. S. | Nitr. Saturniſ. | Sal S. | Spir. S. | Tinct. S.

Contra Scabiem. Arcan. Corall. | Æthiops miner. | Magiſt. Git. | Mercur. præc. alb. | M. Sublim. | Panac. Hartm. | Sal Tart. vol. | Spir. Vitr. Diaph. | S. V. Tartar. | v. *Sulphurata.*

Scorbutica. Antiheƈt. Poter. | Antim. Diaph. | Aq. Antiſcorb. | A. Lact. Scorb. | Arcan. dupl. | Bez. Jov. | Ceruſſa Antim. | Mars potab. | Nitr. Cacheƈt. | Sal Diuret. | S. Urinæ vol. | Spir. Cochl. | S. Coral. | S. Vin. Tart. | Tinct. Armon. | T. Cochl. | T. Mart. aur. | T. Scorb. | T. Virgin.

Ad Scrophulas. Magiſt. Turpet. | Sal Spongiæ | Spir. Millep. | v. *Mercuriata.*

Ad Singultum. Elix. Prop. | Laudana | Sal Armon. vol. | Tinct. Hieræ | T. Stomach. | v. *Stomachica, Carminativa.*

Siphylica. Æth. miner. | Antiheƈt. Poter. | Aq. Sarſæ | A. Siphyl. | Arcan. Corall. | Aur. Vitæ | Bez. Mercur. | B. Sol. | Ceruſſa Antimon. | Cinnab. Antim. | Croc. Jov. | Jupit. Diaph. | J. Nitrat. | Magiſt. Saturni | M. Turpet. | Mercur. præc. a. | M. P. Virid. | M. Sublim. | Nitr. Antimon. | Nitr. Cacheƈt. | Panac. aur. | P. Cathart. | P. Hartman. | Regul. Mart. | Spir. Saturni | Sulph. aur. | Tinct. Guaiaci.

Sitim extinguentia. Bez. anim. | Cryſtal. miner. | Nitr. fixat. | N. Sulphur. | Ol. Vitr. dulce | Spir. Nitri | S. N. dulc. | S. Sal. coag. | S. Vitr. coag.

Solaria. Aur. Fulmin. | A. Potab. | A. Vitæ | Bez. Solar. | Regul. Sol.

Somnifera.

Somnifera. Extrac. Paregor. | Laudana | Pil. Matth. | Sedativ. Archæi | Sulph. Vitrioli Narcot. | Tinct. Bezoart.

Stomachica. Aq. Chamæm. | A. Cinnam. 2. | Pneumon. | Elix. Prop. 3. | E. Vitæ | E. Vitriol. | Extrac. Diateſſ. | Flor. Sal. Arm. Mart. | Sal. Armon. Vol. Ol. | S. Philoſ. | Spir. Junip. | S. Vener. | S. Vin. Tart. | S. Vitriol. coag. | Tinct. Abſinth. | T. Hieræ | T. Junip. | T. Propriet. | T. Stomach. | v. *Carminativa.*

Styptica. Bez. Mart. | Chalcanth. rubef. | Ol. Martis | O. Vitr. | Terra Vitrioli dulc. | Tinct. Hæmatit. | v. *Aluminata, Nitrata.*

Sudorifica. v. *Diaphoretica.*

Sulphurata. Balſ. Sulph. | Fl. Sulph. a. | Hepar S. | Lac S. | Liquam. S. | Sal S. | Tinct. S.

T.

Tartarea. Balſ. Tart. | Magiſt. T. | Nitr. Hermet. | Pil. Matth. | Sal. Armon. vol. | Sal Tart. | Sapo Tart. | Spir. Sal. Armon. Tart. | Spir. Vitr. Diaphoret. | S. V. Tartar. | Sulph. Vitriol. | Tartar. Antimon. | T. Chalyb. | T. Emet. | T. Laxat. | T. Vitriol. Antimon. | T. V. Emetico-purgans | Tinct. Bezoart. | T. Ceruſſæ | T. Mart. Tart.

Traumatica. Aq. Chalyb. | Arcan. Corallin. | Balſ. Sulph. Antimon. | B. S. Bat. | Bez. Vener. | Croc. Jovis | Flor. Virid. Ær. | F. Vitrioli | Pul. Sympath. | Stypt. Reg. | Tinct. Myrrh. | T. Ocul. Cancr.

Ad Tympanitidem. Aq. Ceraſ. comp. | Spir. Sal. coag.

V.

Vermifuga. Æth. min. | Aq. Vermif. | Aur. Vitæ | Elix. Propr. | Ens, Vener. | Mercur. præcip. | Ol. Aloet. | Ol. Heracl. | O. Tabac. | Sal

Sulph.

Sulph. | Tinct. Abſinth. | T. Corall. | T. Hieræ | T. Myrrh. | T. Propriet. | T., Virgin.

Ad Vertiginem. v. *Epileptica.*

Vitriolata. Aq. Fort. 2. | A. Reg. | Arcan. duplic. | Chalcant. rub. | Cliſſ. Vitr. | Elix. Vitr. | Eſſent. Mart. | Flor. Vitr. | Gil. Theoph. | Nitr. Vitriol. | Ol. Vitr. dulc. | Panac. Holſat. | Pulv. Sympathet. | Ros Vitr. | Spir. Vitr. coagul. | & diaph. | & Tart. | Stypt. Reg. | Sulph. Vitr. | S. V. Narcot. | Tart. Vitriol. Antim. | Terr. Vitr. dulc. | Tinct. Antim. purg. | T. Bezoart.

Vomitoria. v. *Emetica.*

Ad Urinæ Suppreſſionem. Ol. Vitrioli. v. *Diuretica, Nephritica, Somnifera.*

FINIS.

Catalogus Librorum proſtantium apud GUL. & JOH. INNYS.

BOerhaave (Herm.) Aphoriſmi Med. 8vo. *Ludg. Bat.* 1715.

——— *The ſame in* Engliſh, *by* De la Coſte, 8vo. *Lond.* 1715.

—— Praxis Medica; *being a compleat Body of Preſcriptions adapted to each Section of the Practical Aphoriſms*, 12mo. *Lond.* 1716.

Boulton (Rich.) *Syſtem of Rational and Practical Chirurgery*, 8vo. 1713.

Bellinger (Fran.) *Diſcourſe concerning the Nutrition of the* Fœtus *in the Womb, demonſtrated to be by Ways hitherto unknown. In which likewiſe is diſcovered the Uſe of the Gland* Thymus, 8vo. 1717.

Cowper (Gul.) Glandularum, Ductuumque Deſcriptio, 4to. *Lond.* 1702.

Cruſo (Joh.) Medicamentorum 'Ευπορίστων Theſaurus, 12mo. 1701.

Drake (James) Anthropologia nova; *or a New Syſtem of Anatomy, deſcribing the Animal Oeconomy; and a ſhort Rationale of many Diſtempers incident to human Bodies, illuſtrated with above fourſcore Figures drawn after the Life. The 2d Edit. corrected, with a Preface, by* W. Wagſtaffe, *M. D. and Reader of Anatomy, at* Surgeons-Hall, 2 Vol. 8vo. 1717.

Friend (Joh.) Emmenologia: in quâ Fluxûs Muliebris Menſtrui Phænomena, Periodi, Vitia, cum medendi Methodo ad Rationes Mechanicas exiguntur. Edit. ſecunda, 8vo. 1717.

Floyer (*Sir* John) *Treatiſe of the Aſthma. The 2d Edit.* 8vo. *Lond.* 1717.

—— *And Dr.* Baynard's *Hiſtory of Cold Bathing both ancient and modern. The 4th Edit. to which is added an Appendix*, 8vo. 1715.

School of Pharmacy University of

INDEX.

Greenfield (John) *compleat Treatiſe of the Stone and Gravel, with Copper Plates*, 8vo. 1712.

Hippocratis de Morbis Popularibus Liber primus & tertius Gr. Lat. His accommodavit novem de Febribus Commentarios Johannes Friend, M. D. Col. Med. & Soc. Reg. Soc. 4to. *Lond.* 1717.

——Idem. Edit. 2da, 8vo. *Ibid.* 1717.

Keill's (James) *Eſſays on the ſeveral Parts of the Animal Oeconomy. The* 2d *Edit.* 8vo. *Lond.* 1717.

Liſteri (Mart.) Comment. in Sanctorii de Statica Medicina Aphoriſmorum Sectiones Septem. 12mo. *Lond.* 1716.

Mayerni (Theod.) Concilia, Epiſtolæ & Obſervat. Med. Fol. *Ibid.* 1699.

—— Praxis Medica, 2 Vol. 8vo. *Ibid.* 1692.

Praxis Medica, *The Practice of Phyſick ; or Dr.* Sydenham's Proceſſus integri, *Tranſlated out of* Latin *into* Engliſh ; *with large Annotations,* &c. *And various Methods of curing the Clap, Running of the Reins, French-Pox,* &c. *The* 3*d Edition, by* W. Salmon, *M. D.* 8vo. *Lond.* 1716.

Paxton (P.) *Eſſay concerning the Knowledge and Cure of moſt Diſeaſes afflicting human Bodies,* 8vo. 1711.

White (J.) *New and Exact Obſervations of Fevers, in which letting of Blood is ſhewed to be the true and ſolid Baſis of their Cure, as well as of almoſt all other new Diſeaſes,* 8vo. 1712.

RS141
.3
B316